according to the OSHA Hazard Communication Standard



## **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

#### **SECTION 1. IDENTIFICATION**

Product name : ALTUS

Product code : Article/SKU: 84989509 UVP: 86300257 Specification:

102000037318 EPA Registration No: 101563-186

Manufacturer or supplier's details

Company name of supplier : Environmental Science U.S. LLC.

Address : 5000 Centregreen Way, Suite 400

Cary NC 27513

Telephone : 1-800-331-2867

Emergency telephone : +1 703-741-5970

E-mail address : uscontact@envu.com

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : See product label for restrictions.

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Eye irritation : Category 2B

Skin sensitization : Category 1

Specific target organ toxicity

- repeated exposure

Category 2 (muscle)

**GHS** label elements

Hazard pictograms





Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

H320 Causes eye irritation. H332 Harmful if inhaled.

H373 May cause damage to organs (muscle) through prolonged

according to the OSHA Hazard Communication Standard



## **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

or repeated exposure.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical attention if you feel unwell.

P321 Specific treatment (see supplemental first aid instructions on this label).

P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P337 + P313 If eye irritation persists: Get medical attention. P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

## Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Soluble concentrate (SL)

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene carbonate	108-32-7	>= 30 - < 50
Flupyradifurone	951659-40-8	>= 10 - < 20

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

according to the OSHA Hazard Communication Standard



## **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

No symptoms known or expected. May cause an allergic skin reaction.

Causes eve irritation.

Harmful if inhaled.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : There is no specific antidote available.

Treat symptomatically.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable.

Appropriate supportive and symptomatic treatment as indica-

ted by the patient's condition is recommended.

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

3 / 18

according to the OSHA Hazard Communication Standard



## **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx) Fluorine compounds Chlorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

according to the OSHA Hazard Communication Standard



## **ALTUS**

SDS Number: Date of last issue: -Version Revision Date:

10/27/2023 11281919-00001 Date of first issue: 10/27/2023 1.0

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage Keep in properly labeled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

#### Personal protective equipment

Respiratory protection General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance

where air purifying respirators may not provide adequate protection.

Hand protection

Material Chemical-resistant gloves

Remarks Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the re-

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version SDS Number: Date of last issue: -Revision Date:

10/27/2023 11281919-00001 Date of first issue: 10/27/2023 1.0

> sistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks

and at the end of workday.

Eye protection Wear the following personal protective equipment:

Safety goggles

Select appropriate protective clothing based on chemical Skin and body protection

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance liquid

Color light yellow, brown, orange

Odor characteristic

Odor Threshold No data available

5 - 7 (73 °F / 23 °C) pΗ

> Concentration: 1 % deionized water

Melting point/freezing point No data available

Initial boiling point and boiling : No data available

range

> 212 °F /> 100 °C Flash point

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) Ignitable (see flash point)

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : ca. 1.17 g/cm³ (68 °F / 20 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : 788 °F / 420 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Method: OECD Test Guideline 113

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 34 mN/m

Particle size : Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

## Acute toxicity

Harmful if inhaled.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 2,924 mg/kg

Method: Calculation method

Acute inhalation toxicity : LC50 (Rat): ca. 3.496 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

**Components:** 

Propylene carbonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Flupyradifurone:

Acute oral toxicity : Acute toxicity estimate (Rat, female): 500 mg/kg

Method: Expert judgment

Acute inhalation toxicity : LC50 (Rat): > 4.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : No skin irritation

according to the OSHA Hazard Communication Standard



## **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

#### Components:

Propylene carbonate:

Species : Rabbit

Result : No skin irritation

Flupyradifurone:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

**Product:** 

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

**Components:** 

Propylene carbonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Flupyradifurone:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

**Product:** 

Species : Guinea pig

Method : Local lymph node assay (LLNA)

Result : Probability or evidence of skin sensitization in humans

**Components:** 

Flupyradifurone:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

Result : negative

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

Propylene carbonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Flupyradifurone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

## Carcinogenicity

Not classified based on available information.

## **Components:**

## Propylene carbonate:

Species : Mouse
Application Route : Skin contact
Exposure time : 104 weeks
Result : negative

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

Flupyradifurone:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks

Method : OECD Test Guideline 453

Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Not classified based on available information.

#### Components:

Propylene carbonate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Flupyradifurone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

#### STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

May cause damage to organs (muscle) through prolonged or repeated exposure.

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version SDS Number: Date of last issue: -Revision Date:

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

#### **Components:**

Flupyradifurone:

Routes of exposure Ingestion Target Organs muscle

Assessment Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

**Components:** 

Propylene carbonate:

**Species** Rat

NOAEL > 5,000 mg/kgApplication Route Ingestion Exposure time 90 Days

Flupyradifurone:

**Species** Dog NOAEL 7.8 mg/kg LOAEL 28.1 mg/kg Application Route Ingestion Exposure time 1 y

Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

**Product:** 

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 684 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

IC50 (Raphidocelis subcapitata (freshwater green alga)): 250

mg/l

Exposure time: 72 h Test Type: Growth inhibition

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Chironomus riparius (harlequin fly)): 0.0702 mg/l

Exposure time: 28 d

according to the OSHA Hazard Communication Standard



## **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

**Components:** 

Propylene carbonate:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1,000 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 929 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 929 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Pseudomonas putida): 25,619 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Flupyradifurone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 74.2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Chironomus riparius (harlequin fly)): 0.0617 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 80

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

NOEC (Lemna gibba G3 (gibbous duckweed)): 34.2 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 4.41 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Chironomus riparius (harlequin fly)): 0.0041 mg/l

Exposure time: 28 d

Toxicity to microorganisms : (activated sludge): > 1,000 mg/l

Exposure time: 3 h

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

#### Persistence and degradability

**Components:** 

Propylene carbonate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 90 % Exposure time: 28 d

Method: Directive 67/548/EEC Annex V, C.4.A.

**Bioaccumulative potential** 

**Components:** 

Propylene carbonate:

Partition coefficient: n-

: log Pow: -0.48

octanol/water

Flupyradifurone:

Partition coefficient: n-

octanol/water

log Pow: 1.2

Method: OECD Test Guideline 117

Mobility in soil
No data available

Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : It is best to use all of the product in accordance with label

directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local

guidelines.

Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.

Empty containers retain residue and can be dangerous.

Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Flupyradifurone)

Class : 9

according to the OSHA Hazard Communication Standard



## **ALTUS**

Version SDS Number: Date of last issue: -Revision Date:

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

Packing group Ш Labels 9 Environmentally hazardous yes

**IATA-DGR** 

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Flupyradifurone)

Class 9 Packing group Ш

Miscellaneous Labels

Packing instruction (cargo 964

aircraft)

Packing instruction (passen-

ger aircraft)

964

**IMDG-Code** 

UN 3082 **UN** number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Flupyradifurone)

Class 9 Ш Packing group Labels EmS Code F-A, S-F Marine pollutant yes

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**49 CFR** 

UN 3082 UN/ID/NA number

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Flupyradifurone)

Class q Ш Packing group CLASS 9 Labels **ERG Code** 171

Marine pollutant yes(Flupyradifurone)

Remarks Above applies only to containers over 119 gallons or 450 li-

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

# **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Respiratory or skin sensitization Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

## Pennsylvania Right To Know

Propylene carbonate 108-32-7
Polyethylene-polypropylene Glycol Monobutyl Ether 9038-95-3
Flupyradifurone 951659-40-8
Butan-1-ol 71-36-3

Product Type : Insecticides, acaricides and products to control other arthro-

pods

Active substance : 200 g/l

Flupyradifurone

#### **SECTION 16. OTHER INFORMATION**

## **Further information**

according to the OSHA Hazard Communication Standard




## **ALTUS**

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act

according to the OSHA Hazard Communication Standard



# **ALTUS**

Version SDS Number: Date of last issue: -Revision Date:

1.0 10/27/2023 11281919-00001 Date of first issue: 10/27/2023

(United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date 10/27/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8