



SAFETY DATA SHEET

SDS REVISIONS: NEW

DATE OF ISSUE: 02/12/2018

CalSync Maxx

SUPERSEDES:

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name CalSync Maxx

Other means of identification

Product Code FRT-0044
Synonyms CASCADIA FIELD TO YIELD BLEND

Recommended use of the chemical and restrictions on use

Recommended Use Soil Nutrient.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address
LOVELAND PRODUCTS, INC.
P.O. Box 1286
Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number 1-888-LPI-CUST (574-2878)
Emergency Telephone Chemtrec 1-800-424-9300
Medical Emergencies: 1-866-944-8565
US regulations require reporting spills of this material that could reach any surface waters.
The toll-free phone number for the US Coast Guard National Response Center is 1-800-424-8802

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Carcinogenicity	Category 1B - (H350)
Reproductive toxicity	Category 1B - (H360)

Label elements



Signal word

DANGER

Hazard statements

H332 - Harmful if inhaled
H350 - May cause cancer
H360 - May damage fertility or the unborn child

Precautionary Statements - Prevention

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood



SAFETY DATA SHEET

CalSync Maxx
SUPERSEDES:

SDS REVISIONS: **NEW** **DATE OF ISSUE: 02/12/2018**

- P281 - Use personal protective equipment as required
- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
- P271 - Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 P308 + P313 - IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Synonyms

CASCADIA FIELD TO YIELD BLEND.

Chemical Name	CAS No	Weight-%	GHS Classification	Trade Secret
Limestone	1317-65-3	60 - 100		*
Boric Acid	10043-35-3	1 - 5	Repr. 1B (H360FD)	*

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.
 OSHA Hazard Communication 29 CFR 1910.1200



SAFETY DATA SHEET

SDS REVISIONS: NEW

DATE OF ISSUE: 02/12/2018

CalSync Maxx

SUPERSEDES:

4. FIRST AID MEASURES

Description of first aid measures

General advice	(Get medical attention immediately if symptoms occur.)
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Call a poison control center or doctor for treatment advice.
Skin contact	Take off contaminated clothing. Call a poison control center or doctor for treatment advice.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Treatment:	Treat symptomatically. Symptoms may be delayed. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-866-944-8565 for emergency medical treatment information.
Note to physicians	Treat symptomatically.
Antidotes	No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire, Use CO₂, dry chemical, or foam

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.



SAFETY DATA SHEET

SDS REVISIONS: NEW

DATE OF ISSUE: 02/12/2018

CalSync Maxx

SUPERSEDES:

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines .

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.



SAFETY DATA SHEET

SDS REVISIONS: NEW

DATE OF ISSUE: 02/12/2018

CalSync Maxx

SUPERSEDES:

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Aqueous slurry
Color	White
Odor	Characteristic
Odor threshold	No data available

<u>Property</u>	<u>Values (Remarks - Method)</u>	
pH	No data available	No information available
Melting point / freezing point	No data available	No data available
Boiling point	No data available	No data available
Flash point	No data available	Does not flash
Evaporation rate	No data available	No data available
Flammability (solid, gas)	No data available	No information available
Flammability Limit in Air		Not applicable
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	No data available
Vapor density	No data available	No data available
Specific Gravity	1.54 g/ml	
Water solubility	No data available	
Solubility in other solvents	No data available	
Partition coefficient	No data available	No data available
Autoignition temperature	No data available	No data available
Decomposition temperature	No data available	No data available
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No data available	
Oxidizing properties	No data available	

Other Information

VOC Content (%)	No data available
Density	12.89lbs/gal

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



SAFETY DATA SHEET

SDS REVISIONS: NEW

DATE OF ISSUE: 02/12/2018

CalSync Maxx

SUPERSEDES:

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Acute toxicity of the formulated product:

Oral LD₅₀ No information available

Dermal LD₅₀ No information available

Chemical Name	Oral LD ₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Boric Acid	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 0.16 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Boric Acid 10043-35-3	-	Group 2A	-	X

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Target Organ Effects

Eye damage/irritation, Respiratory system, Skin.

Aspiration hazard

No information available.

Information on likely routes of exposure

Product Information

No data available

Inhalation

No data available.

Eye contact

No data available.

Skin contact

No data available.

Ingestion

No data available.



SAFETY DATA SHEET

SDS REVISIONS: NEW

DATE OF ISSUE: 02/12/2018

CalSync Maxx

SUPERSEDES:

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Boric Acid 10043-35-3	-	LC50 1020 mg/L 72 h Carassius auratus	EC50 115 - 153 mg/L 48 h Daphnia magna

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>. Do not contaminate water, food or feed by storage or disposal.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

DOT

UN/ID no

Proper shipping name

U.S. Surface Freight Classification:

Not regulated

Not regulated

FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI, LIQUID (NMFC 68140, SUB 6; CLASS 70)



SAFETY DATA SHEET

SDS REVISIONS: NEW

DATE OF ISSUE: 02/12/2018

CalSync Maxx

SUPERSEDES:

15. REGULATORY INFORMATION

<u>NFPA</u>	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical Properties -	
<u>HMIS</u>	Health hazards 0	Flammability 0	Physical hazards 0	Personal protection X	
	0 - Least	1 - Slight	2 - Moderate	3 - High	4 - Severe

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. EPA Label Information



SAFETY DATA SHEET

SDS REVISIONS: NEW

DATE OF ISSUE: 02/12/2018

CalSync Maxx

SUPERSEDES:

16. OTHER INFORMATION

Prepared By Registrations and Regulatory Affairs

Reviewed By Environmental Health and Safety

Issue Date 02/12/2018

Revision Date 02/12/2018

Revision Note

NEW

CalSync Maxx is a trademark of Loveland Products, Inc.

Disclaimer

This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

End of Safety Data Sheet