



## DuPont™ Canopy® Blend Herbicide

Version 3.0

Issue Date : 03/18/2019 Ref. 130000130060  
 Revision Date : 02/11/2019

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont™ Canopy® Blend Herbicide  
 Tradename/Synonym : DuPont™ Canopy® NXT Herbicide  
 DPX-SBT29 58.3 WG Blend  
 DPX-SBT29  
 METRIBUZIN: 4-Amino-6-(1,1-dimethylethyl)-3-(methylthio)-1,2,4-triazin-5(4H)-one  
 CHLORIMURON ETHYL: Ethyl 2-[[[(4-chloro-6-methoxypyrimidin-2-yl)amino]carbonyl]amino]sulfonyl]benzoate

Product Use : Herbicide

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer/Supplier : DuPont  
 974 Centre Road  
 Wilmington, DE 19805, USA

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)  
 Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)  
 Transport Emergency : +1-800-424-9300 (outside the U.S. +1-703-527-3887)

### SECTION 2. HAZARDS IDENTIFICATION

#### Product hazard category

Acute toxicity (Oral)	Category 4
Skin sensitisation	Sub-category 1B
Specific target organ toxicity - single exposure	Category 3

**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019  
Revision Date : 02/11/2019

Ref. 130000130060

**Label content**

Pictogram :



Signal word : Warning

Hazardous warnings : Harmful if swallowed.  
May cause an allergic skin reaction.  
May cause respiratory irritation.  
May cause drowsiness or dizziness.Hazardous prevention measures : Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves.  
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Call a POISON CENTER/doctor if you feel unwell.  
Rinse mouth.  
If skin irritation or rash occurs: Get medical advice/ attention.  
Wash contaminated clothing before reuse.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Dispose of contents/ container to an approved waste disposal plant.



## DuPont™ Canopy® Blend Herbicide

Version 3.0

Issue Date : 03/18/2019  
 Revision Date : 02/11/2019

Ref. 130000130060

### Other hazards

Information presented in Section 2 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Metribuzin	21087-64-9	50 %
Chlorimuron ethyl	90982-32-4	8.3 %
Other Ingredients		41.7 %

Present as an impurity in the clay component of this product:

Titanium dioxide	13463-67-7	0.5 - 1 %
------------------	------------	-----------

### SECTION 4. FIRST AID MEASURES

- General advice** : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
 For medical emergencies involving this product, call toll free 1-800-441-3637.  
 See Label for Additional Precautions and Directions for Use.  
 Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.
- Inhalation** : Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000130060  
Revision Date : 02/11/2019

- Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Ingestion : Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious person.
- Most important symptoms/effects, acute and delayed : No applicable data available.
- Protection of first-aiders : No applicable data available.
- Notes to physician : No applicable data available.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)
- Unsuitable extinguishing media : High volume water jet, (contamination risk)
- Specific hazards : No applicable data available.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.
- Further information : (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000130060  
Revision Date : 02/11/2019

- Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.
- Environmental precautions : Prevent material from entering sewers, waterways, or low areas.
- Spill Cleanup : Sweep up and shovel into suitable containers for disposal.
- Accidental Release Measures : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Handling (Physical Aspects) : Keep away from heat and sources of ignition.
- Dust explosion class : No applicable data available.
- Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Store in a cool, dry place. Keep out of the reach of children.
- Storage period : No applicable data available.
- Storage temperature : No applicable data available.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

- Engineering controls : Ensure adequate ventilation. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown. Information


**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019  
 Revision Date : 02/11/2019

Ref. 130000130060

presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

**Personal protective equipment**

**Skin and body protection** : Mixers, loaders, applicators and other handlers must wear:  
 Long sleeved shirt and long pants  
 Chemical resistant gloves made of any waterproof material, such as polyethylene or polyvinyl chloride.  
 Shoes plus socks  
 PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:  
 Coveralls  
 Chemical resistant gloves made of any waterproof material, such as polyethylene or polyvinyl chloride.  
 Shoes plus socks

**Protective measures** : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Use this product in accordance with its label.

**Exposure Guidelines**
**Exposure Limit Values**

<b>Titanium dioxide</b>			
PEL (Permissible Exposure Limit)	(OSHA)	15 mg/m <sup>3</sup>	8 hr. TWA
PEL (Permissible Exposure Limit)	(OSHA)	10 mg/m <sup>3</sup>	TWA
TLV	(ACGIH)	10 mg/m <sup>3</sup>	TWA
AEL *	(DuPont)	10 mg/m <sup>3</sup>	8 & 12 hr. TWA
AEL *	(DuPont)	5 mg/m <sup>3</sup>	8 & 12 hr. TWA

<b>Metribuzin</b>			
TLV	(ACGIH)	5 mg/m <sup>3</sup>	TWA
REL	(NIOSH)	5 mg/m <sup>3</sup>	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
PEL (Permissible Exposure Limit)	(OSHA)	5 mg/m <sup>3</sup>	TWA


**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019

Ref. 130000130060

Revision Date : 02/11/2019

AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA
-------	----------	---------	----------------

<b>Chlorimuron ethyl</b>			
AEL *	(DuPont)	10 mg/m3	8 & 12 hr. TWA
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

## Appearance

Physical state : solid  
 Form : solid, granules  
 Color : blend of white and brown

Odor : pungent

Odor threshold : No applicable data available.

pH : 7.4 - 8.4

Melting point/range : No applicable data available.

Boiling point/boiling range : No applicable data available.

Flash point : No applicable data available.

Evaporation rate : No applicable data available.

Flammability (solid, gas) : No applicable data available.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Specific gravity (Relative density) : No applicable data available.

**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000130060  
Revision Date : 02/11/2019

Bulk density : 0.55 - 0.75 mg/l  
Water solubility : dispersible  
Solubility(ies) : No applicable data available.  
Partition coefficient: n-octanol/water : No applicable data available.  
Auto-ignition temperature : No applicable data available.  
Decomposition temperature : No applicable data available.  
Viscosity, kinematic : No applicable data available.  
Viscosity, dynamic : No applicable data available.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No applicable data available.  
Chemical stability : Stable at normal temperatures and storage conditions.  
Possibility of hazardous reactions : Polymerization will not occur.  
Conditions to avoid : None reasonably foreseeable.  
Incompatible materials : No materials to be especially mentioned.  
Hazardous decomposition products : No applicable data available.

**SECTION 11. TOXICOLOGICAL INFORMATION**

DuPont™ Canopy® Blend Herbicide  
Inhalation 4 h Acute toxicity estimate : > 5.0 mg/l , Rat  
Dermal Acute toxicity estimate : > 5,000 mg/kg , Rabbit  
Dermal Acute toxicity estimate : > 5,000 mg/kg , Rat  
Skin irritation : No skin irritation, Rabbit  
Eye irritation : No eye irritation, Rabbit




**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019  
 Revision Date : 02/11/2019

Ref. 130000130060

Minimal effects that do not meet the threshold for classification.

Sensitisation : The product is a skin sensitiser, sub-category 1B., mice

Further information : Information given is based on data on the components.  
 Further information : Information presented in this Section conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

## Metribuzin

Oral LD50 : 1,030 mg/kg , Rat  
 Target Organs: Central nervous system  
 Central nervous system effects

Repeated dose toxicity : Inhalation  
 Rat  
 - 21 d  
 dust/mist  
 NOAEL: 0.72 mg/l  
 LOAEL: > 0.72 mg/l  
 No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.  
 Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.  
 Did not cause genetic damage in cultured bacterial cells.  
 Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.

Reproductive toxicity : No toxicity to reproduction  
 No effects on or via lactation  
 Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

## Chlorimuron ethyl

Oral LD50 : 4,102 mg/kg , Rat

Repeated dose toxicity : The following effects occurred at levels of exposure that significantly



**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019  
 Revision Date : 02/11/2019

Ref. 130000130060

exceed those expected under labeled usage conditions.

Dermal  
 Rabbit

-  
 No toxicologically significant effects were found.

Oral  
 Dog

-  
 No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., Abnormal decrease in number of red blood cells

Oral  
 Rat

-  
 No adverse effect has been observed in chronic toxicity tests.

- Carcinogenicity : Not classifiable as a human carcinogen.  
 Animal testing did not show any carcinogenic effects.
- Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
 Animal testing did not show any mutagenic effects.
- Reproductive toxicity : No toxicity to reproduction
- Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Titanium dioxide

Oral LD50 : > 5,000 mg/kg , Rat

Repeated dose toxicity : Oral  
 Rat

-  
 NOAEL: 1,000 mg/kg Method: OECD Test Guideline 408  
 No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.  
 Overall weight of evidence indicates that the substance is not carcinogenic.

Mutagenicity : Animal testing did not show any mutagenic effects.


**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019  
 Revision Date : 02/11/2019

Ref. 130000130060

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

**Carcinogenicity**

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

Material	IARC	NTP	OSHA
Titanium dioxide	2B		
Quartz	1	X	

**SECTION 12. ECOLOGICAL INFORMATION**
**Aquatic Toxicity**
**Metribuzin**

96 h LC50	: Oncorhynchus mykiss (rainbow trout) 74.6 mg/l
72 h EC50	: Desmodesmus subspicatus (green algae) 0.022 mg/l
48 h EC50	: Daphnia magna (Water flea) 98.5 mg/l
21 d	: NOEC Oncorhynchus mykiss (rainbow trout) 5.6 mg/l
21 d	: NOEC Daphnia magna (Water flea) 0.32 mg/l

**Chlorimuron ethyl**

96 h LC50	: Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l
96 h LC50	: Lepomis macrochirus (Bluegill sunfish) > 100 mg/l
72 h EC50	: Pseudokirchneriella subcapitata (green algae) 0.001 mg/l
48 h EC50	: Daphnia magna (Water flea) > 1,000 mg/l


**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000130060  
 Revision Date : 02/11/2019

## Titanium dioxide

96 h LC50 : Pimephales promelas (fathead minnow) > 1,000 mg/l  
 72 h ErC50 : Pseudokirchneriella subcapitata (green algae) > 100 mg/l see user defined free text  
 72 h NOEC : Algae 5,600 mg/l see user defined free text  
 48 h EC50 : Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply where/when conditions favour runoff. See product label for additional application instructions relating to environmental precautions.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste disposal methods - Product : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Waste disposal methods - Container : Container Refilling and Disposal:  
 Refer to the product label for instructions.  
 Do not transport if this container is damaged or leaking.  
 In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

Contaminated packaging : No applicable data available.

**SECTION 14. TRANSPORT INFORMATION**

IATA\_C UN number : 3077  
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
 (Chlorimuron ethyl, Metribuzin)  
 Class : 9  
 Packing group : III  
 Labelling No. : 9


**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000130060  
 Revision Date : 02/11/2019

IMDG UN number : 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,  
 SOLID, N.O.S. (Chlorimuron ethyl, Metribuzin)  
 Class : 9  
 Packing group : III  
 Labelling No. : 9  
 Marine pollutant : yes (Chlorimuron ethyl, Metribuzin)

Not regulated as a hazardous material by DOT.

**SECTION 15. REGULATORY INFORMATION**

Other regulations : This Safety Data Sheet is for a pesticide product registered by the US Environmental Protection Agency (USEPA) and various state regulatory agencies, and is therefore also subject to certain requirements under US and state pesticide laws, including the Federal Insecticide Fungicide and Rodenticide Act (FIFRA). These requirements differ from the classification criteria and hazard information required by OSHA for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is information determined by USEPA, and various states.

**CAUTION!**

Harmful if swallowed or absorbed through the skin . Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes and clothing.

SARA 311/312 Hazard classification : Acute toxicity (any route of exposure)  
 Specific target organ toxicity (single or repeated exposure)  
 Respiratory or skin sensitisation

SARA 313 Regulated Chemical(s) : The following components are subject to reporting levels established by SARA Title III, Section 313: Metribuzin, Chlorimuron ethyl

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Metribuzin, Kaolin, Sucrose, Edetic acid, Sodium sulphate

CERCLA Reportable : Based on the percentage composition of this chemical in the product.:



**DuPont™ Canopy® Blend Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000130060  
 Revision Date : 02/11/2019

Quantity	Edetic acid
	Naphthalene

SARA Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

EPA Reg. No. : 352-886  
 In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

California Prop. 65 : This product can expose you to substances including Titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**SECTION 16. OTHER INFORMATION**

™ Trademark of E.I. du Pont de Nemours and Company.  
 ® Registered trademark of E.I. du Pont de Nemours and Company

Issue Date : 03/18/2019  
 Revision Date : 02/11/2019

Contact person : DuPont Crop Protection, Wilmington, DE, 19805, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.