

Revision date : 2016/11/02 Version: 5.0

Page: 1/11 (30542462/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

CARAMBA FUNGICIDE.

Recommended use of the chemical and restriction on use

Recommended use*: fungicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF Canada Inc. 100 Milverton Drive Mississauga, ON L5R 4H1, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

CANUTEC (reverse charges): (613) 996-6666 BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification PCP # 29767, 29917 Synonyms: metconazole

2. Hazards Identification

According to Controlled Products Regulations (CPR) (SOR/88-66)

Emergency overview

WARNING: Eye irritant. KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes eye irritation. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Revision date : 2016/11/02 Version: 5.0

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

CAS Number	Weight %	Chemical name
91-20-3	0.1 - 1.0%	naphthalene
111-46-6	25.0 - 50.0%	diethylene glycol
64742-94-5	1.0 - 7.0%	solvent naphtha
68439-46-3	25.0 - 75.0%	Alcohols, C9-11, ethoxylated
125116-23-6	8.6 %	Metconazole

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Revision date : 2016/11/02 Version: 5.0 Page: 3/11 (30542462/SDS_CPA_CA/EN)

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons,

The substances/groups of substances mentioned can be released in case of fire. If product is heated above decomposition temperature, toxic vapours will be released.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Revision date : 2016/11/02 Version: 5.0

Page: 4/11 (30542462/SDS_CPA_CA/EN)

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

Protect from temperatures below: 2 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

solvent naphtha	OSHA PEL	PEL 100 ppm 400 mg/m3;TWA value 100 ppm 400 mg/m3;
Naphthalene, 2-methyl-	ACGIH TLV	TWA value 0.5 ppm;Skin Designation; The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing

Revision date : 2016/11/02 Version: 5.0 Page: 5/11 (30542462/SDS_CPA_CA/EN)

separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	faint odour	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	off-white	
pH value:	approx. 5.0 - 7.0	
	(1%(m), 20°C)	
Melting point:	approx. < 0 °C	
Boiling point:	approx. 220 °C	
Flock point	Information applies to the solvent.	
Flash point:	121 °C	(ASTM D93)
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this	
	product and our knowledge of its composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Upper explosion limit:	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Autoignition:	349 °C	
Vapour pressure:	not applicable	
Density:	approx. 1.046 g/cm3	
	(20 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-	not applicable	
octanol/water (log Pow):		
Thermal decomposition:	carbon monoxide, carbon dioxide, nitroge	
	dioxide, Hydrogen chloride, halogenated	hydrocarbons,
	Hydrocarbons	tic beated above
	Stable at ambient temperature. If product	
	decomposition temperature toxic vapours No decomposition if stored and handled a	
	prescribed/indicated.	a5
Viscosity, dynamic:	approx. 66 mPa.s	
viscosity, dynamic.	(20 °C)	
Solubility in water:	(20 °C)	
	emulsifiable	
Evaporation rate:	not applicable	
Other Information:	The product has not been tested. The sta	atement has been
	derived from the properties of the individu	
	products of a similar structure or compos	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Revision date : 2016/11/02 Version: 5.0

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable. Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong oxidizing agents, strong bases, strong acids

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: Possible thermal decomposition products: carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

<u>Oral</u> Type of value: LD50 Species: rat (male) Value: 3,536 mg/kg

Type of value: LD50 Species: rat (female) Value: 2,102 mg/kg

Revision date : 2016/11/02 Version: 5.0 Page: 7/11 (30542462/SDS_CPA_CA/EN)

Inhalation Type of value: LC50 Species: rat Value: 9.57 mg/l (calculated)

<u>Dermal</u> Type of value: LD50 Species: rat (male/female) Value: > 4,000 mg/kg

Assessment other acute effects

Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Causes substantial but temporary eye injury. May cause slight irritation to the skin.

<u>Skin</u> Species: rabbit Result: non-irritant

<u>Eye</u> Species: rabbit Result: Irritant.

<u>Sensitization</u> Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test Species: guinea pig Result: Skin sensitizing effects were not observed in animal studies. Method: OECD Guideline 406

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Metconazole

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: diethylene glycol Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion.

The substance may cause damage to the liver after repeated ingestion.

Information on: naphthalene

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. The substance may cause damage to the olfactory epithelium after repeated inhalation. Repeated dermal uptake of the substance did not cause substance-related effects.

Revision date : 2016/11/02 Version: 5.0

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Metconazole

Assessment of carcinogenicity: In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Metconazole

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

<u>Other Information</u> Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Acutely toxic for fish. Acutely toxic for aquatic invertebrates. Acutely toxic for aquatic plants.

Toxicity to fish LC50 (96 h) 10 mg/l, Oncorhynchus mykiss

Aquatic invertebrates EC50 (48 h) 9.28 mg/l, Daphnia magna

<u>Aquatic plants</u> EC50 (72 h) > 6.91 mg/l, Selenastrum capricornutum

Revision date : 2016/11/02 Version: 5.0

Aquatic toxicity

Information on: metconazole

Chronic toxicity to fish

Information on: metconazole No observed effect concentration (95 d) 0.00291 mg/l, Oncorhynchus mykiss (OECD Guideline 210)

<u>Assessment of terrestrial toxicity</u> With high probability not acutely harmful to terrestrial organisms.

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: metconazole

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: metconazole

Bioconcentration factor: 51 - 80, Lepomis macrochirus Does not accumulate in organisms.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole

The substance will not evaporate into the atmosphere from the water surface. Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Revision date : 2016/11/02 Version: 5.0

Page: 10/11 (30542462/SDS_CPA_CA/EN)

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport TDG	Not classified as a dangerous good under transport regulations
Sea transport IMDG	
Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	9 III UN 3082 9, EHSM YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METCONAZOLE)
Air transport IATA/ICAO	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	9 III UN 3082 9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METCONAZOLE)

15. Regulatory Information

Federal Regulations

Registration status	s: DSL, CA	released; restriction on quantity / not listed
Crop Protection	DSL, CA released / exempt	

According to Controlled Products Regulations (CPR) (SOR/88-66)

WHMIS does not apply to this product.

Revision date : 2016/11/02 Version: 5.0

Page: 11/11 (30542462/SDS_CPA_CA/EN)

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/11/02

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET