IN CASE OF EMERGENCY DUE TO A MAJOR SPILL, FIRE OR POISONING INVOLVING THIS PRODUCT CALL DAY OR NIGHT, 1-800-561-8273 or CHEMTREC 1-800-424-9300

CHEMICAL PRODUCT AND COMPANY INFORMATION

MANUFACTURED FOR:

LOVELAND PRODUCTS CANADA, INC. **24-Hour Emergency Phone:** 1-800-561-8273 789 Donnybrook Drive • Dorchester, Ontario N0L 1G5 Additional Emergency Phone (Canutec): 1-613-996-6666 (Collect)

CHEMICAL IDENTITY: Copper (from Copper Oxychloride)

PRODUCT USE: Fungicide - Group M

PCP REG. NO.: 19146

MSDS Revisions: Section 1 Date of Issue: 09/12/12 MSDS Number: 19146-12-LPI Supersedes: 01/31/11

HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN - WARNING - POISON - Hazardous if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes, skin or clothing. May be severely irritating or corrosive to the eyes. May be mildly irritating to the skin and in rare cases may cause skin sensitization. May cause irritation to the respiratory tract. Large dose ingestion of copper salts may cause gastrointestinal disorders. Wash thoroughly with soap and water after handling, and before eating, drinking or smoking. Avoid breathing dust or spray mist. Primary routes of entry are Inhalation, eye contact and skin contact.

This product is a pale green-coloured micro granular solid with no odour.

COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients:	Percentage by Weight:	CAS No.	TLV (Units)
Copper Oxychloride (Metallic Copper equivalent)	50.00	1332-65-6	1 mg/m³
Inert Ingredients	50.00		•

FIRST AID MEASURES

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control centre or doctor treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by

mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an

unconscious person.

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or If on skin or clothing: doctor for treatment advice.

Elevated urinary copper is an indication of excess copper exposure. If swallowed, perform gastric lavage with water or NOTE TO PHYSICIAN:

0.1% solution of potassium ferrocyanide. Mucosal damage may contraindicate gastric lavage. Many copper salts by skin

contact cause itching, eczema and rarely, sensitization reactions.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273. Have the product label or container with you when calling a poison control centre or doctor, or going for treatment.

FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): Not established FLAMMABLE LIMITS (LFL & UFL): Not established

EXTINGUISHING MEDIA: Foam, dry chemical, carbon dioxide, and water spray (fog).

HAZARDOUS COMBUSTION PRODUCTS: Thermal decomposition will release Hydrogen chloride, oxides of Hydrogen, and oxides of Copper, and

other toxic and/or hazardous gases.

SPECIAL FIRE FIGHTING PROCEDURES: Remain upwind. Avoid breathing smoke, Wear self-contained breathing apparatus and full protective

gear.

UNUSUAL FIRE AND EXPLOSION HAZARDS: If water is used to fight fire or cool containers, dike to prevent runoff and contamination of municipal

sewers and waterways.

ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Avoid breathing dusts. Sweep up spills and transfer to approved chemical containers for disposal or rework. Keep dusting to a minimum. Check local or provincial regulations for proper disposal. Flush the area with water to remove any residue.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

COPPER SPRAY PCP# 19146

7. HANDLING AND STORAGE

HANDLING: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide

gets inside. Then wash thoroughly and put on clean clothing. Remove PPE after handling this product. Wash the outside of

gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE: Store in the original container in a dry, cool, well-ventilated place. Keep the container tightly closed. Keep away from

food, drink and animal feed. When opening, closing or handling open packages, wear goggles to prevent getting dust in eyes. After partial use, fold and roll back bags, clamp and close tightly. Do not contaminate water, food or feed by storage

or disposal.

Personal Protective Equipment: Applicators and other handlers must wear: long sleeved shirt and long pants, chemical-resistant gloves, such as polyethylene or PVC, shoes plus socks, protective eyewear, chemical-resistant headgear for overhead exposure, and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). Follow manufacturer's instructions for cleaning and maintaining PPE. If no instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust ventilation is recommended.

RESPIRATORY PROTECTION: Wear a MSHA/NIOSH approved dust/mist filtering respirator (approval number prefix TC-21C). **EYE PROTECTION:** Chemical goggles or shielded safety glasses. Eyewash facility should be available in the work area.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, shoes with socks. Wear chemical-resistant gloves.

OSHA PEL 8 hr TWA ACGIH TLV-TWA

Copper* 1 mg/m³ 1 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOUR: Pale green-coloured micro granular solid with no odour.

SOLUBILITY: Insoluble

SPECIFIC GRAVITY (Water = 1): 0.59 – 0.66 g/ml **BULK DENSITY:** 590 – 660 kg/m³ **pH:** 7 (in water)

VAPOUR PRESSURE: Not established

BOILING POINT: Decomposes at 220°C (428°F)

PERCENT VOLATILE (by volume): Not established

EVAPORATION RATE: Not established

Note: These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Temperatures above 51°C (125°F). Avoid exposure to high moisture conditions for prolonged periods.

INCOMPATIBILITY: Ammonia or acid vapors. Strong acids. Copper is corrosive to aluminum and iron, especially when in aqueous forms and at elevated temperatures

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition will release Hydrogen chloride, oxides of Hydrogen, and oxides of Copper, and other toxic and/or hazardous gases.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): 1600 mg/kg

Eye Irritation (rabbit): Moderate irritant

Skin Irritation (rabbit): Mild irritant

Inhalation LC₅₀ (male rat): >4000 mg/m³ Skin Sensitization (Guinea Pig): Not a sensitizer Carcinogenic Potential: None listed.

12. ECOLOGICAL INFORMATION

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

13. DISPOSAL CONSIDERATIONS

Do not reuse containers for any purpose. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. For disposal, empty container may be returned to the point of purchase (distributor/dealer). Follow provincial instructions for any required additional cleaning of container. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food, or feed by storage or disposal.

14. TRANSPORT INFORMATION

DOT/TDG Shipping Description: NOT REGULATED FOR SURFACE TRANSPORTATION

U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL REPELLENTS; NOI; OTHER THAN POISON (NMFC 102120; CLASS: 60)

IMDG Shipping Description: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER), 9, UN3077, III MARINE POLLUTANT

Consult appropriate ICAO/IATA regulations for shipment requirements in the Air shipping mode.

15	RFGI	ΙΙ ΔΊ	ΓORY	INFORM	ΛΔΤΙΩΝ

NFPA & HMIS Hazard Ratings: NFPA HMIS

2Health0Least2Health1Flammability1Slight1Flammability0Instability2Moderate0Reactivity3HighIPPE

4 Severe

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Copper (CAS No. 7440-50-8) 5000 pounds SARA, Title III, Section 313: Copper (CAS No. 7440-50-8) ±50% equivalent by weight in product

RCRA Waste Code: Not listed CA Proposition 65: Not listed

16. OTHER INFORMATION

MSDS STATUS: Section 1 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

*As copper dusts or mists (CAS No. 7440-50-8)

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.