

Product name: Engarde™ Herbicide

Issue Date: 04/28/2021

PRODUCTION AGRISCIENCE CANADA COMPANY encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

1. IDENTIFICATION

Product name: Engarde™ Herbicide

Recommended use of the chemical and restrictions on use
Identified uses: Herbicide

COMPANY IDENTIFICATION

PRODUCTION AGRISCIENCE CANADA COMPANY
P.O. BOX 730, 7398 QUEEN'S LINE
CHATHAM, ONTARIO, N7M 5L1
CANADA

Customer Information Number : 800-667-3852
E-mail address : solutions@corveva.com

EMERGENCY TELEPHONE

24-Hour Emergency Contact : 1-888-226-8832
Local Emergency Contact : 1-888-226-8832

2. HAZARDS IDENTIFICATION

Hazard classification

This product is hazardous under the criteria of the Hazardous Products Regulation (HPR) as implemented under the Workplace Hazardous Materials Information System (WHMIS 2015).
Acute toxicity - Category 4 - Inhalation

Label elements

Hazard pictograms



Signal Word: **WARNING!**

Hazards

Harmful if inhaled.

Precautionary statements**Prevention**

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Use only outdoors or in a well-ventilated area.

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Other hazards

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Component	CASRN	Concentration
Mesotrione	104206-82-8	41.4%
Rimsulfuron	122931-48-0	4.3%
Kaolin	1332-58-7	>= 10.0 - < 20.0 %
Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	>= 3.0 - < 10.0 %
Naphthalenesulfonic acids, branched and linear Bu derivs., sodium salts	91078-64-7	>= 1.0 - < 2.5 %
Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde	105859-97-0	>= 1.0 - < 3.0 %

4. FIRST AID MEASURES

Description of first aid measures**General advice:**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Information presented in Section 4 conforms to the requirements of the Hazardous Products Regulations (HPR) and WHMIS 2015. See Section 15 for applicable information conforming to the requirements of the Pest Management Regulatory Agency (PMRA).

Inhalation: Move to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Call a poison control center or doctor for treatment advice.

Skin contact: Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

No cases of human intoxication are known and the symptoms of experimental intoxication are not known.

Indication of any immediate medical attention and special treatment needed

Notes to physician: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water spray Alcohol-resistant foam

Unsuitable extinguishing media: Dry chemical

Special hazards arising from the substance or mixture

Hazardous combustion products: No data available

Unusual Fire and Explosion Hazards: Exposure to combustion products may be a hazard to health. Applying foam will release significant amounts of hydrogen gas that can be trapped under the foam blanket. Do not allow run-off from fire fighting to enter drains or water courses.

Advice for firefighters

Fire Fighting Procedures: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Do not allow extinguishing medium to contact container contents. Most fire extinguishing media will cause hydrogen evolution, and once the fire is put out, may accumulate in poorly ventilated or confined areas and result in flash fire or explosion if ignited. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Avoid dust formation. Avoid breathing dust. Use personal protective equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: If the product contaminates rivers and lakes or drains inform respective authorities. Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in. Pick up and arrange disposal without creating dust. recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to overpressurization of the container. Keep in suitable, closed containers for disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal. See Section 13, Disposal Considerations, for additional information.

7. HANDLING AND STORAGE

Precautions for safe handling: Handle in accordance with good industrial hygiene and safety practice. Smoking, eating and drinking should be prohibited in the application area. Do not get on skin or clothing. Avoid contact with skin and eyes. Take care to prevent spills, waste and minimize release to the environment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage: Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Do not store with the following product types: Do not store near acids.. Strong oxidizing agents.
 Unsuitable materials for containers: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Consult local authorities for recommended exposure limits.

Component	Regulation	Type of listing	Value/Notation
Kaolin	ACGIH	TWA Respirable particulate matter	2 mg/m3
	CA AB OEL	TWA Respirable	2 mg/m3
	CA BC OEL	TWA Respirable	2 mg/m3
	CA QC OEL	TWAEV respirable dust	5 mg/m3

Exposure controls

Engineering controls: Ensure adequate ventilation.

Information presented in Section 8 conforms to the requirements of the Hazardous Products Regulations (HPR) and WHMIS 2015. See Section 15 for applicable information conforming to the requirements of the Pest Management Regulatory Agency (PMRA).

Hygiene measures: Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product.

Protective measures: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Use this product in accordance with its label.

Individual protection measures

Eye/face protection: Wear protective eyewear to prevent contact with this substance.

Skin protection

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Applicators and other handlers must wear: Long sleeved shirt and long pants Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils Shoes plus socks PPE required for early entry to treated areas that is permitted in accordance with Provincial and Territorial management programs, and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils Shoes plus socks

Respiratory protection: Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. Provide adequate ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state solid granules

Color**Odor**

Odor Threshold No data available

pH 3.4 - 4.4

Melting point/range No data available

Freezing point No data available

Boiling point (760 mmHg) No data available

Flash point No data available

Evaporation Rate (Butyl Acetate = 1) No data available

Flammability (solid, gas) No data available

Lower explosion limit No data available

Upper explosion limit No data available

Vapor Pressure No data available

Relative Vapor Density (air = 1) No data available

Relative Density (water = 1) No data available

Water solubility No data available

Partition coefficient: n-octanol/water No data available

Auto-ignition temperature No data available

Decomposition temperature No data available

Kinematic Viscosity No data available

Explosive properties No data available

Oxidizing properties No data available
Molecular weight No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10. STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: No decomposition if stored and applied as directed. Stable under normal conditions.

Possibility of hazardous reactions: None known.
No hazards to be specially mentioned.

Conditions to avoid: None known.

Incompatible materials: None.

Hazardous decomposition products
No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: Single dose oral LD50 has not been determined.

For the active ingredient(s):
LD50, Rat, > 5,000 mg/kg

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

For the active ingredient(s):
LD50, Rat, male and female, > 2,000 mg/kg

Acute inhalation toxicity

Brief exposure (minutes) to easily attainable concentrations may cause adverse effects. Prolonged excessive exposure to mist may cause serious adverse effects, even death.

LC50, Rat, 4 Hour, dust/mist, > 2.58 mg/l

Skin corrosion/irritation

Brief contact is essentially nonirritating to skin.

Serious eye damage/eye irritation

May cause slight eye irritation.
Solid or dust may cause irritation due to mechanical action.

Sensitization

For skin sensitization:
For the active ingredient(s):
Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:
No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s):
Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Carcinogenicity

For the active ingredient(s): Did not cause cancer in laboratory animals.

Teratogenicity

For the active ingredient(s): Relevant data not available.

Reproductive toxicity

For the active ingredient(s): In animal studies, did not interfere with reproduction.

Mutagenicity

For the active ingredient(s): The weight of evidence from in vitro genetic toxicity studies indicates that this material is not genotoxic.

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

General Information

No other ecological effects to be specially mentioned.

Toxicity

Mesotrione

Acute toxicity to fish

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

Acute toxicity to algae/aquatic plants

EC50, Selenastrum capricornutum (green algae), 120 Hour, 3.5 mg/l
EC50, Lemna gibba, 14 d, 0.0077 mg/l

Chronic toxicity to fish

NOEC, Fish, 36 d, 12.5 mg/l

Chronic toxicity to aquatic invertebrates

NOEC, Daphnia (water flea), 21 d, 180 mg/l

Toxicity to Above Ground Organisms

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50, Colinus virginianus (Bobwhite quail), > 2000mg/kg bodyweight.

dietary LC50, Colinus virginianus (Bobwhite quail), > 5200mg/kg diet.

oral LD50, Apis mellifera (bees), 48 Hour, > 11micrograms/bee

contact LD50, Apis mellifera (bees), 48 Hour, > 9.1micrograms/bee

Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), 14 d, survival, > 437.7 mg/kg

Rimsulfuron

Acute toxicity to fish

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, > 390 mg/l

LC50, Lepomis macrochirus (Bluegill sunfish), 96 Hour, > 390 mg/l

Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), 48 Hour, > 360 mg/l

Acute toxicity to algae/aquatic plants

EbC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, 1.2 mg/l

EC50, Lemna gibba (gibbous duckweed), 14 d, Number of fronds, 0.0023 mg/l

EC50, Lemna gibba (gibbous duckweed), 14 d, Biomass, 0.0017 mg/l

EbC50, Selenastrum capricornutum (green algae), 120 Hour, 1.6 mg/l

EC50, Lemna gibba (gibbous duckweed), 7 d, > 0.21 mg/l

ErC50, Lemna gibba (gibbous duckweed), 14 d, 0.00066 mg/l

Chronic toxicity to fish

NOEC, Oncorhynchus mykiss (rainbow trout), 90 d, 110 mg/l

Chronic toxicity to aquatic invertebrates

NOEC, Daphnia magna (Water flea), 21 d, 0.82 mg/l

Toxicity to Above Ground Organisms

LD50, Colinus virginianus (Bobwhite quail), Acute oral toxicity, > 2,250 mg/kg

LC50, Colinus virginianus (Bobwhite quail), 8 d, Acute contact toxicity, > 5,620 mg/kg

LD50, Anas platyrhynchos (Mallard duck), Acute oral toxicity, > 2,000 mg/kg

LC50, Anas platyrhynchos (Mallard duck), 8 d, Acute contact toxicity, > 5,620 mg/kg

Apis mellifera (bees), Acute contact toxicity, > 100µg/bee

Apis mellifera (bees), Acute oral toxicity, > 1,000 ppm

Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), > 1,000 mg/kg

Kaolin

Acute toxicity to fish

Not expected to be acutely toxic to aquatic organisms.

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt

Acute toxicity to fish

No relevant data found.

Naphthalenesulfonic acids, branched and linear Bu derivs., sodium salts

Acute toxicity to fish

LC50, Danio rerio (zebra fish), 96 Hour, > 100 mg/l

Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), 48 Hour, 78 mg/l

Acute toxicity to algae/aquatic plants

EC50, algae, 72 Hour, 180 mg/l

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde

Acute toxicity to fish

No relevant data found.

Persistence and degradability

Mesotrione

Biodegradability: No appreciable biodegradation is expected.

Rimsulfuron

Biodegradability: Not readily biodegraded.

Kaolin

Biodegradability: Biodegradation is not applicable.

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt

Biodegradability: No relevant data found.

Naphthalenesulfonic acids, branched and linear Bu derivs., sodium salts

Biodegradability: Not readily biodegraded.

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde

Biodegradability: No relevant data found.

Bioaccumulative potential

Mesotrione

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): Pow: 0.11 at 20 °C

Rimsulfuron

Bioaccumulation: Does not bioaccumulate. No relevant data found.

Kaolin

Bioaccumulation: Partitioning from water to n-octanol is not applicable.

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt

Bioaccumulation: No data available for this product.

Naphthalenesulfonic acids, branched and linear Bu derivs., sodium salts

Bioaccumulation: Does not bioaccumulate.

Partition coefficient: n-octanol/water(log Pow): -0.27

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde

Bioaccumulation: No relevant data found.

Mobility in soil

The product is not expected to be mobile in soils.

13. DISPOSAL CONSIDERATIONS

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. TRANSPORT INFORMATION

TDG

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN number	UN 3077
Class	9
Packing group	III

Classification for SEA transport (IMO-IMDG):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Rimsulfuron, Mesotrione)
UN number	UN 3077
Class	9
Packing group	III
Marine pollutant	Rimsulfuron, Mesotrione
Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO):

Proper shipping name	Environmentally hazardous substance, solid, n.o.s.(Rimsulfuron, Mesotrione)
UN number	UN 3077
Class	9
Packing group	III

Further information:

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

NOT REGULATED PER TDG EXEMPTION 1.45.1 FOR ROAD OR RAIL

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. REGULATORY INFORMATION

National Fire Code of Canada

Not applicable

Canadian Domestic Substances List (DSL)

This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements.

Pest Control Products Act

Pest Control Products Act (PCPA) Registration Number: 31595

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:

Read the label and booklet before using.

Warning, contains the allergens milk and sulfites

This product is toxic to:

Small wild mammals

Aquatic organisms

Non-target terrestrial plants

16. OTHER INFORMATION

Revision

Identification Number: 011000007812 / Issue Date: 04/28/2021 / Version: 9.0

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

ACGIH	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	Canada. British Columbia OEL
CA QC OEL	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
TWA	8-hour time weighted average
TWAEV	Time-weighted average exposure value

Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC -

Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

PRODUCTION AGRISCIENCE CANADA COMPANY urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

CA