

## **EVERGOL® ENERGY**

Version 3.0 / CDN 102000022382

# Revision Date: 08/27/2019 Print Date: 08/28/2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name EVERGOL® ENERGY

Product code (UVP) 84921041

**SDS Number** 102000022382

PCP Registration No. 30364

Relevant identified uses of the substance or mixture and uses advised against

**Use** Seed treatment, Fungicide

**Restrictions on use**See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

## **SECTION 2: HAZARDS IDENTIFICATION**

## Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

## Labelling in accordance with Part 3 of the Hazardous Products Regulations

#### **Precautionary statements**

Protect from sunlight.

## **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified. No health hazards not otherwise classified.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**



## EVERGOL® ENERGY

 Version 3.0 / CDN
 Revision Date: 08/27/2019

 102000022382
 Print Date: 08/28/2019

Hazardous Component Name CAS-No. Concentration % by weight

 Prothioconazole
 178928-70-6
 7.18

 Penflufen
 494793-67-8
 3.59

 Metalaxyl
 57837-19-1
 5.74

#### **SECTION 4: FIRST AID MEASURES**

# Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

## **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

**Unsuitable** High volume water jet



Revision Date: 08/27/2019

Print Date: 08/28/2019

## EVERGOL® ENERGY

Version 3.0 / CDN 102000022382

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature445 °C / 833 °FLower explosion limitNo data availableUpper explosion limitNo data available

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and

local exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before



## **EVERGOL® ENERGY**

Version 3.0 / CDN 102000022382

Revision Date: 08/27/2019 Print Date: 08/28/2019

eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

#### Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away from direct sunlight.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Penflufen	494793-67-8	1.1 mg/m3 (TWA)		OES BCS*

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### **Exposure controls**

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

**Hand protection** Chemical resistant nitrile rubber gloves

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

**General protective measures** Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** beige

Physical State suspension



## **EVERGOL® ENERGY**

Version 3.0 / CDN 102000022382

Revision Date: 08/27/2019 Print Date: 08/28/2019

**Odor** musty

Odour Threshold No data available

**pH** 6.0 - 8.0 (100 %) (23 °C)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

**Density** ca. 1.07 g/cm<sup>3</sup> (20 °C)

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility dispersible

Minimum Ignition Energy Not applicable

Decomposition Not applicable

temperature
Partition coefficient: n-

octanol/water

Not applicable

Flash point No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature445 °C / 833 °FLower explosion limitNo data availableUpper explosion limitNo data available

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition Not applicable

**Chemical stability** Stable under normal conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials** No data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.



Revision Date: 08/27/2019

Print Date: 08/28/2019

## EVERGOL® ENERGY

Version 3.0 / CDN 102000022382

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Skin Absorption, Ingestion, Eye contact, Inhalation

**Immediate Effects** 

Skin Harmful if absorbed through skin.

Ingestion Harmful if swallowed.

Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 2,000 mg/kgAcute inhalation toxicity LC50 (Rat) > 2.205 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

**Acute dermal toxicity** LD50 (Rat) > 2,000 mg/kgSkin corrosion/irritation No skin irritation (Rabbit) Serious eye damage/eye

irritation

No eye irritation (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Mouse)

sensitisation

#### Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

Penflufen did not cause specific target organ toxicity in experimental animal studies.

Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

## **Assessment mutagenicity**

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): hematopoietic system, ovaries, Brain. The mechanism that triggers these tumours is not relevant to humans.

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

## **ACGIH**

None.

**NTP** 

None.

**IARC** 

None.



Revision Date: 08/27/2019

Print Date: 08/28/2019

## EVERGOL® ENERGY

Version 3.0 / CDN 102000022382

## **OSHA**

None.

#### Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Penflufen did not cause reproductive toxicity in a two-generation study in rats. Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

#### Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Penflufen did not cause developmental toxicity in rats and rabbits.

Metalaxyl did not cause developmental toxicity in rats and rabbits.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

#### SECTION 12: ECOLOGICAL INFORMATION

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Cyprinus carpio (Carp)) 0.103 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient penflufen.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 1.3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Daphnia magna (Water flea)) > 4.66 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.

**Toxicity to aquatic plants** ErC50 (Skeletonema costatum) 0.03278 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC10 (Skeletonema costatum) 0.01427 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Raphidocelis subcapitata (freshwater green alga)) > 5.1 mg/l

Growth rate; Exposure time: 96 h



## EVERGOL® ENERGY

Version 3.0 / CDN Revision Date: 08/27/2019
102000022382 Print Date: 08/28/2019

The value mentioned relates to the active ingredient penflufen.

No acute toxicity was observed at its limit of water solubility.

**Biodegradability** Prothioconazole:

Not rapidly biodegradable

Penflufen:

Not rapidly biodegradable

Metalaxyl:

Not rapidly biodegradable

**Koc** Prothioconazole: Koc: 1765

Penflufen: Koc: 280 Metalaxyl: Koc: 163

**Bioaccumulation** Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Penflufen: Bioconcentration factor (BCF) 142

Does not bioaccumulate.

Metalaxyl: Bioconcentration factor (BCF) < 7

Does not bioaccumulate.

Mobility in soil Prothioconazole: Slightly mobile in soils

Penflufen: Moderately mobile in soils Metalaxyl: Moderately mobile in soils

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Do not contaminate water, food, or feed by disposal.

Dispose in accordance with all local, state/provincial and federal

regulations.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

**Contaminated packaging** Do not re-use empty containers.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.



## **EVERGOL® ENERGY**

Version 3.0 / CDN Revision Date: 08/27/2019
102000022382 Print Date: 08/28/2019

**TDG** 

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(PROTHIOCONAZOLE, PENFLUFEN)

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE, PENFLUFEN SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE, PENFLUFEN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

#### **SECTION 15: REGULATORY INFORMATION**

PCP Registration No. 30364



## **EVERGOL® ENERGY**

Version 3.0 / CDN 102000022382

## Revision Date: 08/27/2019 Print Date: 08/28/2019

#### **SECTION 16: OTHER INFORMATION**

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 7: Handling and Storage. Section 10. Stability and reactivity.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

**Revision Date: 08/27/2019** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.