

# SAFETY DATA SHEET Fertilgold® Cu

HMIS			
HEALTH	2		
FLAMMABILITY	0		
PHYSICAL HAZARD	1		
PPE	С		

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION						
PRODUCT	Fertilgold® Cu Product # 1835					
GENERAL USE:	Used as a part of a plant nutrition program and in the production of plant nutrient products.					
PRODUCT DESCRIPTION:	A slightly hazy blue liquid with a characteristic odor.					
SUPPLIER INFORMATION:	Fertilgold® Organics Manufactured by;		EMERGENCY PHONE NUMBERS			
For Additional SDS call: 480-961-1220	<b>Bio Huma Netics, Inc.</b> 1331 W Houston Avenue Gilbert, AZ 85233	PHONE: (480) 961-1220	CHEMTREC:	(In the USA) 800-424-9300 (International) 703-527-3887		

## **SECTION 2: HAZARDS IDENTIFICATION**

HAZARDS OVERVIEW: A slightly hazy blue liquid with a characteristic odor. The vapors, mists and liquid may cause severe irritation or burns to the eyes, and irritation to the skin and respiratory tract. It is toxic by ingestion and may be fatal if ingested in large quantities. Toxic to aquatic life due to copper sulfate content.



**CLASSIFICATION: SKIN CORROSION - CATEGORY 1A** 

SIGNAL WORD: DANGER

HAZARD STATEMENT: H314; causes severe skin burns and eye damage

PRECAUTIONARY STATEMENT: P260; Do not breathe dusts/mist/vapors. P280; Wear protective gloves/protective

clothing/eye protection/face protection P264; Wash hands thoroughly after handling

**(!)** 

**CLASSIFICATION: HAZARD CATEGORY 4** 

**SIGNAL WORD: WARNING** 

HAZARD STATEMENT: H302; Harmful if Swallowed

**PRECAUTIONARY STATEMENT:** P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell, P330; Rinse Mouth P264; Wash hands thoroughly after handling, P270; Do not eat, drink or smoke when

using this product.



**CLASSIFICATION:** HAZARD CATEGORY 2

SIGNAL WORD: N/A

**HAZARD STATEMENT:** H411; Toxic to aquatic life with long lasting effects.

PREVENTION: P273; Avoid release to the environment if this is not the intended use; P391; Collect spillage; P501;

Dispose of contents/containers in accordance with federal, state and local laws regulating fertilizers.

#### **SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS OSHA** COMPONENT CAS# **OSHA HAZARD** WT % TLV<sub>(TWA)</sub> STEL PEL<sub>(TWA)</sub> STEL Copper Sulfate Pentahydrate\* 7758-99-8 Strong Eye Irritant; Skin & 19 ± 2 1 mg/m<sup>3</sup> None None None Respiratory Irritant; Blood, (Dusts & Liver & Kidney toxin Mists as Cu) Citric Acid Anhydrous 77-92-9 Severe Eye Irritant; $5 \pm 0.5$ None None None None Moderate to Severe Skin & Respiratory Irritant \* (DOT name is Cupric Sulfate) NDA = No Data Available N/A = Not Applicable

#### **SECTION 4: FIRST AID MEASURES**

INHALATION: If inhaled, immediately move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; use the Holger Nielsen method (back pressure-arm lift) or proper

respiratory device. If breathing is difficult, give oxygen. Call a physician.

EYE CONTACT: In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper

and lower lids occasionally. Remove contact lenses, if worn. Get medical attention.

SKIN CONTACT: In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash

before reuse. If irritation occurs and persists, get medical attention.

**INGESTION:** If swallowed, get medical attention immediately. Induce vomiting immediately, as directed by medical personnel.

Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIANS:

Copper Sulfate is toxic, and irritating to the eyes, skin and mucous membranes. If ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur. Careful gastric layage with an

endotracheal tube in place should be considered. Treat exposure symptomatically.

# **SECTION 5: FIRE FIGHTING MEASURES**

Flashpoint and Method: This product does not flash.

Flammable Limits (in air, % by volume) Lower: Not applicable Upper: Not applicable

Autoignition Temperature: Not applicable

GENERAL HAZARD: This product is a non-combustible, inorganic, acidic, aqueous solution. The Uniform Fire Code health hazard

classification for this product is: Irritant. It may produce hazardous mists or hazardous decomposition products.

FIRE FIGHTING INSTRUCTIONS: EXTINGUISHING MEDIA: Water fog or spray, foam, CO<sub>2</sub> and dry chemicals.

Use a water fog or spray to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing

apparatus.

HAZARDOUS COMBUSTION PRODUCTS: When heated to dryness and decomposition, it emits toxic copper and sulfur oxides, with

trace or ultra-trace toxic oxide amounts, of phosphorus, potassium, nitrogen, iron,

magnesium, zinc, manganese, calcium, sodium and carbon.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

RELEASE TO LAND:

Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercial absorbent. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using soda ash, lime, or other agent appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal, as appropriate.

**RELEASE TO** 

WATER:

Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream

users of possible contamination.

#### **SECTION 7: HANDLING AND STORAGE**

STORAGE TEMPERATURE: Ambient STORAGE PRESSURE: Ambient

**GENERAL:** Store in a cool, dry, well-ventilated area away from incompatible materials and products. Avoid getting this product in eyes,

on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, or aerosols. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when

not in use. Wash thoroughly after handling this product.

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area,

**MEASURES:** below the ACGIH-TLV, for Copper, or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATOR:** For exposure above the ACGIH-TLV, for Copper, or levels that may cause irritation, wear a NIOSH-approved full

facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory

protective devices prior to use.

**EYES:** Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always

consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to

use.

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. Note: Always consult the glove manufacturer's

permeation data when determining the suitability of gloves prior to use.

**CLOTHING &**Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron, or full protective clothing when handling this **EQUIPMENT:**product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the

product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to

use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. Note: Always consult the footwear manufacturer's

permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES						
Appearance:	A slightly hazy blue	Bulk Density (pounds/ft³):	Not applicable			
Physical State:	Liquid	Vapor Pressure:	No data available			
Odor:	Characteristic	Vapor Density (air=1):	No data available			
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Less than 1			
Molecular Formula:	Mixture	VOC Content / Organic Matter:	Nil / 0.17%			
Molecular Weight:	Not applicable	% Volatile:	Approximately 85			
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Complete			
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available			
Specific Gravity:	1.17 – 1.20 @ 20° C.	pH (as is):	1.0 - 1.5			
Density (pounds/gallon):	Approximately 9.76	pH (1% solution):	No data available			

# **SECTION 10: STABILITY AND REACTIVITY**

**GENERAL:** This product is stable and hazardous polymerization will not occur.

**CONDITIONS TO AVOID:** Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Caustics and alkali, sulfides, sulfites, cyanides and chlorine releasers.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic oxides of copper and sulfur.

with trace or ultra-trace toxic oxide amounts, of phosphorus, potassium, nitrogen, iron,

magnesium, zinc, manganese, calcium, sodium and carbon.

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

**SENSITIVITY TO STATIC DISCHARGE:** This product is <u>not</u> sensitive to static discharge.

**SECTION 11: TOXICOLOGICAL INFORMATION** 

Components: Copper Sulfate Pentahydrate Citric Acid Anhydrous

Eye Contact: No data available Rabbit: 750 ug/24 Hours; Severe

Skin Contact: No data available Rabbit: 500 mg/24 Hours; Moderate

**Oral Rat LD**₅0: 300 mg/kg 3 gm/kg

**Dermal Rabbit LD**<sub>50</sub>: No data available (Dermal Rat Subcutaneous LD<sub>50</sub>: No data available

43 mg/kg)

Inhalation Rat LC<sub>50</sub>: No data available No data available

Human Data: Oral Human TD<sub>Lo</sub>: 11 mg/kg; Toxic Effects: No data available

Gastrointestinal – Gastritis, Hypermotility, diarrhea,

nausea or vomiting

Other Toxicological Data: Oral Child TD<sub>Lo</sub>: 150 mg/kg; Toxic Effects: Kidney, Intravenous Mouse LD<sub>50</sub>: 42 mg/kg

Ureter and Bladder – Changes in tubules (acute renal

Carcinogenicity: Parenteral Chicken TD<sub>Lo</sub>: 10 mg/kg; Equivocal tumorigenic agent by RTECS criteria; Endocrine –

Tumors

**Teratogenicity:** Intratesticular Rat TD<sub>Lo</sub>: 3,192 ug/kg (male 1 Day No data available

prior to mating); Paternal Effects – Spermatogenesis, epididymis

D (DNAD)

Mutagenicity: Rat DNA Damage; Ascites tumor: 500 umol/Liter; No data available

(Rat DNA Damage; liver: 1 mmol/Liter)

Synergistic Products: None reported None reported

Target Organs: Eyes, Skin, Mucous membranes, Lungs, Liver, Eyes, Skin, Mucous membranes, Lungs & Teeth

Kidneys & Blood

Medical Conditions

Aggravated By Exposure: Wilson's Disease, Skin, Liver, Kid disorders

Wilson's Disease, Skin, Liver, Kidney & Respiratory

Skin or Respiratory disorders

# **SECTION 12: ECOLOGICAL INFORMATION**

#### **ENVIRONMENTAL FATE:**

This product is completely soluble in water and can affect the pH of water. No specific environmental fate data is available.

#### **ENVIRONMENTAL CONSIDERATIONS:**

The exact aquatic toxicity for this product has not been determined, however, the EPA has determined that Copper Sulfate salts are toxic to fish and aquatic organisms. The DOT lists Copper Sulfate as a severe marine pollutant.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

RCRA 40 CFR 261 CLASSIFICATON: Corrosive

U.S. EPA WASTE NUMBER/DESCRIPTION: D002

If this product is disposed of as shipped, it meets the criteria of a hazardous waste as defined under 40 CFR 261 due to its corrosivity. If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal Restrictions under 40 CFR 268 and must be managed accordingly. As a hazardous liquid waste, it must be disposed of in accordance with local, state, and federal regulations in a permitted hazardous waste treatment, storage, and disposal facility.

**SECTION 14: TRANSPORTATION INFORMATION** 

DOT PROPER SHIPPING NAME: Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate)

Hazard Class: 9 UN Number: UN3082 Packing Group: |||

Primary Label: Class 9 Subsidiary Label(s): None

Primary/Subsidiary Placards: Class 9

DOT Reportable Quantity (RQ): 10 pounds (CuSO<sub>4</sub>) RQ for Product: 74 lbs. (7.8 gallons)

Marine Pollutant: Yes (Severe Marine Pollutant) Applicable to transport by water & in a bulk packaging.

2012 North American Emergency Response Guidebook No.: 171

TDG PROPER SHIPPING NAME: Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate)

Hazard Class: 9 UN Number: UN3082 Packing Group: III

Primary Label: Class 9 Subsidiary Label(s): None

Primary/Subsidiary Placards: Class 9

TDG Reportable Quantity (RQ): \* At least 1 kg
TDG Schedule XII: Not listed

Regulated Limit (RL): \*\* Not listed RL for Product: N/A

Other Shipping Information: None

#### **SECTION 15: REGULATORY INFORMATION**

COMPONENTS: Copper Sulfate Citric Acid Anhydrous

<u>Pentahydrate</u>

OSHA Target Organs: Eyes, Skin, Mucous Eyes, Skin, Mucous membranes, Lungs & Teeth

membranes, Lungs, Liver,

Kidneys & Blood

**Carcinogenic Potential:** 

Regulated by OSHA:NoNoListed on NTP Report:NoNoListed by IARC:NoNo

IARC Group:Not applicableNot applicableACGIH Appendix A:Not listedNot listedA1 Confirmed Human:Not applicableNot applicableA2 Suspected Human:Not applicableNot applicable

# U.S. EPA Requirements

Release Reporting

**CERCLA** (40 CFR 302)

Listed Substance:YesNot listedReportable Quantity:10 pounds (Anhydrous)Not applicableCategory:ANot applicableRCRA Waste No.:Not listedNot applicable

Unlisted Substance: Not applicable Yes

Reportable Quantity: Not applicable 100 pounds
Characteristic: Not applicable Corrosivity
RCRA Waste No.: Not applicable D002

**SARA TITLE III** 

Section 302 & 303 (40 CFR 355):

Listed Substance:Not listedNot listedReportable Quantity:Not applicableNot applicablePlanning Threshold:Not applicableNot applicable

<sup>\*</sup> Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION (Continued from Page 5)

COMPONENTS: Copper Sulfate Citric Acid Anhydrous

**Pentahydrate** 

Section 311 & 312 (40 CFR 370):

Hazard Categories (product): Fire: N Sudden Release of Pressure: N Reactive: N Acute Health: Y Chronic Health: N

Planning threshold: 10,000 pounds 10,000 pounds

Section 313 (40 CFR 372):

Listed Toxic Chemical: Yes (Copper Category) Not listed
Reporting Threshold: 10,000 pounds Not applicable

**U.S. TSCA Status** 

Listed (40 CFR 710): Yes Yes

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No No No Reproductive Toxin: No No No

Other Regulations

State Right To Know Laws: MA, NJ, PA MA, NJ, PA

**Canadian Regulations** 

**Product Information:** 

Controlled Product: Yes

WHMIS Hazard Symbols: Material Causing Other Toxic Effects

WHMIS Class & Division: D.2B

Ingredient Information:

 IDL Substance:
 Yes
 Yes

 DSL or NDSL Lists:
 DSL
 DSL

**SECTION 16: OTHER INFORMATION** 

EPA Registration number: Not applicable

**Approved Product Uses:** Used as a part of a plant nutrition program.

**Special Notes:** 

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as containing mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **Special Instructions:**

When making dilutions, always add Fertilgold® Cu to water with adequate mixing to ensure a uniform solution.

Do not add this product to hypochlorite bleaches, chlorine sanitizers, or chlorinated cleaners as this can liberate toxic, corrosive Chlorine gas.

SDS Revision Information: Revised Date: NA

SDS Distributed by: Bio Huma Netics, Inc.

Prepared By: Frank S. Pidgeon, Sr. EHSS Director Date Prepared: May 3<sup>rd</sup> 2018

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics, Inc. assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.