




# SAFETY DATA SHEET

## Fertilgold® - K6



HMIS	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	C

### SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

<b>PRODUCT IDENTIFIER:</b>	<b>Fertilgold® - K6</b>	<b>Product # 2865</b>
<b>GENERAL USE:</b>	Used as a part of a plant nutrition program.	
<b>PRODUCT DESCRIPTION:</b>	A hazy amber liquid having a characteristic odor.	
<b>SUPPLIER INFORMATION:</b>	<b>Fertilgold® Organics</b> <b>Manufactured by;</b> <b>Bio Huma Netics, Inc.</b> 1331 W Houston Avenue Gilbert, AZ 85233 <b>PHONE: (480) 961-1220</b>	<b>EMERGENCY PHONE NUMBERS</b>  <b>CHEMTREC: (In the USA) 800-424-9300</b> <b>(International) 703-527-3887</b>
For Additional SDS call: (480) 961-1220		

### SECTION 2: HAZARDS IDENTIFICATION

<b>HAZARDS OVERVIEW:</b>	<p>A hazy amber liquid having a characteristic odor.</p> <p>Ingestion may cause irritation to the entire gastrointestinal tract.</p> <p><b>CLASSIFICATION:</b> HAZARD CATEGORY 3 - MILD SKIN IRRITATION</p> <p><b>SIGNAL WORD:</b> WARNING</p> <p><b>HAZARD STATEMENT:</b> H316 - WARNING - causes mild skin irritation</p> <p><b>PRECAUTIONARY STATEMENT:</b> P332+P313; If skin irritation occurs: Get medical attention/advice.</p> <p><b>CLASSIFICATION:</b> HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED</p> <p><b>SIGNAL WORD:</b> WARNING</p> <p><b>HAZARD STATEMENT:</b> H303 - WARNING – may be harmful if swallowed</p> <p><b>PRECAUTIONARY STATEMENT:</b> P312; Call a poison center/doctor/physician if you feel unwell</p>
--------------------------	--

### SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS #</u>	<u>OSHA HAZARD</u>	<u>WT %</u>	<u>ACGIH</u>		<u>OSHA</u>	
				<u>TLV<sub>(TWA)</sub></u>	<u>STEL</u>	<u>PEL<sub>(TWA)</sub></u>	<u>STEL</u>
Potassium Sulfate	7778-80-5	Toxic by Ingestion	11 ± 1	None	None	None	None

NDA = No Data Available

N/A = Not Applicable

#### SECTION 4: FIRST AID MEASURES

<b>INHALATION:</b>	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; use the Holger Nielsen method (back pressure-arm lift) or proper respiratory device. If breathing is difficult, give oxygen. Call a physician.
<b>EYE CONTACT:</b>	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention immediately.
<b>SKIN CONTACT:</b>	In case of contact, immediately flush skin with plenty of clean running water for at least 15 minutes, while removing contaminated clothing and shoes. If burn or irritation occurs, call a physician.
<b>INGESTION:</b>	If swallowed DO NOT induce vomiting. Get medical attention immediately. If victim is fully conscious, give plenty of water to drink. Never give anything by mouth to an unconscious person.
<b>NOTE TO PHYSICIANS:</b>	Potassium Hydroxide solutions are corrosive to the eyes, skin and mucous membranes and are moderately toxic by ingestion. If ingested, consideration should be given to careful endoscopy as stomach or esophageal burns, perforations or strictures may occur. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.

#### SECTION 5: FIRE FIGHTING MEASURES

<b>Flashpoint and Method:</b>	This product does not flash.		
<b>Flammable Limits (in air, % by volume)</b>	<b>Lower:</b> Not applicable	<b>Upper:</b> Not applicable	
<b>Autoignition Temperature:</b>	Not applicable		
<b>GENERAL HAZARD:</b>	The Uniform Fire Code health hazard classification for this product is: <b>Irritant</b> . This product may produce hazardous decomposition products.		
<b>FIRE FIGHTING INSTRUCTIONS:</b>	<b>EXTINGUISHING MEDIA:</b> Water, foam, CO <sub>2</sub> or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.		
<b>FIRE FIGHTING EQUIPMENT:</b>	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.		
<b>HAZARDOUS COMBUSTION PRODUCTS:</b>	When heated to dryness and decomposition, it emits toxic potassium oxide, and trace toxic oxide amounts of phosphorus, nitrogen, sulfur, iron, zinc, manganese, magnesium, calcium, sodium and carbon.		

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>RELEASE TO LAND:</b>	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercially absorbent material. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity of the remaining liquid, using a dilute alkaline solution appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal or sewer, as appropriate.
<b>RELEASE TO WATER:</b>	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

#### SECTION 7: HANDLING AND STORAGE

<b>STORAGE TEMPERATURE:</b>	Ambient	<b>STORAGE PRESSURE:</b>	Ambient
<b>GENERAL:</b>	Store in a cool, dry, well-ventilated area away from incompatible materials and products. Do not store this product below 50° F (10° C) or above 90° F (30° C). Protect eyes, skin and clothing from contact with this product. Wear recommended personnel protective equipment. Avoid breathing vapors, mists or aerosols. Use with adequate ventilation. Keep the containers tightly closed when not in use. Wash thoroughly after handling this product.		

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**CONTROL MEASURES:** Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the OSHA-PEL or ACGIH Ceiling level.

### RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATOR:** Respiratory protection is not normally required. If use creates mists or aerosols that may cause irritation, then a NIOSH approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate cartridge or supplied air, is required. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

**EYES:** Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

**GLOVES:** Wear Butyl Rubber, Neoprene or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

**CLOTHING & EQUIPMENT:** Wear a Butyl Rubber, Neoprene or Natural Rubber apron when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

**FOOTWEAR:** Wear Butyl Rubber, Neoprene or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Hazy amber	<b>Bulk Density (pounds/ft<sup>3</sup>):</b>	Not applicable
<b>Physical State:</b>	Liquid	<b>Vapor Pressure:</b>	About 6.4 mm Hg @ 20° C.
<b>Odor:</b>	Characteristic odor	<b>Vapor Density (air=1):</b>	No data available
<b>Odor Threshold:</b>	No data available	<b>Evaporation Rate (n-Butyl Acetate=1):</b>	No data available
<b>Molecular Formula:</b>	Mixture	<b>VOC Content / Organic Matter:</b>	Nil / 4.0%
<b>Molecular Weight:</b>	Not applicable	<b>% Volatile:</b>	Approximately 54
<b>Boiling Point:</b>	Greater than 100° C. (212° F.)	<b>Solubility in H<sub>2</sub>O:</b>	Complete
<b>Freezing/Melting Point:</b>	Less than 0° C. (32° F.)	<b>Octanol/Water Partition Coefficient:</b>	No data available
<b>Specific Gravity:</b>	1.12 – 1.17 @ 20° C.	<b>pH (as is):</b>	2.00 – 3.00
<b>Density (pounds/gallon):</b>	Approximately 9.33	<b>pH (1% solution):</b>	No data available

## SECTION 10: STABILITY AND REACTIVITY

**GENERAL:** This product is stable and hazardous polymerization will not occur.

**CONDITIONS TO AVOID:** Do not store this product below 50° F (10° C) or above 90° F (30° C)

**INCOMPATIBLE MATERIAL:** Strong alkali & caustics, cyanides, sulfides, sulfites and chlorine releasers.

**HAZARDOUS DECOMPOSITION PRODUCTS:** When heated to dryness and decomposition, it emits toxic oxides of potassium with trace toxic oxide amounts of phosphorus, nitrogen, sulfur, iron, zinc, manganese, magnesium, calcium, sodium and carbon.

**SENSITIVITY TO MECHANICAL IMPACT:** This product is not sensitive to mechanical impact.

**SENSITIVITY TO STATIC DISCHARGE:** This product is not sensitive to static discharge.

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>Components:</b>	<b><u>Potassium Sulfate</u></b>
<b>Eye Contact:</b>	No data available
<b>Skin Contact:</b>	No data available
<b>Oral Rat LD<sub>50</sub>:</b>	6,600 mg/kg
<b>Dermal Rabbit LD<sub>50</sub>:</b>	No data available
<b>Inhalation Rat LC<sub>50</sub>:</b>	No data available
<b>Human Data:</b>	No data available
<b>Other Toxicological Data:</b>	No data available
<b>Carcinogenicity:</b>	No data available
<b>Teratogenicity:</b>	No data available
<b>Mutagenicity:</b>	None reported
<b>Synergistic Products:</b>	None reported
<b>Target Organs:</b>	Eyes, Skin, Mucous membranes and Lungs
<b>Medical Conditions Aggravated By Exposure:</b>	Skin and Respiratory

## SECTION 12: ECOLOGICAL INFORMATION

### ENVIRONMENTAL FATE:

This product is completely soluble in water and is not expected to significantly affect the pH of water. No specific environmental fate data is available.

### ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

## SECTION 13: DISPOSAL CONSIDERATIONS

**RCRA 40 CFR 261 CLASSIFICATION:** RCRA Characteristic Waste - Corrosive

**U.S. EPA WASTE NUMBER/DESCRIPTION:** D002

If this product is disposed of as shipped, it meets the criteria of a hazardous waste as defined under 40 CFR 261 due to its corrosivity. If this product becomes a waste, it will be a hazardous waste, which is subject to the Land Disposal Restrictions under 40 CFR 268 and must be managed accordingly. As a hazardous liquid waste, it must be disposed of in accordance with local, state and federal regulations in a permitted hazardous waste treatment, storage and disposal facility by treatment.

## SECTION 14: TRANSPORTATION INFORMATION

**DOT PROPER SHIPPING NAME:** NOT DOT REGULATED (UNITED STATES)  
**Hazard Class:** Not applicable    **UN Number:** Not applicable    **Packing Group:** Not applicable  
**Primary Label:** None Required    **Subsidiary Label(s):** None Required  
**Primary/Subsidiary Placards:** None Required

**DOT Reportable Quantity (RQ):** Not listed    **RQ for Product:** Not applicable  
**Marine Pollutant:** NA

**2012 North American Emergency Response Guidebook No.:** Not applicable

**TDG PROPER SHIPPING NAME:** NOT RESTRICTED  
**Hazard Class:** Not applicable    **UN Number:** Not applicable    **Packing Group:** Not applicable  
**Primary Label:** None Required    **Subsidiary Label(s):** None Required  
**Primary/Subsidiary Placards:** None Required

**TDG Reportable Quantity (RQ): \*** Not applicable  
**TDG Schedule XII:** Not listed  
**Regulated Limit (RL): \*\*** Not listed    **RL for Product:** Not applicable  
**Other Shipping Information:** None

\* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

## SECTION 15: REGULATORY INFORMATION

**COMPONENTS:** Potassium Sulfate

**OSHA Target Organs:** Eyes, Skin, Mucous membranes and Lungs

**Carcinogenic Potential:**

<b>Regulated by OSHA:</b>	No
<b>Listed on NTP Report:</b>	No
<b>Listed by IARC:</b>	No
IARC Group:	Not applicable
<b>ACGIH Appendix A:</b>	Not listed
A1 Confirmed Human:	Not applicable
A2 Suspected Human:	Not applicable

### U.S. EPA Requirements

#### Release Reporting

##### CERCLA (40 CFR 302)

<b>Listed Substance:</b>	Yes
Reportable Quantity:	1,000 pounds
Category:	C
RCRA Waste No.:	None listed
<b>Unlisted Substance:</b>	Not applicable
Reportable Quantity:	Not applicable
Characteristic:	Not applicable
RCRA Waste No.:	Not applicable

## SECTION 15: REGULATORY INFORMATION (Continued from page 5)

**COMPONENTS:** Potassium Sulfate

### SARA TITLE III

**Section 302 & 303** (40 CFR 355):

**Listed Substance:** Not listed  
**Reportable Quantity:** Not applicable  
**Planning Threshold:** Not applicable

**Section 311 & 312** (40 CFR 370):

**Hazard Categories (product):** **Fire:** N **Sudden Release of Pressure:** N **Reactive:** N **Acute Health:** Y **Chronic Health:** N  
**Planning threshold:** NA

**Section 313** (40 CFR 372):

**Listed Toxic Chemical:** Not listed  
**Reporting Threshold:** Not applicable

### U.S. TSCA Status

**Listed** (40 CFR 710): No

### State Regulations

**State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):**

**Carcinogen:** No  
**Reproductive Toxin:** No

### Other Regulations

**State Right To Know Laws:** NJ, PA

### Canadian Regulations

**Product Information:**

**Controlled Product:** Yes  
**WHMIS Hazard Symbols:** Material Causing Other Toxic Effects  
**WHMIS Class & Division:** D.2B

**Ingredient Information:**

**IDL Substance:** No  
**DSL or NDSL Lists:** NA

## SECTION 16: OTHER INFORMATION

**EPA Registration number:** Not applicable

**Approved Product Uses:** Used as part of a plant nutrition program.

**Special Notes:**

This product is not formulated to contain any substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm.

**Special Instructions:** Store Fertilgold® - K6 in a cool, dry, well-ventilated, area away from incompatible materials and products.

**SDS Revision Information:** Revised Date: NA

**SDS Distributed by:** Bio Huma Netics, Inc.

<b>Prepared By:</b> Frank S. Pidgeon, Sr. EHSS Director	<b>Date Prepared:</b> December 28 <sup>th</sup> 2017
---	--

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics, Inc. assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.