SAFETY DATA SHEET



Gravity L Micro with Max-In Technology **Product identifier**

Other means of identification

Turf- fertilizer Recommended use

Refer to product label. **Recommended restrictions**

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Winfield Solutions, LLC Company name P.O. Box 64589 **Address**

St. Paul, MN 55164-0589

United States

Non-Emergency Phone Number 1-855-494-6343 Mon - Fri 8am - 5pm (Central Standard Time)

Emergency phone numbers

CHEMTREC (24 hours) (For Emergency, Spill, Leak, Fire, Exposure, or

Accident):

USA 1-800-424-9300

MEDICAL EMERGENCY TELEPHONE NUMBER:

1-877-424-7452 (24hrs)

2. Hazard(s) identification

Not classified. **Physical hazards**

Skin corrosion/irritation Category 2 **Health hazards**

> Serious eye damage/eye irritation Category 2A Reproductive toxicity Category 2

Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements



Warning Signal word

Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn **Hazard statement**

Precautionary statement

Obtain special instructions before use. Do not handle until all safety precautions have been read Prevention

and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Material name: Gravity L Micro with Max-In Technology SDS US 1/8 Issue date: 11-06-2020

Chemical name	Common name and synonyms	CAS number	%
Zinc Sulfate		7733-02-0	10 - < 20*
DI-malic Acid		6915-15-7	3 - < 5*
Manganese Sulfate, monohydrate		10034-96-5	1 - < 3*
Disodium Octaborate Tetrahydrate		12008-41-2	< 0.2*
Other components below reportable	levels		70 - < 80

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam, Dry chemical powder, Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Should not be released into the environment.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

Material name: Gravity L Micro with Max-In Technology

SDS US 2/8 Issue date: 11-06-2020

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

110	OCUA Toble	7 4 Limite	for Air	Contaminants	/20 CED	1010 1000\
US.	OSHA Table	Z-1 LIMITS	TOT AIR	Contaminants	(29 CFR	1910.1000)

Components	Туре	Value
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m3	Fume.	
	TWA	1 mg/m3	Fume.	

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

0.02 mg/m3

Respirable fraction.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protectionChemical respirator with organic vapor cartridge and full facepiece. **Thermal hazards**Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Brown.

Material name: Gravity L Micro with Max-In Technology

Issue date: 11-06-2020 3 /

Not available. Odor **Odor threshold** Not available.

1.7

Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%)

Not available.

0.00001 hPa estimated Vapor pressure

Vapor density Not available.

Relative density 1.258 g/cm3 (typical)

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Explosive properties Not explosive. Not oxidizing. **Oxidizing properties** 87.08 % estimated Percent volatile Pounds per gallon 10.5 lb/gal (typical) VOC 2.97 % estimated

10. Stability and reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing agents.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Do not mix with other chemicals.

Bases. Reducing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Causes skin irritation. Skin contact

Eye contact Causes serious eye irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Material name: Gravity L Micro with Max-In Technology

SDS US 4/8 Issue date: 11-06-2020

Not known. **Acute toxicity Product Test Results Species** Gravity 0-0-0 plus MaxIn **Acute** Dermal LD50 Rat 70280 mg/kg

Rat LD50 21690 mg/l, 4 hours

Oral

Inhalation

LD50 Rat 19270 mg/kg Components **Species Test Results**

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 2550 mg/kg

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Acute

Oral

LD50 Rat 2150 mg/kg

Zinc Sulfate (CAS 7733-02-0)

Acute **Dermal**

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 920 mg/kg

623 mg/kg

SDS US

Skin corrosion/irritation Causes skin irritation.

Serious eve damage/eve

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Suspected of damaging fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

repeated exposure

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

5/8 Issue date: 11-06-2020

12. Ecological information

Ecotoxicity

Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon

				4.5	
exposure to	adulatic	organisms	and ac	แเลนเก ยง	/STAMS
CAPOSUIC IO	aquatio	organionio	aria ac	luano o i	Jotomo.

Product		Species	Test Results
Gravity 0-0-0 plus MaxIn			
Aquatic			
Crustacea	EC50	Daphnia	249.3244 mg/l, 48 hours estimated
Fish	LC50	Fish	186.9223 mg/l, 96 hours estimated
Components		Species	Test Results
Disodium Octaborate Tetra	ahydrate (CAS	12008-41-2)	
Aquatic			
Acute			
Crustacea	LC50	Daphnia magna	619 mg/l
Fish	LC50	Pimephales promelas	370 mg/l
Manganese Sulfate, mono	hydrate (CAS	10034-96-5)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Zinc Sulfate (CAS 7733-02	2-0)		
Aquatic			
Algae	LC50	Green algae (Chlorella vulgaris)	5 mg/l, 24 hours
Crustacea	EC50	Amphipod (Crangonyx pseudogracilis)	15.1 - 24.5 mg/l, 96 hours
		Rotifer (Philodina acuticornis)	0.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10.62 - 11.3 mg/l, 5 days
			0.168 - 0.25 mg/l, 96 hours
		Fish (Lepidocephalichthyes guntea)	76 - 118.8 mg/l, 24 hours
sistence and degradabilit	y No data is	s available on the degradability of any ingredien	nts in the mixture.
accumulative potential	No data a	vailable.	

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Contaminated packaging

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Material name: Gravity L Micro with Max-In Technology

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Zinc Sulfate (CAS 7733-02-0)

Listed.

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

categories

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Skin corrosion or irritation

Serious eve damage or eve irritation

Reproductive toxicity

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Manganese Sulfate, monohydrate	10034-96-5	1 - < 3	
Zinc Sulfate	7733-02-0	10 - < 20	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

(ODIIA)

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No

Material name: Gravity L Micro with Max-In Technology

Issue date: 11-06-2020 7 / 8

SDS US

Country(s) or region Inventory name On inventory (yes/no)*

New Zealand New Zealand Inventory Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances No

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 11-06-2020

Version # 01

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.

Material name: Gravity L Micro with Max-In Technology

Issue date: 11-06-2020 8 / 8