SDS Revision Date: 04/13/2015

SAFETY DATA SHEET

Selutions for the Land AG	SDS Revision Date: 04/13/2015	SAILII DAIA SIILL		
SECTION 1	IDENTIFICATION			
Company Name	Aspect Ag, LLC	24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)		
Address	2527 County Road 7	1-800-424-9300		
City, State, Zipcode	Marshall, MN 56258	1		
Phone Numbers	1-507-401-3700 / 1-507-401-3705 (fax)	Poison Control Center (USA) 1-800-222-1212		
Website	www.aspectag.com			
5 1 (11 %	1100 0 1111			
Product Identity	H2O Conditioner			
Reference/Item Number	ASH2002, ASH2030			
Intended Use	Pesticide Adjuvant			
Application Method	See technical data sheet.			
SECTION 2	HAZARD(S) IDENTIFICATION			
	Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:	HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S)		
	[EYE IRRITANT 2]:			
Н320:	Causes eye irritation.			
	[SKIN IRRITANT 3]:			
Н316:	Causes mild skin irritation.			
	[PREVENTION]:			
P264:	Wash thoroughly after handling.	WARNING		
P280:	Wear protective gloves/eye/face protection.			
	[RESPONSE]:			
P305+351+338:	IF IN EYES: Rinse continuously with water for several minutes. Remove cont	act lenses if present and easy to do; continue rinsing.		
P337+313: P302+352:	If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water.			
P332+313:	If skin irritation occurs: Get medical advice/attention.			
	[STORAGE]:			
P404:	Store in a closed container.			
	[DISPOSAL]:			
P501:	Dispose of contents/container in accordance with local/national regulations.			
SECTION 3	COMPOSITION/INFORMATION ON	INGREDIENTS		
	This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substance			
	regulations. This product is a proprietary blend and the ingredients and mixture percentag	es are being withheld as confidential business information.		
	Ingredient/Chemical Designations	nes are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
		nes are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.	nes are being withheld as confidential business information. Weight % CAS Number GHS Classification Note:		
	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard.	nes are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation.	nes are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
SECTION 4	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or VPVB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation. FIRST AID MEASURES	nes are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [f] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation. FIRST AID MEASURES [DESCRIPTIONS]:	res are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
General:	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye Irritation. FIRST AID MEASURES [DESCRIPTIONS]: In all cases of doubt, or when symptoms persist, seek medical attention. Nev	res are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [ft] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation. FIRST AID MEASURES [DESCRIPTIONS]: In all cases of doubt, or when symptoms persist, seek medical attention. Nev Remove to fresh air. Keep patient warm and at rest. If breathing is irregular o obtain immediate medical attention. Give nothing by mouth.	res are being withheld as confidential business information. Weight % CAS Number GHS Classification Note Uution 100 Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2]		
General: Inhalation: Eyes:	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation. FIRST AID MEASURES [DESCRIPTIONS]: In all cases of doubt, or when symptoms persist, seek medical attention. Nev Remove to fresh air. Keep patient warm and at rest. If breathing is irregular o obtain immediate medical attention. Give nothing by mouth. Irrigate copiously with clean fresh water for at least 10 minutes, holding the e	res are being withheld as confidential business information. Weight % CAS Number GHS Classification Note Note Iution 100 Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] Proprietary		
General: Inhalation: Eyes: Skin:	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation. FIRST AID MEASURES [DESCRIPTIONS]: In all cases of doubt, or when symptoms persist, seek medical attention. Nev Remove to fresh air. Keep patient warm and at rest. If breathing is irregular o obtain immediate medical attention. Give nothing by mouth. Irrigate copiously with clean fresh water for at least 10 minutes, holding the e Remove contaminated clothing. Wash skin thoroughly with soap and water or	res are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
General: Inhalation: Eyes:	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation. FIRST AID MEASURES [DESCRIPTIONS]: In all cases of doubt, or when symptoms persist, seek medical attention. Nev Remove to fresh air. Keep patient warm and at rest. If breathing is irregular o obtain immediate medical attention. Give nothing by mouth. Irrigate copiously with clean fresh water for at least 10 minutes, holding the e Remove contaminated clothing. Wash skin thoroughly with soap and water or If accidentally swallowed, obtain immediate medical attention. Keep at rest. E	res are being withheld as confidential business information. Weight % CAS Number GHS Classification Note		
General: Inhalation: Eyes: Skin: Ingestion:	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation. FIRST AID MEASURES [DESCRIPTIONS]: In all cases of doubt, or when symptoms persist, seek medical attention. Nev Remove to fresh air. Keep patient warm and at rest. If breathing is irregular o obtain immediate medical attention. Give nothing by mouth. Irrigate copiously with clean fresh water for at least 10 minutes, holding the e Remove contaminated clothing. Wash skin thoroughly with soap and water or If accidentally swallowed, obtain immediate medical attention. Keep at rest. [MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DEI	res are being withheld as confidential business information. Weight % CAS Number GHS Classification Note lution 100 Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] er give anything by mouth to an unconscious person. r stopped, give artificial respiration. If unconscious, place in the recovery position and the properties of the properti		
General: Inhalation: Eyes: Skin:	Ingredient/Chemical Designations Proprietary blend of nonionic surfactants plus polyacrylamide polymer in an electrolyte so [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit. [3] PBT-substance or vPvB-substance. H316: Causes mild skin irritation. H320: Causes eye irritation. FIRST AID MEASURES [DESCRIPTIONS]: In all cases of doubt, or when symptoms persist, seek medical attention. Nev Remove to fresh air. Keep patient warm and at rest. If breathing is irregular o obtain immediate medical attention. Give nothing by mouth. Irrigate copiously with clean fresh water for at least 10 minutes, holding the e Remove contaminated clothing. Wash skin thoroughly with soap and water or If accidentally swallowed, obtain immediate medical attention. Keep at rest. E	res are being withheld as confidential business information. Weight % CAS Number GHS Classification Note lution 100 Proprietary Eye Irrit. 2; H320 / Skin Irrit. 3; H316 [1] [2] er give anything by mouth to an unconscious person. r stopped, give artificial respiration. If unconscious, place in the recovery position and the properties of the properti		

SDS for H2O Conditioner 1 Aspect Ag, LLC

SECTION 5	FIRF F	IGHTING	MEASH	RES	
Extinguishing Media:				nt foam, CO², powder, water spray. Do not use water jet.	
Special Hazards:	Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed.				
Advice For Firefighters:	Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire exposed surfaces and personnel.				
ERG Guide No.					
SECTION 6	ACCIDENTAL RELEASE MEASURES				
Personal Precautions, Protective Equipment and Emergency Procedures:	Remove sources of ignitions, do not turn lights, or unprotected electrical equipment, on or off. In case of a major spill, or spillage in a confined space, evacuate the area and check that solvent vapor levels are below the Lower Explosive Limit (LEL) before re-entering.				
Environmental Precautions:	Do not allow s	spills to enter drains or	water courses.		
Methods and Material For Containment and Cleaning Up:	materials (e.g. preferably with	. sand/earth/vermiculit h a detergent. Do not ι	e). Place in close use solvents. Do	the personal protective measures listed in Section 8. Contain and ed containers outside buildings and dispose of according to the W not allow spills to enter drains or water courses. If drains, sewers contamination of rivers, streams, or lakes, the Environmental Pro	laste Regulations (see Section 13.) Clean, s, streams or lakes are contaminated, inform
SECTION 7	HAND	LING AND	STORA	AGE	
Precautions For Safe Handling:	practices. Was	Do not get in eyes on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Destroy contaminated belts and shoes and other items that cannot be decontaminated. See Section 2 for further details [PREVENTION].			
Conditions For Safe Storage:	Store in tightly	container in dry, well	ventilated area a	away from excessive heat and incompatibles. See Section 2 for for	urther details [STORAGE].
Incompatible Materials:	Strong acids, s	strong bases, strong o	xidizing agents,	chlorates, nitrates.	
Specific End Use(s):	See technical	data sheet.			
SECTION 8	EXPOS	SURE COL	ITROLS	S/PERSONAL PROTECTION	
Exposure Data:				er OSHA, ACGIH and/or NIOSH are listed below:	
Exposure Data:	CAS No.	Ingestion	Source	Value	
•	0000056-81-5		OSHA	TWA: 15mg/m3 (total), TWA 5mg/m3 (respirable)	
			ACGIH	TWA: 3mg/m3 (respirable), TWA 10mg/m3 (mist)	
			NIOSH	No established RELs	
_	0007664-38-2	Phosphoric Acid	OSHA	TWA: 1mg/m3	
			ACGIH	TWA: 1mg/m3 STEL: 3mg/m3	
			NIOSH	TWA: 1mg/m3 ST 3mg/m3	
Carcinogen Data:	This product o	ontains no ingredients	NIOSH	TWA: 1mg/m3 ST 3mg/m3 0.1%) that are suspected of being or known to be a carcinogen	under OSHA, NTP, IARC.
Carcinogen Data:			NIOSH	TWA: 1mg/m3 ST 3mg/m3 0.1%) that are suspected of being or known to be a carcinogen of the suspected of being or known to be a carcinogen of the suspected of being or known to be a carcinogen of the suspected of being or known to be a carcinogen of the suspected of being or known to be a carcinogen of the suspected of the suspe	under OSHA, NTP, IARC.
	[EXPOSURE (CONTROLS]:	NIOSH s (at greater than	0.1%) that are suspected of being or known to be a carcinogen	
Respiratory:	[EXPOSURE (CONTROLS]: exposed to concentra	NIOSH s (at greater than	0.1%) that are suspected of being or known to be a carcinogen exposure limit they must use the appropriate, certified respirators	
Respiratory: Eyes:	[EXPOSURE (If workers are Wear safety ey	CONTROLS]: exposed to concentra	NIOSH s (at greater than tions above the electacles/goggles	0.1%) that are suspected of being or known to be a carcinogen of the control of the control of the carcinogen of the control of the carcinogen of the carcin	
Respiratory:	[EXPOSURE (If workers are Wear safety ey Overalls, which	CONTROLS]: exposed to concentra yewear (e.g. safety sp	NIOSH s (at greater than tions above the electacles/goggles s, and legs, shou	0.1%) that are suspected of being or known to be a carcinogen of the control of the carcinogen of the	buld be washed after contact.
Respiratory: Eyes:	[EXPOSURE 6 If workers are Wear safety ey Overalls, which Provide adequ	controlsj: exposed to concentra yewear (e.g. safety sp ch cover the body, arm uate ventilation. Where	NIOSH s (at greater than tions above the sectacles/goggles s, and legs, shou	0.1%) that are suspected of being or known to be a carcinogen of the control of the control of the carcinogen of the control of the carcinogen of the carcin	ould be washed after contact. ilation and good general extraction. If thes
Respiratory: Eyes: Skin:	[EXPOSURE 6 If workers are Wear safety ey Overalls, which Provide adequare not sufficie	controlsj: exposed to concentra yewear (e.g. safety sp ch cover the body, arm uate ventilation. Where	NIOSH s (at greater than tions above the sectacles/goggles s, and legs, shou e reasonably prace trations of partici	0.1%) that are suspected of being or known to be a carcinogen of the control of the carcinogen of the	ould be washed after contact. ilation and good general extraction. If thes
Respiratory: Eyes: Skin: Engineering Controls:	[EXPOSURE 6 If workers are Wear safety ey Overalls, which Provide adequare not sufficie See Section 2	exposed to concentrary eyewear (e.g. safety sp ch cover the body, arm uate ventilation. Where ent to maintain concer of for further details [PR	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably practrations of partice EVENTION].	0.1%) that are suspected of being or known to be a carcinogen of the control of the carcinogen of the	ould be washed after contact. ilation and good general extraction. If thes
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices:	[EXPOSURE 6 If workers are Wear safety ey Overalls, which Provide adequare not sufficie See Section 2	exposed to concentrally every (e.g. safety spoth cover the body, armulate ventilation. Where ent to maintain concert for further details [PR	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably practrations of partice EVENTION].	0.1%) that are suspected of being or known to be a carcinogen of the control of the control of the carcinogen of the control of the carcinogen of the carcin	ould be washed after contact. ilation and good general extraction. If thes
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9	If workers are Wear safety ey Overalls, which Provide adequare not sufficie See Section 2	exposed to concentrally every (e.g. safety spoth cover the body, armulate ventilation. Where ent to maintain concert for further details [PR	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably practrations of partice EVENTION].	exposure limit they must use the appropriate, certified respirators s/visors) to protect against the splash of liquids. Id be worn. Skin should not be exposed. All parts of the body shecticable, this should be achieved by the use of local exhaust vent ulates, and any vapor below occupational exposure limits, suitab	ould be washed after contact. ilation and good general extraction. If thes le respiratory protection must be worn.
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9 Appearance:	If workers are Wear safety ey Overalls, which Provide adequare not sufficie See Section 2 PHYSI Hazy, pale yell	exposed to concentrary ewear (e.g. safety spith cover the body, armulate ventilation. Where ent to maintain concers for further details [PRICAL AND]	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably practrations of partice EVENTION].	exposure limit they must use the appropriate, certified respirators s/visors) to protect against the splash of liquids. Juld be worn. Skin should not be exposed. All parts of the body shoticable, this should be achieved by the use of local exhaust venturates, and any vapor below occupational exposure limits, suitab	ould be washed after contact. ilation and good general extraction. If thes le respiratory protection must be worn. Upper Explosive Limit: Not measured
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9 Appearance: Odor: Odor Threshold:	If workers are Wear safety ey Overalls, which Provide adequare not sufficie See Section 2 PHYSI Hazy, pale yell Neutral	exposed to concentrary ewear (e.g. safety spith cover the body, armulate ventilation. Where ent to maintain concers for further details [PRICAL AND]	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably practrations of partice EVENTION].	0.1%) that are suspected of being or known to be a carcinogen of the control of the control of the carcinogen of the control of the carcinogen of the carcin	ould be washed after contact. ilation and good general extraction. If thes le respiratory protection must be worn. Upper Explosive Limit: Not measured Lower Explosive Limit: Not measured
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9 Appearance: Odor: Odor Threshold: pH:	If workers are Wear safety ey Overalls, which Provide adequare not sufficie See Section 2 PHYSI Hazy, pale yell Neutral Not measured 5.0-6.2	exposed to concentral yewear (e.g. safety spith cover the body, armulate ventilation. Where ent to maintain concert? for further details [PRICAL AND]	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably practrations of partice EVENTION].	exposure limit they must use the appropriate, certified respirators solvisors) to protect against the splash of liquids. In this should be achieved by the use of local exhaust vent ulates, and any vapor below occupational exposure limits, suitab CAL PROPERTIES Upper Flammability Limits: Lower Flammability Limits: Vapor Pressure (Pa): Vapor Density:	build be washed after contact. ilation and good general extraction. If thes le respiratory protection must be worn. Upper Explosive Limit: Not measured Lower Explosive Limit: Not measured Not measured Not measured
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9 Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C):	If workers are Wear safety ey Overalls, which Provide adequare not sufficie See Section 2 PHYSI Hazy, pale yell Neutral Not measured 5.0-6.2 Not measured	exposed to concentral exposed to concentrate exposed to concentrate exposed exposed exposed exposed exposed exp	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably prac strations of partice EVENTION].	exposure limit they must use the appropriate, certified respirators solvisors) to protect against the splash of liquids. In the should be achieved by the use of local exhaust ventualtes, and any vapor below occupational exposure limits, suitab CAL PROPERTIES Upper Flammability Limits: Lower Flammability Limits: Vapor Pressure (Pa): Vapor Density: Solubility in Water:	ould be washed after contact. ilation and good general extraction. If thes le respiratory protection must be worn. Upper Explosive Limit: Not measured Lower Explosive Limit: Not measured Not measured Not measured Soluble
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9 Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C): Initial Boiling Point/Range (°C):	IEXPOSURE of If workers are Wear safety ey Overalls, which Provide adequare not sufficience See Section 2 PHYSI Hazy, pale yell Neutral Not measured 5.0-6.2 Not measured No Establisher	exposed to concentral exposed to concentrate exposed to concentrate exposed to concentrate exposed exp	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably prac strations of partici EVENTION]. CHEMIC	exposure limit they must use the appropriate, certified respirators savisors) to protect against the splash of liquids. In the should not be exposed. All parts of the body should be worn. Skin should not be exposed. All parts of the body should be achieved by the use of local exhaust ventualtes, and any vapor below occupational exposure limits, suitab CAL PROPERTIES Upper Flammability Limits: Lower Flammability Limits: Vapor Pressure (Pa): Vapor Density: Solubility in Water: Partition Co-efficient n-octanol/wate	build be washed after contact. ilation and good general extraction. If thes le respiratory protection must be worn. Upper Explosive Limit: Not measured Lower Explosive Limit: Not measured Not measured Not measured Soluble r (Log Kow): Not measured
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9 Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C): Initial Boiling Point/Range (°C): Flash Point:	If workers are Wear safety ey Overalls, which Provide adequare not sufficie See Section 2 PHYSI Hazy, pale yell Neutral Not measured 5.0-6.2 Not measured No Established	exposed to concentrary ewear (e.g. safety spith cover the body, armulate ventilation. Where ent to maintain concers for further details [PRICAL AND]	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably prac strations of partici EVENTION]. CHEMIC	exposure limit they must use the appropriate, certified respirators sivisors) to protect against the splash of liquids. In the body she cticable, this should be achieved by the use of local exhaust vent ulates, and any vapor below occupational exposure limits, suitab CAL PROPERTIES Upper Flammability Limits: Lower Flammability Limits: Vapor Pressure (Pa): Vapor Density: Solubility in Water: Partition Co-efficient n-octanol/wate Auto-Ignition Temperature (°C):	Duld be washed after contact. ilation and good general extraction. If thes le respiratory protection must be worn. Upper Explosive Limit: Not measured Lower Explosive Limit: Not measured Not measured Not measured Soluble r (Log Kow): Not measured Not measured
Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9 Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C): Initial Boiling Point/Range (°C):	IEXPOSURE of If workers are Wear safety ey Overalls, which Provide adequare not sufficience See Section 2 PHYSI Hazy, pale yell Neutral Not measured 5.0-6.2 Not measured No Establisher	exposed to concentrary evener (e.g. safety spith cover the body, armulate ventilation. Where expected the concentration of the cover the body armulate ventilation. Where expected the concentration of the cover the body armulate ventilation. Where expected the cover the body armulation of the cover the body armulation of the cover the	NIOSH s (at greater than tions above the e ectacles/goggles s, and legs, shou e reasonably prac strations of partici EVENTION]. CHEMIC	exposure limit they must use the appropriate, certified respirators savisors) to protect against the splash of liquids. In the should not be exposed. All parts of the body should be worn. Skin should not be exposed. All parts of the body should be achieved by the use of local exhaust ventualtes, and any vapor below occupational exposure limits, suitab CAL PROPERTIES Upper Flammability Limits: Lower Flammability Limits: Vapor Pressure (Pa): Vapor Density: Solubility in Water: Partition Co-efficient n-octanol/wate	build be washed after contact. ilation and good general extraction. If thes le respiratory protection must be worn. Upper Explosive Limit: Not measured Lower Explosive Limit: Not measured Not measured Not measured Soluble r (Log Kow): Not measured

VOC%:

Not measured

Specific Gravity @ 20°C

Other Information:

1.18-1.20

No other relevant information.

SECTION 10	STABILITY AND REACTIVITY					
Reactivity:	Not chemically reactive.					
Chemical Stability:	Stable under normal storage and handling conditions.					
Hazardous Reactions:	Hazardous reactions not anticipated.					
Conditions To Avoid:	Extreme heat, open flame, incompatibles.	Extreme heat, open flame, incompatibles.				
Incompatible Materials:	Strong acids, strong bases, strong oxidizers, chlorates, nitrates.	Strong acids, strong bases, strong oxidizers, chlorates, nitrates.				
Hazardous Decomposition Prod.:	Not anticipated under normal conditions of use.					
SECTION 11	TOXICOLOGICAL INFORMAT	ION				
Acute Toxicity:	<u>Ingredients</u>	Oral LD50 mg/kg	Sk <u>in LD50mg/kg</u>	Inhalation Vapor/Dust/Mist LD50mg/L/4hr		
	Proprietary Blend >	>5,000/Category NA	>5,000/Category NA	ND		
Category:	Item: Acute Toxicity (mouth) / Hazard: Not applicable.					
Category:	Item: Acute Toxicity (skin) / Hazard: Not applicable.					
Category:	Item: Acute Toxicity (inhalation) / Hazard: Not applicable.					
Category 3:	Item: Skin Corrosion/Irritation / Hazard: Causes mild skin irritatio	ın.				
Category 2:	Item: Eye Damage/Irritation / Hazard: Causes eye irritation.					
Category:	Item: Sensitization (skin) / Hazard: Not applicable.					
Category:	Item: Germ Toxicity / Hazard: Not applicable.					
Category:	Item: Carcinogenicity / Hazard: Not applicable.					
Category:	Item: Reproductive Toxicity / Hazard: Not applicable.					
Category:	Item: Specific Target Organ Systemic Toxicity (single exposure) / Hazard: Not applicable.					
Category:	Item: Specific Target Organ Systemic Toxicity (repeated exposur	e / Hazard: Not applical	ble.			
Category:	Item: Aspiration Hazard / Hazard: Not applicable.					
SECTION 12	ECOLOGICAL INFORMATION					
Toxicity:	No additional information provided for this product. See Section	3 for chemical specific of	data.			
Aquatic Ecotoxicity:	This product is not expected to be toxic to the aquatic environme	ent.				
Persistence and Degradability:	There is no data available on the preparation itself.					
Bioaccumulative Potential:	Not measured.					
Mobility in Soil:	No data available.					
Results of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.					
Other Adverse Effects:	No data available.					
SECTION 13	DISPOSAL CONSIDERATION	S				
Waste Treatment Methods:	Do not allow into drains or water courses. Wastes and emptied of Pollution Act and the Environmental Protection Act. Using inform whether the special waste regulations apply.		·	•		
SECTION 14	TRANSPORT INFORMATION					

SECTION 14	TRANSPORT INFORMATION	
UN Number:	Not applicable	
UN Proper Shipping Name:	Not regulated	
Transport Hazard Class(es):	DOT (Domestic Surface Transportation):	IMO/IMDG (Ocean Transportation:
	DOT Proper Shipping: Not regulated	IMDG Proper Shipping Name: Not regulated
	DOT Hazard Class: Not applicable	IMDG Hazard Class: Not applicable
	DOT Label: None	Sub Class: Not applicable
	UN/NA Number: Not applicable	IMDG Packing Group: Not applicable
	DOT Packing Group CERCLA/DOT RQ: NA gal. / NA lbs.	
Special Precautions For User:	Not applicable	
Transport:	Transport in bulk according to Annex II of MARPOL73/78 and the IB	C Code: Not applicable
Environmental Hazards IMDG:	Marine Pollutant: No	
Packing Group:	Not applicable	

SECTION 15	REGULATORY INFORMATION
Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) inventory or are not required to be listed on the TSCA inventory.
WHMIS Classification:	Not regulated
US EPA Tier II Hazards:	Fire: No / Sudden Release of Pressure: No / Reactive: No / Immediate (acute): YES / Delayed (chronic): No
EPCRA 311/312:	Chemicals and RQs (>0.1%): Phosphoric Acid
EPCRA 302:	Extremely Hazardous (>0.1%): No product ingredients listed
EPCRA 313	Toxic Chemicals (>0.1%): Ammonium nitrate (solution)
Proposition 65	Carcinogens (>0.0%): 1-4 dioxane / Oxirane
Proposition 65:	Developmental Toxins (>0.0%): No product ingredients listed
Proposition 65:	Female Repro Toxins (>0.0%): Oxirane
Proposition 65:	Male Repro Toxins (>0.0%): Oxirane
N.J. RTK Substance (>1%):	Glycerol / Phosphoric Acid
Penn RTK Substances (>1%):	Glycerol / Phosphoric Acid / Sulfuric Acid Diammonium Salt
SECTION 16	OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.