

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

---

### SECTION 1. IDENTIFICATION

Product name : Hemi™ SC

#### Manufacturer or supplier's details

#### COMPANY IDENTIFICATION

**Manufacturer/importer** : CORTEVA AGRISCIENCE LLC  
9330 ZIONSVILLE RD  
INDIANAPOLIS, IN, 46268-1053  
UNITED STATES

**Customer Information Number** : 1-800-258-3033  
**E-mail address** : customerinformation@corteva.com

**Emergency telephone** : INFOTRAC (CONTRACT 84224)  
+1 800-992-5994 or +1 317-337-6009

#### Recommended use of the chemical and restrictions on use

Recommended use : End use insecticide product

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

#### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version 1.0      Revision Date: 06/10/2024      SDS Number: 800080102386      Date of last issue: -  
Date of first issue: 06/10/2024

Signal Word : Warning

Hazard Statements : H361f Suspected of damaging fertility.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)	935545-74-7	11.7
Propylene glycol	57-55-6	>= 3 - < 10
Naphthalenesulfonic acid, formaldehyde ammonium salt copolymer	9069-80-1	>= 1 - < 3
Balance	Not Assigned	> 70

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- If swallowed : No emergency medical treatment necessary.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : No specific antidote.  
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.  
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Combustion products may include and are not limited to:  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities. Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Prevent from entering into soil, ditches, sewers, underwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container. Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). See Section 13, Disposal Considerations, for additional information.

---

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice. Smoking, eating and drinking should be prohibited in the application area. Avoid inhalation of vapor or mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Take care to prevent spills, waste and minimize release to the

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version 1.0      Revision Date: 06/10/2024      SDS Number: 800080102386      Date of last issue: -  
Date of first issue: 06/10/2024

environment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep in properly labeled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL

Engineering measures : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.  
Local exhaust ventilation may be necessary for some operations.

#### Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Hand protection

Remarks : Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

provided by the glove supplier.

Eye protection : Use safety glasses (with side shields).

Skin and body protection : Wear clean, body-covering clothing.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.

Color : Off-white

Odor : Musty

Odor Threshold : No data available

pH : 7.15 (72.9 °F / 22.7 °C)  
Concentration: 1 %  
Method: pH Electrode  
(1% aqueous suspension)

Melting point/range : Not applicable

Freezing point : No data available

Boiling point/boiling range : No data available

Flash point : > 392 °F / > 200 °C  
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable to liquids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.025 g/cm<sup>3</sup> (68 °F / 20 °C)  
Method: Digital density meter

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

Solubility(ies)  
Water solubility : Dispersible

Autoignition temperature : > 752 °F / > 400 °C  
Method: EC Method A15  
Ramped Temperature

Explosive properties : No

Oxidizing properties : No  
Reference substance: Monoammonium phosphate

Molecular weight : No test data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.  
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.

Conditions to avoid : None known.

Incompatible materials : Strong acids  
Strong bases

Hazardous decomposition products : Decomposition products depend upon temperature, air supply  
and the presence of other materials.  
Decomposition products can include and are not limited to:  
Carbon oxides  
Nitrogen oxides (NOx)

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 5.04 mg/l  
Exposure time: 4 h  
Test atmosphere: Aerosol  
Method: OECD Test Guideline 403

---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Information source: Internal study report

### Components:

#### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.50 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

#### **Propylene glycol:**

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Mist may cause irritation of upper respiratory tract (nose and throat).

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

#### Product:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Information source: Internal study report

### Components:

#### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

### Propylene glycol:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Information source: Internal study report

#### Components:

##### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### Propylene glycol:

Species : Rabbit  
Result : No eye irritation

### Naphthalenesulfonic acid, formaldehyde ammonium salt copolymer:

Species : Rabbit  
Result : Eye irritation

### Respiratory or skin sensitization

#### Product:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Assessment : Does not cause skin sensitization.  
Method : OECD Test Guideline 429  
Remarks : Information source: Internal study report

#### Components:

##### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Species : Mouse  
Assessment : The product is a skin sensitizer, sub-category 1B.

### Propylene glycol:

Species : human  
Assessment : Does not cause skin sensitization.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

### Germ cell mutagenicity

#### Components:

##### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

##### **Propylene glycol:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

### Carcinogenicity

#### Components:

##### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

##### **Propylene glycol:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

#### Product:

Reproductive toxicity - Assessment : Suspected of damaging fertility.

#### Components:

##### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Reproductive toxicity - Assessment : Suspected human reproductive toxicant  
Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

##### **Propylene glycol:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility.  
Did not cause birth defects or any other fetal effects in labora-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

tory animals.

### STOT-single exposure

**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Components:**

**Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Propylene glycol:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### STOT-repeated exposure

**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

### Repeated dose toxicity

**Components:**

**Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Remarks : In animals, has been shown to cause vacuolization of cells in various tissues.  
Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.

**Propylene glycol:**

Remarks : In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

### Aspiration toxicity

**Product:**

Based on physical properties, not likely to be an aspiration hazard.

**Components:**

**Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Based on physical properties, not likely to be an aspiration hazard.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

### Propylene glycol:

Based on physical properties, not likely to be an aspiration hazard.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 48.2 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
Remarks: Information source: Internal study report
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 42.8 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202
- EC50 (*Chironomus riparius* (harlequin fly)): 4.1 mg/l  
Exposure time: 48 h  
Test Type: Static
- Toxicity to algae/aquatic plants : EC50 (diatom *Navicula* sp.): 1.098 mg/l  
End point: Growth inhibition (cell density reduction)  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Information source: Internal study report
- Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 8,560 mg/kg  
Exposure time: 14 d  
End point: survival
- Toxicity to terrestrial organisms : oral LD50 (*Colinus virginianus* (Bobwhite quail)): > 2250 mg/kg bodyweight.
- oral LD50 (*Apis mellifera* (bees)): 0.32 micrograms/bee  
Exposure time: 96 h
- contact LD50 (*Apis mellifera* (bees)): 0.17 micrograms/bee  
Exposure time: 96 h

#### Components:

#### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 2.69 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203 or Equivalent
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.229 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version 1.0      Revision Date: 06/10/2024      SDS Number: 800080102386      Date of last issue: -  
Date of first issue: 06/10/2024

---

Test Type: static test  
Method: OECD Test Guideline 202 or Equivalent

LC50 (saltwater mysid *Mysidopsis bahia*): 0.355 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

EC50 (*Chironomus riparius* (harlequin fly)): 0.0031 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 1.06 mg/l  
End point: Biomass  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201 or Equivalent

ErC50 (diatom *Navicula* sp.): 0.127 mg/l  
End point: Biomass  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201 or Equivalent

ErC50 (*Lemna gibba*): > 14.2 mg/l  
End point: Growth rate inhibition  
Exposure time: 7 d  
Test Type: semi-static test

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.182 mg/l  
End point: weight  
Exposure time: 32 d  
Test Type: flow-through test

LOEC (*Pimephales promelas* (fathead minnow)): 0.392 mg/l  
End point: weight  
Exposure time: 32 d  
Test Type: flow-through test

MATC (Maximum Acceptable Toxicant Level) (*Pimephales promelas* (fathead minnow)): 0.267 mg/l  
End point: weight  
Exposure time: 32 d  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.000062 mg/l  
Test Type: flow-through test

Toxicity to microorganisms : EC50 (Bacteria): > 10 mg/l  
Exposure time: 3 h

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 500 mg/kg  
Exposure time: 14 d

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version 1.0      Revision Date: 06/10/2024      SDS Number: 800080102386      Date of last issue: -  
Date of first issue: 06/10/2024

---

Toxicity to terrestrial organisms : oral LD50 (*Colinus virginianus* (Bobwhite quail)): > 2250 mg/kg bodyweight.  
  
dietary LC50 (*Colinus virginianus* (Bobwhite quail)): > 5620 mg/kg diet.  
  
oral LD50 (*Apis mellifera* (bees)): 0.11 micrograms/bee  
Exposure time: 48 h

### Propylene glycol:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Ceriodaphnia dubia* (water flea)): 18,340 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 19,000 mg/l  
End point: Growth rate inhibition  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Ceriodaphnia dubia* (water flea)): 13,020 mg/l  
End point: number of offspring  
Exposure time: 7 d  
Test Type: semi-static test

Toxicity to microorganisms : NOEC (*Pseudomonas putida*): > 20,000 mg/l  
Exposure time: 18 h

### Persistence and degradability

#### Components:

#### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 20 mg/l  
Result: Not rapidly biodegradable  
Biodegradation: 0.1 - 9.1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B or Equivalent  
Remarks: 10-day Window: Fail

#### **Propylene glycol:**

Biodegradability : aerobic  
Result: Readily biodegradable.  
Biodegradation: 81 %

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

Exposure time: 28 d  
Method: OECD Test Guideline 301F or Equivalent  
Remarks: 10-day Window: Pass

Biodegradation: 96 %  
Exposure time: 64 d  
Method: OECD Test Guideline 306 or Equivalent  
Remarks: 10-day Window: Not applicable

Biochemical Oxygen Demand (BOD) : 69.000 %  
Incubation time: 5 d

70.000 %  
Incubation time: 10 d

86.000 %  
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 1.53 kg/kg

ThOD : 1.68 kg/kg

Photodegradation : Rate constant: 1.28E-11 cm<sup>3</sup>/s  
Method: Estimated.

### Bioaccumulative potential

#### Components:

##### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 348  
Exposure time: 28 d

Partition coefficient: n-octanol/water : log Pow: 4.49 (68 °F / 20 °C)  
pH: 7  
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

##### **Propylene glycol:**

Bioaccumulation : Bioconcentration factor (BCF): 0.09  
Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Measured  
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

##### **Balance:**

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

### Mobility in soil

#### Components:

##### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Distribution among environmental compartments : Remarks: Potential for mobility in soil is slight (Koc between 2000 and 5000).

##### **Propylene glycol:**

Distribution among environmental compartments : Koc: < 1  
Method: Estimated.  
Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.  
Potential for mobility in soil is very high (Koc between 0 and 50).

##### **Balance:**

Distribution among environmental compartments : Remarks: No relevant data found.

### Other adverse effects

#### Components:

##### **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **Propylene glycol:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **Naphthalenesulfonic acid, formaldehyde ammonium salt copolymer:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **Balance:**



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Spinetoram)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Spinetoram)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

##### IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

	N.O.S. (Spinetoram)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes(Spinetoram)
Remarks	: Stowage category A

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR Road

Not regulated as a dangerous good

### Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

**SARA 311/312 Hazards** : Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Propylene glycol

57-55-6

### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Hemi™ SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/10/2024	800080102386	Date of first issue: 06/10/2024

---

### SECTION 16. OTHER INFORMATION

#### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

#### Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
US WEEL / TWA : 8-hr TWA

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations. CFR - Code of Federal Regulations. IARC - International Agency for Research on Cancer. IATA-DGR - International Air Transport Association Dangerous Goods Regulations. OSHA - Occupational Safety and Health Administration. RCRA - Resource Conservation and Recovery Act. RQ - Reportable Quantity. SARA - Superfund Amendments and Reauthorization Act. TSCA - Toxic Substances Control Act.

Revision Date : 06/10/2024

Product code: GF-1587

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN