

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

1/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name HUSKIE® HERBICIDE
Product code (UVP) 79002149
SDS Number 102000011554
EPA Registration No. 264-1023

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP
800 North Lindbergh Blvd.
St. Louis, MO 63167
USA
Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Aspiration hazard: Category 1
Carcinogenicity, Reproductive toxicity: Category 2
Eye irritation: Category 2B
Acute toxicity(Oral): Category 4
Flammable liquids: Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200



SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

2/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways.
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
Causes eye irritation.
Harmful if swallowed.
Combustible liquid.

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.
Do NOT induce vomiting.
Rinse mouth.
IF exposed or concerned: Get medical advice/ attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Store locked up.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Pyrasulfotole	365400-11-9	3.3
Bromoxynil octanoate	1689-99-2	13.4
Bromoxynil heptanoate	56634-95-8	12.9
Mefenpyr-diethyl	135590-91-9	0.82
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	32.1
Propylene carbonate	108-32-7	15.0
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	5.97
Calcium dodecylbenzenesulphonate	26264-06-2	3.9
2-Ethylhexanol	104-76-7	3.1
Naphthalene	91-20-3	3.2
Toluene	108-88-3	0.26
Bromoxynil	1689-84-5	0.14

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

3/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Aspiration may cause pulmonary oedema and pneumonitis.

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

4/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Further information Evacuate personnel to safe areas. Avoid contact with spilled product or contaminated surfaces. Keep out of smoke. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point 90 °C / 194 °F
Auto-ignition temperature No data available
Lower explosion limit No data available
Upper explosion limit No data available
Explosivity No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Remove all sources of ignition. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Contaminated soil may have to be removed and disposed. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

|| This substance contains 10% or more of an oil as defined in 49 CFR 130.5 when it is shipped in a package of 3,500 gallons or more.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

5/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Hygiene measures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Keep away from heat and sources of ignition. Keep away from direct sunlight.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pyrasulfotole	365400-11-9	0.3 mg/m ³ (TWA)		OES BCS*
Bromoxynil octanoate	1689-99-2	0.21 mg/m ³ (SK-SEN)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m ³ (TWA)		OES BCS*
Hydrocarbons, C10, aromatics, <1% naphthalene (Non-aerosol.)	64742-94-5	200 mg/m ³ (TWA)	01 2021	ACGIH
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	1,600 mg/m ³ /400 ppm (TWA PEL)	09 2006	US CA OEL
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	100 mg/m ³ (REL)	2010	NIOSH
Hydrocarbons, C10, aromatics, <1% naphthalene (Non-aerosol.)	64742-94-5	200 mg/m ³ (TWA)	03 2014	ACGIH
2-Ethylhexanol	104-76-7	5 ppm (TWA)	01 2022	ACGIH
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (REL)	2010	NIOSH
Naphthalene	91-20-3	75 mg/m ³ /15 ppm	2010	NIOSH

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

6/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

		(STEL)		
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	06 2008	TN OEL
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	0.5 mg/m ³ /0.1 ppm (TWA PEL)	10 2014	US CA OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*
Toluene	108-88-3	20 ppm (TWA)	02 2012	ACGIH
Toluene	108-88-3	375 mg/m ³ /100 ppm (REL)	2010	NIOSH
Toluene	108-88-3	560 mg/m ³ /150 ppm (STEL)	2010	NIOSH
Toluene	108-88-3	375 mg/m ³ /100 ppm (TWA)	1989	OSHA Z1A
Toluene	108-88-3	560 mg/m ³ /150 ppm (STEL)	1989	OSHA Z1A
Toluene	108-88-3	500 ppm (MAX. CONC)	02 2006	OSHA Z2
Toluene	108-88-3	200 ppm (TWA)	02 2006	OSHA Z2
Toluene	108-88-3	300 ppm (CEILING)	02 2006	OSHA Z2
Toluene	108-88-3	375 mg/m ³ /100 ppm (TWA)	06 2008	TN OEL
Toluene	108-88-3	580 mg/m ³ /150 ppm (STEL)	06 2008	TN OEL
Toluene	108-88-3	560 mg/m ³ /150 ppm (STEL)	08 2010	US CA OEL
Toluene	108-88-3	37 mg/m ³ /10 ppm (TWA PEL)	02 2012	US CA OEL
Toluene	108-88-3	500 ppm (CEILING)	08 2010	US CA OEL
Toluene	108-88-3	20 ppm (TLV)		OES BCS*
Bromoxynil	1689-84-5	0.21 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Naphthalene	91-20-3	1-Naphthol, with		Sampling time: End of		ACGIH BEI

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

7/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

		hydrolysis + 2-Naphthol, with hydrolysis		shift.		
Toluene	108-88-3	o-Cresol, with hydrolysis	Creatinine in urine	Sampling time: End of shift.	0.3 mg/g	ACGIH BEI
Toluene	108-88-3	toluene	Blood	Sampling time: Prior to last shift of work week.	0.02 mg/l	ACGIH BEI
Toluene	108-88-3	toluene	Urine	Sampling time: End of shift.	0.03 mg/l	ACGIH BEI

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)

Eye protection

Tightly fitting safety goggles

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	Liquid, clear
Colour	beige to brown
Odour	aromatic, solvent-like
Odour Threshold	No data available
pH	ca. 3.9 (10 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

8/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Flash point	90 °C / 194 °F
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	1.14 g/cm ³ (20 °C)
Water solubility	No data available
Partition coefficient: n-octanol/water	Pyrasulfotole: log Pow: -1.362 Bromoxynil octanoate: log Pow: 5.4 Bromoxynil heptanoate: log Pow: 5.9 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
Viscosity, dynamic	19.8 mPa.s (25 °C)
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	No data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

9/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Conditions to avoid	Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin Absorption, Ingestion, Inhalation

Immediate Effects

Eye Causes moderate eye irritation.

Skin Harmful if absorbed through skin.

Ingestion May be fatal if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 300 - < 2,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 5 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
Highest attainable concentration.

Acute dermal toxicity LD50 (male/female combined Rat) > 4,000 mg/kg

Skin corrosion/irritation Mild skin irritation. (Rabbit)

Serious eye damage/eye irritation Moderate eye irritation. (Rabbit)

Respiratory or skin sensitisation Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity – single exposure

Pyrasulfotole: Based on available data, the classification criteria are not met.

Bromoxynil octanoate: Based on available data, the classification criteria are not met.

Bromoxynil heptanoate: Based on available data, the classification criteria are not met.

Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Pyrasulfotole : May cause damage to organs through prolonged or repeated exposure.

Bromoxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.

Bromoxynil heptanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.

Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

10/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Assessment mutagenicity

Pyrasulfotole was not genotoxic in a battery of in vitro and in vivo tests.
Bromoxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Bromoxynil heptanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Pyrasulfotole caused at high dose levels an increased incidence of tumours in the following organ(s): Cornea, urinary bladder. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.
Bromoxynil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
Bromoxynil heptanoate caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	Group A3
2-Ethylhexanol	104-76-7	Group A3
Naphthalene	91-20-3	Group A3
Toluene	108-88-3	

NTP

Naphthalene	91-20-3
-------------	---------

IARC

Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	Overall evaluation: 3
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	Overall evaluation: 3
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	Overall evaluation: 3
Naphthalene	91-20-3	Overall evaluation: 2B
Toluene	108-88-3	Overall evaluation: 3

Assessment toxicity to reproduction

Pyrasulfotole did not cause reproductive toxicity in a two-generation study in rats.
Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats.
Bromoxynil heptanoate did not cause reproductive toxicity in a two-generation study in rats.
Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrasulfotole did not cause developmental toxicity in rats and rabbits.
Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.
Bromoxynil heptanoate caused developmental toxicity only at dose levels toxic to the dams.
Bromoxynil heptanoate caused a delayed foetal growth, an increased incidence of non-specific

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

11/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

malformations.

Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient bromoxynil octanoate.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient bromoxynil heptanoate.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.046 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Daphnia magna (Water flea)) 0.031 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient bromoxynil heptanoate.

Toxicity to aquatic plants

EC50 (Navicula pelliculosa (Freshwater diatom)) 0.043 mg/l
Exposure time: 120 h
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Lemna gibba (gibbous duckweed)) 0.073 mg/l
The value mentioned relates to the active ingredient bromoxynil octanoate.

Biodegradability

Pyrasulfotole:
Not rapidly biodegradable
Bromoxynil octanoate:
Not rapidly biodegradable
Bromoxynil heptanoate:
Not rapidly biodegradable
Mefenpyr-diethyl:

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

12/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

	Not rapidly biodegradable
Koc	Pyrasulfotole: Koc: 20 - 213; log Koc: 2.34 Bromoxynil octanoate: Koc: 639 Bromoxynil heptanoate: Koc: ca. 600 Mefenpyr-diethyl: Koc: 625
Bioaccumulation	Pyrasulfotole: Does not bioaccumulate. Bromoxynil octanoate: Bioconcentration factor (BCF) 230 Does not bioaccumulate. Bromoxynil heptanoate: Does not bioaccumulate. Mefenpyr-diethyl: Bioconcentration factor (BCF) 232 Does not bioaccumulate.
Mobility in soil	Pyrasulfotole: Moderately mobile in soils Bromoxynil octanoate: Slightly mobile in soils Bromoxynil heptanoate: Slightly mobile in soils Mefenpyr-diethyl: Slightly mobile in soils
Results of PBT and vPvB assessment	
PBT and vPvB assessment	Pyrasulfotole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Bromoxynil octanoate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Bromoxynil heptanoate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift or runoff from treated areas may adversely affect non-target plants.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal regulations.
Never place unused product down any indoor or outdoor drain.

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

13/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

	Follow advice on product label and/or leaflet.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

NA-Number	1993
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	COMBUSTIBLE LIQUID, N.O.S. (BROMOXYNIL, PETROLEUM DISTILLATES, NAPHTHALENE)
RQ	Reportable Quantity is reached with 3,125 lb of product.

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, PETROLEUM DISTILLATES SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, PETROLEUM DISTILLATES SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
10200011554

14/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Further Information

This substance contains 10% or more of an oil as defined in 49 CFR 130.5 when it is shipped in a package of 3,500 gallons or more.

Freight Classification:

COMPOUNDS, TREE OR WEED KILLING, N.O.I. other than poison, HAVING A DENSITY OF 20 LBS OR GREATER PER CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1023

US Federal Regulations

TSCA list

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
Propylene carbonate	108-32-7
Bromoxynil octanoate	1689-99-2
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
Calcium dodecylbenzenesulphonate	26264-06-2
2-Ethylhexanol	104-76-7
Soybean oil, epoxidized	8013-07-8
Naphthalene	91-20-3
Oxirane, 2-methyl-, polymer with oxirane, mono[2,4,6-tris(1-phenylethyl)phenyl] ether	70880-56-7
Castor oil, ethoxylated	61791-12-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes

Yes

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Naphthalene	91-20-3
-------------	---------

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Bromoxynil octanoate	1689-99-2	Developmental toxin.
Toluene	108-88-3	Developmental toxin.

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

15/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Bromoxynil	1689-84-5	Developmental toxin.
Hydrogen cyanide	74-90-8	Male reproductive toxin.

US State Right-To-Know Ingredients

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	CT, IL, NJ, RI
Bromoxynil octanoate	1689-99-2	CT, NJ
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	CT, IL, NJ, RI
Calcium dodecylbenzenesulphonate	26264-06-2	CA, CT, IL, NJ
2-Ethylhexanol	104-76-7	CT
Naphthalene	91-20-3	CA, CT, IL, MN, NJ, RI

Environmental

CERCLA

Yes
Solvent Naphtha (petroleum), heavy aromatic 64742-94-5

Yes
Solvent Naphtha (petroleum), heavy aromatic 64742-94-5

Yes
Calcium dodecylbenzenesulphonate 26264-06-2
Listed

Yes
Naphthalene 91-20-3
Listed.

Clean Water Section 307(a)(1)

Yes
Naphthalene 91-20-3
Yes
Toluene 108-88-3

Safe Drinking Water Act Maximum Contaminant Levels

Yes
Naphthalene 91-20-3
Yes
Toluene 108-88-3

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

SAFETY DATA SHEET



HUSKIE® HERBICIDE

Version 6.0 / USA
102000011554

16/16
Revision Date: 06/20/2023
Print Date: 06/22/2023

Signal word: Warning!

Hazard statements: May be fatal if swallowed.
Harmful if inhaled or absorbed through skin.
Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 2 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 1 Flammability - 2 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,
* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 6. Accidental Release Measures. Section 14: Transport Information. Reviewed and updated for general editorial purposes.

Revision Date: 06/20/2023

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.