

1/12

LAUDIS® HERBICIDE

Version 4.2 / USA Revision Date: 11/29/2023 102000017388 Print Date: 12/01/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name LAUDIS® HERBICIDE

Product code (UVP) 79112912

SDS Number 102000017388

EPA Registration No. 264-860

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Reproductive toxicity: Category 2

Specific target organ toxicity - repeated exposure: Category 2

Acute toxicity(Oral): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200





Signal word: Warning



LAUDIS® HERBICIDE

Version 4.2 / USA Revision Date: 11/29/2023 102000017388 Print Date: 12/01/2023

Hazard statements

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Harmful if swallowed.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Do not breathe spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF exposed or concerned: Get medical advice/ attention.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight	
Tembotrione	335104-84-2	34.5	
Isoxadifen-ethyl	163520-33-0	17.2	
Ethoxylated alcohols (C12-15)	68131-39-5	1.0	

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.



LAUDIS® HERBICIDE

 Version 4.2 / USA
 Revision Date: 11/29/2023

 102000017388
 Print Date: 12/01/2023

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point >93.4 °C / 200.12 °F

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not applicable



LAUDIS® HERBICIDE

Version 4.2 / USA 102000017388

Revision Date: 11/29/2023 Print Date: 12/01/2023

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed containers

for disposal. Clean contaminated floors and objects thoroughly,

observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away

from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.



LAUDIS® HERBICIDE

Version 4.2 / USA Revision Date: 11/29/2023 102000017388 Print Date: 12/01/2023

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tembotrione	335104-84-2	0.15 mg/m3 (SK-SEN)		OES BCS*
Isoxadifen-ethyl	163520-33-0	1 mg/m3 (SK-SEN)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form suspension

Colour white to light yellow

Odour characteristic

Odour Threshold No data available

pH ca. 3.0 (10 %) (23 °C)

Melting point/range No data available

Boiling Point

No data available

Flash point > 93.4 °C / 200.12 °F

Flammability No data available



LAUDIS® HERBICIDE

Version 4.2 / USA Revision Date: 11/29/2023 Print Date: 12/01/2023

Auto-ignition temperatureNo data availableThermal decompositionNo data available

Minimum ignition energyNot applicableSelf-accelaratingNo data available

decomposition temperature (SADT)

Upper explosion limit

Lower explosion limit

Vapour pressure

Evaporation rate

Relative vapour density

Relative density

No data available

Water solubility miscible

Partition coefficient: n-

octanol/water

Tembotrione: log Pow: -1.09

Isoxadifen-ethyl: log Pow: 3.8

Viscosity, dynamic 800 - 1,200 mPa.s (20 °C)

Viscosity, kinematic

Oxidizing properties

No data available

No data available

Not applicable

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.



LAUDIS® HERBICIDE

 Version 4.2 / USA
 Revision Date: 11/29/2023

 102000017388
 Print Date: 12/01/2023

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Eye contact, Skin contact, Inhalation

Immediate Effects

Eye May cause temporary eye irritation.

Skin Not expected to produce significant adverse effects when

recommended use instructions are followed.

Ingestion Harmful if swallowed.

Inhalation Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) 1,750 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.1 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Guinea pig) **sensitisation** OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Tembotrione: Based on available data, the classification criteria are not met. Isoxadifen-ethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Tembotrione caused specific target organ toxicity in experimental animal studies in the following organ(s): Eyes, Kidney, Liver.

Isoxadifen-ethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tembotrione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.



LAUDIS® HERBICIDE

Version 4.2 / USA Revision Date: 11/29/2023 102000017388 Print Date: 12/01/2023

Isoxadifen-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tembotrione caused an increased incidence of tumours in rats in the following organ(s): Cornea. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Isoxadifen-ethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

Assessment toxicity to reproduction

Tembotrione did not cause reproductive toxicity in a two-generation study in rats. Isoxadifen-ethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Tembotrione caused developmental toxicity only at dose levels toxic to the dams. Tembotrione caused a delayed ossification of foetuses, an increased incidence of variations. The developmental effects seen with Tembotrione are related to maternal toxicity.

Isoxadifen-ethyl did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 5.41 mg/l

Exposure time: 96 h

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 33.5 mg/l

invertebrates Exposure time: 48 h

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 15.4 mg/l

Growth rate; Exposure time: 72 h

Biodegradability Tembotrione:

Not rapidly biodegradable

Isoxadifen-ethyl:

Not rapidly biodegradable



LAUDIS® HERBICIDE

Version 4.2 / USA Revision Date: 11/29/2023 Print Date: 12/01/2023

Koc Tembotrione: Koc: 66

Isoxadifen-ethyl: Koc: 2512; log Koc: 3.4

Bioaccumulation Tembotrione:

Does not bioaccumulate.

Isoxadifen-ethyl:

Does not bioaccumulate.

Mobility in soil Tembotrione: Mobile in soils

Isoxadifen-ethyl: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Tembotrione: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Isoxadifen-ethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

Drift or runoff from treated areas may adversely affect non-target plants.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal. State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082 Class 9



10/12

LAUDIS® HERBICIDE

Version 4.2 / USA
102000017388

Revision Date: 11/29/2023
Print Date: 12/01/2023

Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEMBOTRIONE, ISOXADIFEN-ETHYL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEMBOTRIONE, ISOXADIFEN-ETHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEED KILLING, N.O.I. other than

poison, HAVING A DENSITY OF 20 LBS OR GREATER PER

CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-860

US Federal Regulations

TSCA list

Water 7732-18-5 Isoxadifen-ethyl 163520-33-0 1,2-Propanediol 57-55-6 Butoxypolyethylene-/propylene glycol 9038-95-3 Ethoxylated alcohols (C12-15) 68131-39-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Yes. Export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients



11/12

LAUDIS® HERBICIDE

Version 4.2 / USA Revision Date: 11/29/2023 102000017388 Print Date: 12/01/2023

1,2-Propanediol 57-55-6 MN, RI

Environmental CERCLA None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed.

Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



LAUDIS® HERBICIDE

Version 4.2 / USA 102000017388

Revision Date: 11/29/2023 Print Date: 12/01/2023

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 1* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 11: Toxicological Information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

Revision Date: 11/29/2023

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.