

SAFETY DATA SHEET

MAX-IN®FlexiMn®

1. Identification

MAX-IN® FlexiMn® **Product identifier**

Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label. Recommended use

Recommended restrictions Refer to product label.

Distributor information

Company name Winfield Solutions, LLC **Address**

P.O. Box 64589 St. Paul, MN 55164-0589

Non-Emergency Business Inquiries: **Telephone**

1-855-494-6343 (Mon - Fri 8am - 5pm CST)

Emergency phone numbers (24hrs)

FOR MEDICAL EMERGENCY: 1-877-424-7452

FOR CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL:

CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

> Specific target organ toxicity, repeated exposure Category 2

Environmental hazards

Label elements



Not classified.

Signal word

Causes serious eye damage. May cause damage to organs through prolonged or Hazard statement

repeated exposure.

Precautionary statement

Prevention Do not breathe mist or vapor. Wear eye protection/face protection.

If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to Response

do. Continue rinsing. Immediately call a poison center/doctor.

Store away from incompatible materials. See Section 7 and the product label for further information. Storage

Dispose of contents/container in accordance Federal, state and local regulations. See Section 13 and the **Disposal**

product label for further information.

Hazard(s) not otherwise

None known classified (HNOC)

Supplemental information None

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % | |
|--|--------------------------|------------|------------|--|
| Manganese Sulfate, monohydrate |) | 10034-96-5 | 10 - < 20* | |
| Other components below reportable levels | | | 80 - < 90 | |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

MAX-IN FlexiMn SDS US Issue date: September 23, 2020

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention

immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Indication of immediate medical attention and special

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical General information personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

treatment needed

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods General fire hazards During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Use a NIOSH/MSHA approved respirator if there is a risk of exosure to fumes at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get this material in contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Store in a well-ventilated place. Store between 20°F- 120°F.

8. Exposure controls/personal protection

Occupational exposure limits

| US. OSHA Table Z-1 Limits for Air | Contaminants (29 CFR 1910.1000) |
|-----------------------------------|---------------------------------|
| Componento | Turno |

| Components | Туре | Value |
|---|---------|---------|
| Manganese Sulfate, monohydrate (CAS 10034-96-5) | Ceiling | 5 mg/m3 |

SDS US MAX-IN FlexiMn 2/7

Issue date: September 23, 2020

US. ACGIH Threshold Limit Values

| Components | Туре | Value | Form |
|---|-------------------------|--|----------------------|
| Manganese Sulfate, monohydrate (CAS 10034-96-5) | TWA | 0.1 mg/m3 | Inhalable fraction. |
| 10034-96-3) | | 0.02 mg/m3 | Respirable fraction. |
| | | 212_1119.1112 | |
| US. NIOSH: Pocket Guide to Ch | nemical Hazards | 5.52 Mg/ Mg | · |
| US. NIOSH: Pocket Guide to Ch Components | nemical Hazards Type | Value | Form |
| | | , and the second | · |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Wear suitable protective clothing. Use of an impervious apron is recommended. Other

Use a NIOSH/MSHA approved respirator if there is risk of exposure at levels exceeding the Respiratory protection

exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Liquid Physical state Liquid **Form** Color Light violet Odor Not available Odor threshold Not available 6 - 7 pН Melting point/freezing point Not available Initial boiling point and boiling

Not available range Flash point Not available

Not available **Evaporation rate** Flammability (solid, gas) Not applicable Upper/lower flammability or explosive limits

Flammability limit - lower

(%) Not available

SDS US MAX-IN FlexiMn 3/7 Flammability limit - upper

(%)

Not available

Explosive limit - lower (%) Not available
Explosive limit - upper (%) Not available

Vapor pressure 0.00001 hPa estimated

Vapor density Not available

Relative density 1.28 g/cm³ (typical)

Solubility(ies)

Solubility (water)

Partition coefficient (n-octanol/water)

Not available

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot available

Other information

Explosive properties

Oxidizing properties

Not explosive

Not oxidizing

Percent volatile

Pounds per gallon

Not explosive

Not explosive

Not explosive

10.68 (typical)

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

| Product | Species | Test Results |
|----------------|---------|-----------------------|
| MAX-IN FlexiMn | | |
| <u>Acute</u> | | |
| Oral | | |
| LD50 | Rat | 16540 mg/kg estimated |

MAX-IN FlexiMn sps us 4 / 7

Test Results Components **Species**

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Acute Oral

LD50 Rat 2150 mg/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity No ingredients in this product are considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Specific target organ toxicity - repeated

exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

Not classified.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product | | Species | Test Results |
|----------------|------|---------|-------------------------------------|
| Max-In FlexiMn | | | |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia | 918.6923 mg/l, 48 hours estimated |
| Fish | LC50 | Fish | 10320.2568 mg/l, 96 hours estimated |
| Components | | Species | Test Results |

Aquatic

Crustacea EC50 Water flea (Daphnia obtusa) 30.8 - 44.1 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 36.9 mg/l, 96 hours

29.7 - 52.7 mg/l, 192 hours

SDS US MAX-IN FlexiMn 5/7

^{*} Estimates for product may be based on additional component data not shown.

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential
No data available.

Mobility in soil
No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed.

Manganese compounds are are considered to be a CERCLA hazardous substance though no RQ has been determined.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed

SARA 304 Emergency release notification

Not regulated

SARA 311/312 Hazard categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|--------------------------------|------------|-----------|--|
| Manganese Sulfate, monohydrate | 10034-96-5 | 10 - < 20 | |

MAX-IN FlexiMn SDS US

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

Safe Drinking Water Act

Not regulated

Inventory name

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated

US. New Jersey Worker and Community Right-to-Know Act

Manganese Sulfate, monohydrate (CAS 10034-96-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed

US. Rhode Island RTK

Country(s) or region

United States & Puerto Rico

Manganese Sulfate, monohydrate (CAS 10034-96-5)

International Inventories

| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
|-------------|--|-----|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

Other information, including date of preparation or last revision

Issue date

September 23, 2020 (revised)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a quidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.

MAX-IN FlexiMn 7/7 Issue date: September 23, 2020

On inventory (yes/no)*

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).