

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version 1.0      Revision Date: 08/25/2023      SDS Number: 11261190-00001      Date of last issue: -  
Date of first issue: 08/25/2023

### SECTION 1. IDENTIFICATION

Product name : MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL  
Product code : Article/SKU: 79432135 UVP: 06101320 Specification:  
102000015432 EPA Registration No: 101563-122

#### Manufacturer or supplier's details

Company name of supplier : Environmental Science U.S. LLC.  
Address : 5000 Centregreen Way, Suite 400  
Cary NC 27513  
Telephone : 1-800-331-2867  
Emergency telephone : +1 703-741-5970  
E-mail address : uscontact@envu.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide  
Restrictions on use : See product label for restrictions.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Bait (ready for use) (RB)

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sucrose	57-50-1	>= 10 - < 20
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	>= 0.1 - < 0.6

Actual concentration is withheld as a trade secret

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version 1.0      Revision Date: 08/25/2023      SDS Number: 11261190-00001      Date of last issue: -  
Date of first issue: 08/25/2023

### Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	2682-20-4, 26172-55-4

### SECTION 4. FIRST AID MEASURES

- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : The following symptoms may occur:  
restlessness  
anxiety  
Tremors  
There may be delayed neurological effects, including brain oedema.  
Must not be confused with organophosphorous compounds!
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Symptoms of poisoning may appear several hours later.  
Keep under medical supervision for at least 48 hours.  
Oxygen or artificial respiration if needed.  
Keep respiratory tract clear.  
There is no specific antidote available.  
Treat symptomatically.  
Carefully monitor the respiratory functions.  
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.  
However, the application of activated charcoal and sodium sulphate is always advisable.  
In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens.  
Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

---

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version 1.0      Revision Date: 08/25/2023      SDS Number: 11261190-00001      Date of last issue: -  
Date of first issue: 08/25/2023

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1

- Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

- Hand protection  
Material : Nitrile rubber

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

---

Break through time : > 480 min  
Glove thickness : > 0.4 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : gel

Color : light brown

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Does not sustain combustion.

Upper explosion limit / Upper : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

---

flammability limit

Lower explosion limit / Lower  
flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-  
octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Minimum ignition energy : Not applicable

Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-  
tions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition  
products : No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version 1.0      Revision Date: 08/25/2023      SDS Number: 11261190-00001      Date of last issue: -  
Date of first issue: 08/25/2023

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 166.99 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

##### **Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.171 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

#### **Skin corrosion/irritation**

Not classified based on available information.

#### Product:

Species : Rabbit  
Result : No skin irritation

#### Components:

##### **Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Species : Rabbit

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

---

Method : OECD Test Guideline 404  
Result : Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Species : Rabbit  
Result : No eye irritation

#### Components:

**Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Product:

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

#### Components:

**Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of high skin sensitization rate in humans

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

### Carcinogenicity

Not classified based on available information.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

**Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.16 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l  
plants Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l  
Exposure time: 48 h

Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l  
icity) Exposure time: 36 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.10 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

---

### Persistence and degradability

#### Components:

**Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 62 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### **Sucrose:**

Partition coefficient: n- : Pow: < 1  
octanol/water

**Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

Partition coefficient: n- : log Pow: < 1  
octanol/water

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.  
Empty containers retain residue and can be dangerous.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

---

# SAFETY DATASHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

(Fipronil, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Fipronil, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Fipronil, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Fipronil, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Fipronil, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Remarks : Above applies only to containers over 119 gallons or 450 liters.  
Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Water	7732-18-5
Non-hazardous	Not Assigned
Sucrose	57-50-1
Soya oil	8001-22-7
Syrups, corn, hydrogenated	68425-17-2
Carrageenan	9000-07-1
2-(2-Butoxyethoxy)ethanol	112-34-5
Sodium hydroxide	1310-73-2
Trisodium orthophosphate	7601-54-9
Sodium hydroxide	1310-73-2

#### California Permissible Exposure Limits for Chemical Contaminants

Sucrose	57-50-1
Product Type	: Insecticides, acaricides and products to control other arthropods
Active substance	: 0.0500 % Fipronil

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version 1.0      Revision Date: 08/25/2023      SDS Number: 11261190-00001      Date of last issue: -  
Date of first issue: 08/25/2023

### NFPA 704:



### HMIS® IV:

HEALTH	/	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
- ACGIH / TWA : 8-hour, time-weighted average
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- OSHA Z-1 / TWA : 8-hour time weighted average

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/25/2023	11261190-00001	Date of first issue: 08/25/2023

---

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 08/25/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8