

Version 3.0 / USA 102000027208

1/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	MAXFORCE® GRANULAR FLY BAIT
Product code (UVP)	80925611
SDS Number	102000027208
EPA Registration No.	101563-94

Relevant identified uses of the substance or mixture and uses advised against

Use	Insecticide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Environmental Science U.S. LLC
	5000 Centregreen Way, Suite 400 Cary, NC 27513 USA
Responsible Department	Email: uscontact@envu.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	+1 703-741-5970
Product Information Telephone Number	1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Hazards Not Otherwise Classified (HNOC)

No health hazards not otherwise classified. Dust may form explosive mixture in air.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



MAXFORCE® GRANULAR FLY BAIT

Version 3.0 / USA 102000027208

2/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

Hazardous Component Name	CAS-No.	Concentration % by weight
Imidacloprid	138261-41-3	0.5
muscalure; cis-tricos-9-ene	27519-02-4	0.1
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	68955-19-1	>=1 - <3

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.	
Most important symptoms and effects, both acute and delayed		
Symptoms	If large amounts are ingested, the following symptoms may occur:, Dizziness, Abdominal pain, Nausea	
	Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).	
Indication of any immediate medical attention and special treatment needed		
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.	

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
Unsuitable	High volume water jet



MAXFORCE® GRANULAR FLY BAIT

Version	3.0 / USA
10200002	7208

3/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Carbon monoxide (CO)
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Specific hazards from the su	bstance or mixture which can increase the fire

Flash point	No data available
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Precautions	Keep unauthorized people away. Isolate hazard area. Avoid dust formation. Avoid contact with spilled product or contaminated surfaces.	
Methods and materials for containment and cleaning up		
Methods for cleaning up	Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal. Avoid dust formation.	
Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.	
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid dust formation. Use only in area provided with appropriate exhaust ventilation.
Advice on protection	Dust may form explosive mixture in air. Keep away from heat and



MAXFORCE® GRANULAR FLY BAIT

Version	3.0 / USA
10200002	7208

against fire and explosion	sources of ignition. Take measures to prevent the build up of electrostatic charge.	
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.	
Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3		OES BCS*
		(TWA)		

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

MAXFORCE® GRANULAR FLY BAIT

Version 3.0 / USA 102000027208

5/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

Form	granular
Colour	light red
Odour	weak, characteristic
Odour Threshold	No data available
рН	5.5 - 6.5 (1 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	No data available
Flammability	No data available
Auto-ignition temperature	No data available
Minimum innition oneres	
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	No data available
Bulk density	ca. 0.542 g/ml (loose)
Water solubility	soluble
Partition coefficient: n- octanol/water	Imidacloprid: log Pow: 0.57
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	No data available
Other information	Further safety related physical-chemical data are not known.



Version 3.0 / USA 102000027208

6/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Inhalation, Ingestion	
Immediate Effects Eye	Not expected to produce significant adverse effects when recommended use instructions are followed.	
Skin	May be harmful in contact with skin.	
Ingestion	May be harmful if swallowed.	
Inhalation	May be harmful if inhaled.	
Information on toxicological effects		
Acute oral toxicity	LD50 (Rat) > 2,500 mg/kg	
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.	
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg	
Skin corrosion/irritation	No skin irritation (Rabbit)	
Serious eye damage/eye irritation	No eye irritation (Rabbit)	
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test	

Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.



Version 3.0 / USA 102000027208

7/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid.
	EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.
	EC50 (Cloeon dipterum (Mayfly)) 0.00102 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Chronic toxicity to aquatic	EC10 (Chironomus riparius (non-biting midge)): 0.87 µg/l



MAXFORCE® GRANULAR FLY BAIT

Version	3.0 / USA
10200002	7208

8/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

invertebrates	Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid.	
	EC10 (Caenis horaria (Mayfly)): 0.000024 mg/l Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid.	
Toxicity to aquatic plants	IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.	
Biodegradability	Imidacloprid: Not rapidly biodegradable	
Кос	Imidacloprid: Koc: 225	
Bioaccumulation	Imidacloprid: Does not bioaccumulate.	
Mobility in soil	Imidacloprid: Moderately mobile in soils	
Results of PBT and vPvB assessment		
PBT and vPvB assessment	Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).	
Additional ecological information	No other effects to be mentioned.	
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	
Product	Dispose in accordance with all local, state/provincial and federal regulations. Follow advice on product label and/or leaflet.
Contaminated packaging	Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.



Version 3.0 / USA 102000027208

9/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	3077 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	3077 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:	INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN
	POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 101563-94 **US Federal Regulations TSCA list** 57-50-1 Sucrose Syrups, corn, dehydrated 68131-37-3 Starch, carboxymethyl ether, sodium salt 9063-38-1 Sulfuric acid, mono-C12-18-alkyl esters, 68955-19-1 sodium salts US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) No export notification needs to be made. SARA Title III - Section 302 - Notification and Information Not applicable. SARA Title III - Section 313 - Toxic Chemical Release Reporting None.

US States Regulatory Reporting CA Prop65



MAXFORCE® GRANULAR FLY BAIT

Version 3.0 / USA 102000027208

10/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Methanol 67-56-1 Developmental toxin.

US State Right-To-Know Ingredients

Sucrose

57-50-1 MN, RI

ontaminant Levels

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

Abbiotratione and derenyme	
49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation



Version 3.0 / USA 102000027208

11/11 Revision Date: 06/14/2022 Print Date: 06/15/2022

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)Health - 1Flammability - 1Physical Hazard - 0PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 11: Toxicological Information. Section 12. Ecological information. Reviewed and updated for general editorial purposes.

Revision Date: 06/14/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Environmental Science U.S. LLC..