Safety Data Sheet

Issue Date: 30-Jun-2017 Revision Date: 09-Jan-2018 Version 3

1. IDENTIFICATION

Product Identifier

Product Name MicroSync Plus

Other means of identification

SDS# VLS-221

FFN 05069

Recommended use of the chemical and restrictions on use

Recommended Use Fertilizer.

Details of the supplier of the safety data sheet

Supplier Address

Verdesian Life Sciences, U.S., LLC. 1001 Winstead Drive, Suite 480 Cary, NC 27513

Emergency Telephone Number

Company Phone Number Business Phone: (800) 868-6446

Fax: (919) 535-3652

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Tannish-brown coarse

granule

Physical state Solid

Odor None

Classification

Serious eye damage/eye irritation Category 1

Signal Word Danger

Hazard statements

Causes serious eye damage



<u>Precautionary Statements - Prevention</u>

Do not eat, drink or smoke when using this product Wear eye/face protection Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Gypsum	13397-24-5	25-30
Proprietary	Proprietary	Proprietary
Ammonium Sulfate	7783-20-2	5-10
Sodium tetraborate pentahydrate	12179-04-3	5-10
Proprietary	Proprietary	Proprietary
Zinc sulfate	7446-19-7	1-5
Zinc Oxide	1314-13-2	1-5
Proprietary	Proprietary	Proprietary
Maleic-itaconic Copolymer	Proprietary	<1
Proprietary	Proprietary	Proprietary
Proprietary	Proprietary	Proprietary

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove to fresh air.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse

mouth.

Most important symptoms and effects

Symptoms Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wear eye/face protection. Wash face, hands and any

exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Gypsum	TWA: 10 mg/m ³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
13397-24-5	particulate matter	TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m³ respirable dust
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Proprietary	TWA: 1 mg/m³ respirable	-	-
	particulate matter		
Sodium tetraborate pentahydrate	STEL: 6 mg/m³ inhalable	(vacated) TWA: 10 mg/m ³	TWA: 1 mg/m ³
12179-04-3	particulate matter		
	TWA: 2 mg/m³ inhalable		
	particulate matter		
Proprietary	TWA: 1 mg/m³ Fe	(vacated) TWA: 1 mg/m³ Fe	TWA: 1 mg/m³ Fe
Proprietary	TWA: 2 mg/m³ fume	(vacated) TWA: 2 mg/m ³	TWA: 2 mg/m³ fume
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary	-	15 mg / m3 (Total)	-
Proprietary	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³

		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Proprietary	TWA: 0.025 mg/m³ respirable	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 50 mg/m³ respirable dust
	particulate matter	excludes construction work,	TWA: 0.05 mg/m³ respirable
		agricultural operations, and	dust
		exposures that result from the	
		processing of sorptive clays	
		(vacated) TWA: 0.1 mg/m ³	
		respirable dust	
		: (250)/ (%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/ (%SiO2 + 2) mg/m³ TWA	ļ
		respirable fraction	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Skin and Body Protection Wear suitable protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body

protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

Appearance Tannish-brown coarse granule Odor None

Color Tannish-brown Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting Point/Freezing Point
Boiling Point/Boiling Range
Flash Point
Evaporation Rate
Flammability (Solid, Gas)
Flammability Limits in Air

Not determined
Not determined
Not determined
Not determined
Not determined

Upper Flammability Limits Not determined Lower Flammability Limit Not determined

Vaper Deficient

Not determined

Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
Not determined

Bulk Density 67 lb/ft³

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary	> 5000 mg/kg (Rat)	-	-
Ammonium Sulfate 7783-20-2	= 2840 mg/kg (Rat)	-	-
Sodium tetraborate pentahydrate 12179-04-3	= 2403 mg/kg (Rat)	-	-
Proprietary	> 5000 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-
Proprietary	= 3 g/kg (Rat) = 3000 mg/kg (Rat)	-	-
Proprietary	-	= 1350 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Crystalline Silica is considered to be a human carcinogen when in respirable form (dust /

powder).

STOT - repeated exposure Respirable crystalline silica causes damage to organs (lung effects, immune system effects,

and kidney effects) through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 2,329.00 mg/kg

 ATEmix (dermal)
 6,774.80 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish Crustacea		
Proprietary		8.0 - 19.0: 96 h Salmo gairdneri g/L		
		LC50 19000: 96 h Oncorhynchus		
		mykiss mg/L LC50 static		
Ammonium Sulfate		18: 96 h Cyprinus carpio mg/L LC50	14: 48 h Daphnia magna mg/L LC50	
7783-20-2		32.2 - 41.9: 96 h Oncorhynchus	423: 24 h Daphnia magna mg/L	
		mykiss mg/L LC50 flow-through 123	EC50	
		- 128: 96 h Poecilia reticulata mg/L		
		LC50 semi-static 420: 96 h		
		Brachydanio rerio mg/L LC50 semi-		
		static 480: 96 h Brachydanio rerio		
		mg/L LC50 flow-through 250: 96 h		
		Brachydanio rerio mg/L LC50 460 -		
		1000: 96 h Leuciscus idus mg/L		
		LC50 static 100: 96 h Pimephales		
		promelas mg/L LC50 126: 96 h		
		Poecilia reticulata mg/L LC50 5.2 -		
		8.2: 96 h Oncorhynchus mykiss		
		mg/L LC50 static		
Proprietary		1516: 96 h Lepomis macrochirus	120: 72 h Daphnia magna mg/L	
		mg/L LC50 static	EC50	
Proprietary		45.4: 96 h Oncorhynchus mykiss		
		mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ammonium Sulfate 7783-20-2	-5.1
Proprietary	-1.72

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Zinc sulfate	Toxic
7446-19-7	
Zinc Oxide	Toxic
1314-13-2	
Proprietary	Toxic
	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Gypsum	Х	Х			Х			
Proprietary	Х	Х						
Proprietary	Х	Х	Х		Х	Present	Х	Х
Ammonium Sulfate	Х	Х	Х	Present	Х	Present	Х	Х
Sodium tetraborate pentahydrate	Х			Present	Х		Х	
Proprietary	Х							Х
Zinc sulfate	Х	Х			Х		Х	Х
Calcium Sulfate Anhydrite					Х			
Zinc Oxide	Х	Х	Х	Present	Х	Present	Х	Х
Proprietary	Х	Х	Х	Present	Х	Present	Х	Х
Proprietary	Х	Х	Х	Present	Х	Present	Х	Х
Proprietary	Х	Х	Х	Present	Х	Present	Х	Х
Proprietary	Х	Х	Х	Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

Revision Date: 09-Jan-2018 VLS-221 - MicroSync Plus

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Proprietary	1000 lb		RQ 1000 lb final RQ
			RQ 454 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Ammonium Sulfate - 7783-20-2	7783-20-2	5-10	1.0
Zinc sulfate - 7446-19-7	7446-19-7	1-5	1.0
Zinc Oxide 1314-13-2	1314-13-2	1-5	1.0

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21

and 40	CFR	122.4	-2)
	Che	mical	Nam

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc sulfate		X		
Zinc Oxide		X		
Proprietary	1000 lb			Х

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Proprietary -	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Gypsum 13397-24-5	Х		X
Sodium tetraborate pentahydrate 12179-04-3	Х	X	
Proprietary			X
Zinc sulfate 7446-19-7	Х		Х
Zinc Oxide 1314-13-2	X	X	X
Proprietary	X	Х	X
Proprietary	Х	Х	X
Proprietary	X	X	Х

16. OTHER INFORMATION

Health Hazards NFPA **Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined **Health Hazards Flammability** Physical hazards **Personal Protection HMIS** Not determined Not determined Not determined Not determined

Issue Date:30-Jun-2017Revision Date:09-Jan-2018Revision Note:Section 3 update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
