



## SAFETY DATA SHEET

## DREXEL OFF-SHOOT-T®

## Section 1: Material Identification

**Product Name:** DREXEL OFF-SHOOT-T®

**EPA Reg No.:** 19713-732

**CAS NO:** n-Octanol 111-87-5  
n-Decanol 112-30-1

**Formula:** Octanol C<sub>8</sub>H<sub>18</sub>O  
Decanol C<sub>10</sub>H<sub>22</sub>O

**Company:** Drexel Chemical Company  
1700 Channel Avenue  
Memphis, TN 38106

**Synonyms:** C<sub>8</sub> Fatty Alcohol, C<sub>10</sub> Fatty Alcohol (Octyl Alcohol, Decyl Alcohol)

**Identifiers:**

**EINECS:** Octanol 203-892-1  
Decanol 203-956-9

**RTECS:** Octanol RH6550000  
Decanol HE4375000

**DOT label:** See Section 14 for Transportation Information

**Emergency Telephone Number:**

CHEMTREC                      Drexel Chemical Co.  
Tel: 1-800-424-9300        901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15: Regulatory Information for explanation.

## Section 2: Hazard Identification

(As defined by the OSHA Hazard Communication Standard, 29)

**GHS classification:**

Acute toxicity dermal	Category 4
Eye damage/irritation	Category 1

**Environmental hazards:**

Aquatic acute toxicity

Category 2

**GHS label elements: (GHS-US)**

**Signal word:**

Danger



**Hazard statements:**

H312 Harmful in contact with skin.  
H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements:**

**Prevention:**

P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Response:**

P302+P352 - If on skin: Wash with plenty of water/...  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a poison center/doctor/...  
P312 - Call a poison center/doctor/... if you feel unwell  
P321 - Specific treatment (see Section 4: First-Aid Measures on this label)  
P362+P364 - Take off contaminated clothing and wash it before reuse.

**Storage and Disposal:**

P391 - Collect spillage.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## Section 3: Composition Information

<u>Components</u>	<u>CAS No.:</u>	<u>% By Wt.:</u>	<u>OSHA PEL:</u>	<u>ACGIH TLV:</u>
Active ingredients:				
Fatty alcohols:	111-87-5	85.0%	N/Av	5 mg/m <sup>3</sup>
Octanol (C <sub>8</sub> ) CAS No. 112-30-1 (36.35%)			N/Av	N/Av
Decanol (C <sub>10</sub> ) CAS No. 111-27-3 (48.39%)			N/Av	N/Av
Related compounds: Dodecanol (C <sub>12</sub> ) CAS No. 112-53-8 (0.26%)			N/Av	N/Av
Inert ingredients:	N/A	15.0%	N/A	N/A

## Section 4: First-Aid Measures

**Eye Contact:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes for at least 10 minutes. Obtain medical attention without delay, preferably from an ophthalmologist.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Rinse mouth with water then have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have product label with you when calling a poison control center or doctor.

**Skin Contact:** Immediately flush skin with water while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Destroy contaminated leather items such as shoes, belts, and watchbands.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**Note to Physician:** This product has low oral, dermal, and inhalation toxicity. This product is a severe eye irritant, and may cause irritation to the skin and respiratory tract.

## Section 5: Fire Fighting Measures

**Fire Hazards:** Vapors will ignite when exposed to heat, flame and other sources of ignition. Vapors can travel to a source of ignition and flash back causing an explosion and fire. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Thermal decomposition during a fire can produce toxic fumes and irritating gases.

**Flammability classification (OSHA 29 CFR 1910.1200):** Non-combustible

**Flash point:** >200°F

**Lower flammable limit (% by volume):** N/Av

**Upper flammable limit (% by volume):** N/Av

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.

**Firefighting media:** Use foam, dry chemical, carbon dioxide, or water fog when fighting fires involving this product. Do not use water jet, as this may spread burning material. Minimize the use of water to avoid environmental contamination. Contain all runoff.

**Special Protective Equipment for Firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

**Hazardous Combustion Products:** Carbon oxides, irritating fumes and smoke.

**NFPA: Health: Flammability: Reactivity:**

**2 2 0**

(Rating: 4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Insignificant)

## Section 6: Accidental Release Measures

### Steps to be taken if Material is Released or Spilled:

- Contain spilled material if possible. Small spills: Apply suitable absorbent material and sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Drexel Chemical Co. for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

### Personal Precautions:

- Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Spilled material may cause a slipping hazard. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental Precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

## Section 7: Handling and Storage

### KEEP OUT OF REACH OF CHILDREN

**Handling:** **General Handling:** Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not swallow. Avoid breathing vapor. Use with adequate ventilation. Wear coveralls, long-sleeved shirt and rubber boots when handling. Keep away from heat, sparks and flame. See Section 8, Exposure Controls and Personal Protection.

**Storage:** Store in a cool, dry, well ventilated and secure area designated specifically for pesticides and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food, foodstuffs, drugs or potable water supplies.

## Section 8: Exposure Controls / Personal Protection

**Exposure Limits:** TLV Fatty Alcohols 5 mg/m<sup>3</sup>

### Personal Protection:

**Eye/Face Protection:** Wear safety glasses with side shields or chemical splash goggles to prevent vapors or mists from entering the eyes. If using a full face shield, always use safety glasses or goggles along with the face shield to ensure adequate protection of the eyes.

**Skin Protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

**Hand protection:** Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").

**Respiratory Protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. When handling in enclosed areas, when large quantities of mists are generated or prolonged exposure is possible in excess of the TLV, wear respiratory protection.

**Ingestion:** Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

### Engineering Controls:

**Ventilation:** When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

## Section 9: Physical and Chemical Properties

<b>Physical State:</b>	Liquid
<b>Color:</b>	Pale to Yellow
<b>Odor:</b>	Fatty alcohol
<b>Flash Point:</b>	>200°F
<b>Vapor Pressure (mmHg):</b>	2 mmHg
<b>Boiling Point:</b>	>200°F
<b>Vapor Density (air = 1):</b>	N/Av
<b>Bulk Density (H<sub>2</sub>O = 1):</b>	0.85 g/cc (7.08 lbs/gal.)
<b>Freezing Point:</b>	32°F
<b>Solubility in water (wt. % - weight):</b>	Emulsifies
<b>pH:</b>	6-7 (@ 5% dilution)
<b>Viscosity:</b>	N/Av

## Section 10: Stability and Reactivity

**Stability/Instability:** Thermally stable at typical use temperatures and in closed containers

**Conditions to Avoid:** Avoid heat of open flame. Avoid high temperatures above 130°F (54.4°C).

**Incompatible Materials:** Avoid contact with: Strong acids. Strong oxidizers.

**Hazardous Polymerization:** Will not occur

**Thermal Decomposition:** Decomposition products can include and are not limited to: Carbon oxides

## Section 11: Toxicological Information

### Acute Toxicity:

#### Ingestion:

- LD50, (female rat): >5,000 mg/kg

#### Dermal:

- LD50, (rat): >2,000 mg/kg

#### Inhalation:

- LC50, (4h), (rat): >31 mg

#### Eye Irritation (rabbit):

- Severely irritating

#### Skin Irritation (rabbit):

- Moderately irritating

#### Sensitization Skin:

- Non-sensitizer (guinea pig)

### Chronic Toxicity:

- None known

### Carcinogenicity

- Not likely to be carcinogenic in humans

**Teratogenicity, mutagenicity, and other reproductive effects:** None known

## Section 12: Ecological Information

### ENVIRONMENTAL FATE:

- Moderately toxic to aquatic organisms, bees and birds.

**Persistence and Degradability:**

- Will not bioaccumulate in soils or water. Fatty alcohols are abundant in nature.

**Aquatic Toxicity (n-Decanol):**

- Rainbow Trout, 96 hour, LC50: 6.5 - 9.9 ppm
- Daphnia magna, 48 hour, EC50: 6.51 ppm

**Arthropod Toxicity (n-Decanol):**

- Bees, 48h, LD50: 13.8 µg/bee

**Bird Toxicity (n-Decanol):**

- Mallard Duck, Acute, LD50: >4,640 mg/kg

**Section 13: Disposal Considerations**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

**Section 14: Transport Information**

**Department of Transportation (DOT)**

In accordance with DOT


Transport document description : UN3082 Environmentally hazardous substances, liquid, n.o.s. (decyl alcohol), 9, III

UN-No.(DOT) : UN3082

Proper Shipping Name (DOT) : Environmentally hazardous substances, liquid, n.o.s. (decyl alcohol)


Packing group (DOT) : III

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



Dangerous for the environment : Yes

Marine pollutant : Yes



**Additional information**


Emergency Response Guide (ERG) Number : 171

Other information : Non-bulk (<= 119 gallons / 450 Liters) Not Regulated; Bulk (> 119 gallons / 450 Liters) Regulated as stated.

**Transport by sea**

**IMDG**

Transport hazard class(es) (IMDG) : 9



Marine pollutant : Yes

UN-No. (IMDG) : 3082

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (decyl alcohol), 9, III, MARINE POLLUTANT

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III


EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

**Air transport**

**IATA**

Transport hazard class(es) (IATA) : 9



Marine pollutant : Yes

UN-No. (IATA) : 3082

Transport document description (IATA) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (decyl alcohol), 9, III

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Packing group (IATA) : III



## Section 15: Regulatory Information

### OSHA Hazard Communication Standard:

- This product is a “Hazardous Chemical” as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### EPA:

- **EPA FIFRA INFORMATION:** This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal

pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemical. The hazard information required on the pesticide label is listed out below. The pesticide label also includes other important information, including directions for use.

- **EPA/CERCLA Reportable Quantity:** None Known

### SARA/TITLE III:

- **Sec 302: Extremely Hazardous Substance Notification:** This material is not known to contain any Extremely Hazardous Substances.
- **Sec. 311/312. Hazard Categories:** Immediate health hazard
- **Section 313 Toxic Chemical(s):** This material is not known to contain any Toxic Chemical constituents.
- **RCRA Waste Code:** Not applicable

### California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This product is not listed.

### Toxic Substances Control Act (TSCA):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

## Section 16: Other Information

*Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown below. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.*

Date Revised: March 22, 2022