SAFETY DATA SHEET



1. Identification

Product identifier Perfection F(x) Carbon 27-3-10

Other means of identification None

Recommended use Turf & Ornamental Product - Plant Nutrition

Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC Address 3300 S. Parker Rd Ste. 500

Aurora, CO 80014

United States

Telephone Branded Products

Information

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

(800) 500-1698

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	30 - < 40
Ammonium Sulfate		7783-20-2	20 - < 30
Potassium Chloride		7447-40-7	10 - < 20
Ammonium Phosphate		7722-76-1	5 - < 10
Potassium Sulfate		7778-80-5	5 - < 10
Iron Oxysulfate		Not Available	3 - < 5
Potassium Humate		68514-28-3	1 - < 3
Other components below reporta	ble levels		5 - < 10

Composition comments Occupational Exposure Limits for impurities, if present, are listed in Section 8.

Material name: Perfection F(x) Carbon 27-3-10 5205 Version #: 01 Issue date: 02-02-2021

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDusts may irritate the respiratory tract, skin and eyes.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places

where dust is formed. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible

materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Iron Oxysulfate	PEL	10 mg/m3	Fume.
US. OSHA Table Z-3 (29 CFR 1910.1 Components	000) Type	Value	Form
Iron Oxysulfate	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

Material name: Perfection F(x) Carbon 27-3-10 5205 Version #: 01 Issue date: 02-02-2021

Components	Туре	Value	Form
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Val Components	lues Type	Value	Form
Iron Oxysulfate	TWA	5 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Ch	nemical Hazards		
Components	Туре	Value	Form
Iron Oxysulfate	TWA	5 mg/m3	Dust and fume.
US. Workplace Environmental	Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. **Hand protection**

Wear suitable protective clothing. Other

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Granular Blend **Appearance**

Solid. **Physical state**

Solid Granules **Form**

Color Various colored granules

None. Odor

Odor threshold Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available. Flammability limit - upper

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 90 %

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Not known.

Product Species Test Results

Perfection F(x) Carbon 27-3-10

Acute Dermal Solid

LD50

Rabbit > 2000 mg/kg, 24 hours

Oral Solid

LD50 Rat

Rat 8800 mg/kg
Species Test Results

Ammonium Phosphate (CAS 7722-76-1)

Acute Dermal

Components

LD50 Rabbit

Rat > 5000 mg/kg, 24 Hours

> 5000 mg/kg, 24 Hours

Material name: Perfection F(x) Carbon 27-3-10 5205 Version #: 01 Issue date: 02-02-2021

components	Species	Test Results		
Oral				
LD50	Rat	3260 mg/kg		
mmonium Sulfate (CAS 7783-20	0-2)			
<u>Acute</u>				
Dermal				
LD50	Mouse	> 2000 mg/kg		
	Rat	> 2000 mg/kg		
Oral				
LD50	Mouse	> 2000 mg/kg		
	Rat	4250 mg/kg		
on Oxysulfate				
<u>Acute</u>				
Oral				
LD50	Rat	> 10000 mg/kg		
otassium Chloride (CAS 7447-4	0-7)			
<u>Acute</u>				
Oral				
LD50	Rat	3020 mg/kg		
otassium Humate (CAS 68514-2	28-3)			
<u>Acute</u>				
Dermal				
LD50	Rat	> 2000 mg/kg, 24 Hours		
Oral				
LD50	Rat	> 2000 mg/kg		
otassium Sulfate (CAS 7778-80	-5)			
<u>Acute</u>				
Dermal				
LD50	Rat	> 2000 mg/kg, 24 Hours		
Oral				
LD50	Rat	> 2000 mg/kg		
rea (CAS 57-13-6)				
<u>Acute</u>				
Oral				
LD50	Mouse	13000 mg/kg		
	Rat	15000 mg/kg		
Other				
LD50	Mouse	9200 mg/kg		
	Rat	8200 mg/kg		
kin corrosion/irritation	Prolonged skin contact may cause tempo	rary irritation.		
Serious eye damage/eye	Direct contact with eyes may cause tempe			
ritation	2oc. oc. mar eyes may eaded temp	,		
Respiratory or skin sensitization	on			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are		
5 3				
arcinogenicity	Not classifiable as to carcinogenicity to he	umans.		
IAPC Managraphs Overall	Evaluation of Carcinogenicity			
IARC Monographs. Overall				

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

Perfection F(x) Carbon 27-3-10

Aquatic

Crustacea EC50 Daphnia 159.4857 mg/l, 48 hours estimated Fish LC50 Fish 1877.3802 mg/l, 96 hours estimated

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

US federal regulationsThis product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200. All components are listed on or exempted from the

U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Ammonium Sulfate (CAS 7783-20-2) 1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
AMMONIA (INCLUDES ANHYDROUS AMMONIA	7722-76-1	5 - < 10	_
AND AQUEOUS AMMONIA FROM WATER			
DISSOCIABLE AMMONIUM SALTS AND OTHER	₹		
SOURCES; 10% OF TOTAL AQUEOUS AMMON	IIA		
IS REPORTABLE UNDER THIS LISTING)			
AMMONIA (INCLUDES ANHYDROUS AMMONIA	7783-20-2	20 - < 30	
AND AQUEOUS AMMONIA FROM WATER			
DISSOCIABLE AMMONIUM SALTS AND OTHER	₹		
SOURCES; 10% OF TOTAL AQUEOUS AMMON	IIA		
IS REPORTABLE UNDER THIS LISTING)			

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to cadmium, which is known to the State of California to cause

cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

Cadmium (CAS 7440-43-9)

16. Other information, including date of preparation or last revision

Issue date 02-02-2021

Version # 0°

NFPA ratings Health: 1

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer Not available.