SAFETY DATA SHEET



1. Identification

Product identifier Perfection Trifection 14-14-14

Other means of identification None.

Recommended use Turf & Ornamental Product - Plant Nutrition

Recommended restrictions The ingredients used to produce this material contain crystalline silica in a form not-respirable or

carcinogenic due to its manufacturing method and structure. Do not attempt to grind or mill this

product.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Wilbur-Ellis Company LLC Company name 3300 S. Parker Rd Ste. 500 **Address**

Aurora, CO 80014

United States

Telephone **Branded Products** (800) 500-1698

Information

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

+1 703-741-5970 Chemtrec - International

2. Hazard(s) identification

Not classified. Physical hazards **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None.

The mixture does not meet the criteria for classification. **Hazard statement**

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. **Storage**

Dispose of waste and residues in accordance with local authority requirements. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Monoammonium Phosphate		7722-76-1	20 - < 30
Potassium Chloride		7447-40-7	20 - < 30
Ammonium Sulfate		7783-20-2	10 - < 20
Urea		57-13-6	10 - < 20
Iron Sucrate		Not Available	5 - < 10
Calcium Carbonate		471-34-1	3 - < 5
Calcium Sulfate, Dihydrate		10101-41-4	1 - < 3
Zinc Sulfate Monohydrate		7733-02-0	< 1

Material name: Perfection Trifection 14-14-14

SDS US 5269 Version #: 02 Revision date: 10-29-2021 Issue date: 02-24-2021

Chemical name CAS number % Common name and synonyms Ferrous Sulfate 30% 7720-78-7 < 0.3 3 - < 5 Other components below reportable levels

Composition comments

Occupational Exposure Limits for impurities, if present, are listed in Section 8.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Dusts may irritate the respiratory tract, skin and eyes.

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS.

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

SDS US 5269 Version #: 02 Revision date: 10-29-2021 Issue date: 02-24-2021

Components	Туре	Value	Form
Calcium Carbonate (CAS 471-34-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Iron Sucrate	PEL	10 mg/m3	Fume.
US. OSHA Table Z-3 (29 CFR 1910	.1000)		
Components	Туре	Value	Form
Iron Sucrate	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Value	s		
Components	Туре	Value	Form
Calcium Sulfate, Dihydrate (CAS 10101-41-4)	TWA	10 mg/m3	Inhalable fraction.
Ferrous Sulfate 30% (CAS 7720-78-7)	TWA	1 mg/m3	
Iron Sucrate	TWA	5 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	Form
Calcium Carbonate (CAS 471-34-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Ferrous Sulfate 30% (CAS 7720-78-7)	TWA	1 mg/m3	
Iron Sucrate	TWA	5 mg/m3	Dust and fume.
US. Workplace Environmental Exp	oosure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Granular Blend

Material name: Perfection Trifection 14-14-14
5269 Version #: 02 Revision date: 10-29-2021 Issue date: 02-24-2021

Physical state Solid.

Form Solid Granules

Color Various colored granules

Odor None.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 85 %

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

5269 Version #: 02 Revision date: 10-29-2021 Issue date: 02-24-2021

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Not known.

Material name: Perfection Trifection 14-14-14

Product	Species	Test Results
Perfection Trifection 14-14-		
<u>Acute</u>		
Dermal		
Solid		
LD50	Rabbit	> 2000 mg/kg, 24 hours
Oral		
Solid		
LD50	Rat	7500 mg/kg
Components	Species	Test Results
Ammonium Sulfate (CAS 77	783-20-2)	
<u>Acute</u>		
Dermal		
LD50	Mouse	> 2000 mg/kg
	Rat	> 2000 mg/kg
Oral		
LD50	Mouse	> 2000 mg/kg
	Rat	4250 mg/kg
Calcium Carbonate (CAS 47	71-34-1)	2 2
Acute	, , , , , , , , , , , , , , , , , , , ,	
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		3 3
LD50	Rat	> 2000 mg/kg
Calcium Sulfate, Dihydrate (3 3
Acute	(encoronal)	
Oral		
LD50	Mouse, Rat	4704 mg/kg
Ferrous Sulfate 30% (CAS 7		3 3
Acute		
<u>Dermal</u>		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	> 2000 mg/kg
Iron Sucrate		3 3
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
Monoammonium Phosphate		3 3
Acute	7 (6/16 //22 / 6 / /	
Dermal Dermal		
LD50	Rabbit	> 5000 mg/kg, 24 Hours
	Rat	> 5000 mg/kg, 24 Hours
Inhalation	· Cat	ooo mgag, zi noaro
LC50	Rat	> 5 mg/l, 4 Hours
	Nat	· o mgn, ¬ nours
Oral LD50	Rat	3252 mg/kg
		5252 Hig/kg
Potassium Chloride (CAS 74	44 <i>1-</i> 4U- <i>1</i>)	
Acute		
Oral LD50	Rat	3020 mg/kg
LDSU	Ναι	5020 Hig/kg

Components **Species Test Results** Urea (CAS 57-13-6) **Acute**

Oral LD50 Mouse 13000 mg/kg Rat 15000 mg/kg Other

LD50 Mouse 9200 mg/kg

Rat 8200 mg/kg

Zinc Sulfate Monohydrate (CAS 7733-02-0)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Oral

LD50 Mouse 1891 mg/kg Rat 2280 mg/kg

Other

LD50 Mouse 316 mg/kg Rat 200 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Not a respiratory sensitizer. Respiratory sensitization

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Iron Sucrate (CAS Not Available) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential No data available. No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

5269 Version #: 02 Revision date: 10-29-2021 Issue date: 02-24-2021

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulationsThis product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200. All components are listed on or exempted from the

U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Ammonium Sulfate (CAS 7783-20-2) 1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ferrous Sulfate 30% (CAS 7720-78-7) Listed. Zinc Sulfate Monohydrate (CAS 7733-02-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
AMMONIA (INCLUDES ANHYDROUS AMMONIA	7722-76-1	20 - < 30	
AND AQUEOUS AMMONIA FROM WATER			
DISSOCIABLE AMMONIUM SALTS AND OTHER			
SOURCES; 10% OF TOTAL AQUEOUS AMMONIA	1		
IS REPORTABLE UNDER THIS LISTING)			
AMMONIA (INCLUDES ANHYDROUS AMMONIA	7783-20-2	10 - < 20	
AND AQUEOUS AMMONIA FROM WATER			
DISSOCIABLE AMMONIUM SALTS AND OTHER			
SOURCES; 10% OF TOTAL AQUEOUS AMMONIA	1		
IS REPORTABLE UNDER THIS LISTING)			
ZINC COMPOUNDS	7733-02-0	< 1	

SDS US

7/8

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California Proposition 65



WARNING: This product can expose you to cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

Cadmium (CAS 7440-43-9)

16. Other information, including date of preparation or last revision

Issue date 02-24-2021 **Revision date** 10-29-2021

Version # 02

NFPA ratings Health: 1

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and the manufacturer disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.