

SECTION 1: PRODUCT INFORMATION

Product Identifier: PRIMEXTRA® II MAGNUM®

Formulation Number: A9562C

Registration Number: 25730 (Pest Control Products Act)

Product Use: Herbicide. Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

Syngenta Canada Inc.
140 Research Lane, Research Park
Guelph, ON N1G 4Z3

SDS prepared by: Department of Regulatory & Biological Assessment, Syngenta Canada Inc.

For further information, contact: 1-87-SYNGENTA (1-877-964-3682)

In Case of Emergency, Call: 1-800-327-8633 (FAST MED)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with UN GHS Version 5.

Hazard Classification(s): Acute Toxicity (Inhalation) – Category 4
 Eye Irritation – Category 2B
 Skin Sensitization – Category 1
 Specific Target Organ Toxicity (STOT) Repeated Exposure – Category 2

Hazard Symbol(s):



Signal Word: WARNING

Hazard Statement(s): H317 – May cause an allergic skin reaction.
 H320 – Causes eye irritation.
 H332 – Harmful if inhaled.
 H373 – May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement(s):

Prevention: P260 – Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 – Wash thoroughly after handling.
 P271 – Use only outdoors or in a well-ventilated area.
 P272 – Contaminated work clothing should not be allowed out of the workplace.
 P280 – Wear protective gloves.

Response: P302+P352 – IF ON SKIN: Wash with plenty of water.
P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 – Call a POISON CENTER/doctor if you feel unwell.
P321 – Specific treatment: See Section 4 of this SDS.
P333+P313 – If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 – If eye irritation persists: Get medical advice/attention.
P362+P364 – Take off contaminated clothing and wash it before reuse.

Storage: Not applicable.

Disposal: P501 – Dispose of contents/containers to an approved waste disposal plant.

Other Hazards Which do not Result in GHS Classification: To avoid risk to human health and the environment, comply with the instructions for use. Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction. Certain plastics, particularly PVC and rubber, dissolve or soften in contact with S-Metolachlor.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Average % by weight
2-chloro-N-(2-ethyl-6-methylphenyl)-N-[(1S)-2-methoxy-1-methylethyl]acetamide	S-Metolachlor	87392-12-9	35.8
6-chloro-N-ethyl-N'-(1-methylethyl)-1,3,5-triazine-2,4-diamine	Atrazine	1912-24-9	28.5
1,2-ethanediol	Ethylene glycol	107-21-1	1 - 5
2H-1,4-benzoxazine,4-(dichloroacetyl)-3,4-dihydro-3-methyl	Benoxacor	98730-04-2	1 - 3

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

SECTION 4: FIRST AID MEASURES

IF POISONING IS SUSPECTED, immediately contact the poison information centre, doctor or nearest hospital. Have the product container, label or Safety Data Sheet with you when calling Syngenta, a poison control centre or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given. Call the Syngenta Emergency Line [1-800-327-8633 (1-800-FASTMED)], for further information.

Eye Contact: Flush eyes with clean water, holding eyelids apart for a minimum of 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eyes. Call Syngenta, a poison control centre or doctor for treatment advice. Obtain medical attention immediately if irritation persists.

Skin Contact: Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Flush skin with running water for a minimum of 15-20 minutes. Call Syngenta, a poison control centre or doctor for treatment advice.

Inhalation: Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call Syngenta, a poison control centre or doctor for treatment advice.

Ingestion: If swallowed, immediately contact Syngenta, a poison control centre, doctor or nearest hospital for treatment advice. Have person sip a glass of water if able to do so. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician or a poison control centre. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer water.

Most Important Symptoms/Effects, Acute and Delayed:

Harmful if inhaled.

Causes eye irritation.

May cause an allergic skin reaction.

Causes damage to organs through prolonged or repeated exposure.

Indication of Immediate Medical Attention and Special Treatment:

There is no specific antidote.

Treat symptomatically.

Persons suffering from a temporary allergic reaction may respond to treatment with oral antihistamines or steroid creams and/or systemic steroids.

If a large amount has been ingested and emesis is inadequate, lavage stomach. The active ingredients in this product have a high affinity for activated charcoal. Five (5) mg/kg activated charcoal suspension (50 g / 400 mL water) can be given to absorb the remaining toxicant. Give a saline laxative and supportive therapy.

SECTION 5: FIRE FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Use foam, carbon dioxide, dry powder, halon extinguishant or water fog or mist. Cool closed containers exposed to fire with water spray. Do not use a solid water stream as it may scatter and spread the fire.

Specific Hazards Arising from the Product: Can decompose at high temperatures forming toxic gases. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion. Thermal decomposition products may include carbon monoxide, carbon dioxide, hydrogen cyanide, acetonitrile, hydrogen chloride, oxides of sulfur, hydrogen sulphide, oxides of nitrogen, ammonia.

Special Protective Equipment and Precautions for Fire-Fighters: Wear full protective clothing and self-contained breathing apparatus. Evacuate non-essential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water run-off can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Control the spill at its source. Clean up spills immediately, observing precautions outlined in Sections 7 and 8. Use adequate ventilation and equipment and wear clothing as described in Section 8 and/or the product label.

Environmental Precautions: Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory body.

Methods and Materials for Containment and Cleaning Up: Pump or scoop large amounts of liquid into a disposable container. Absorb remaining liquid or smaller spills with clay, sand or vermiculite. Scoop or seep up material and place into a disposal container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into a compatible disposal container. On soils, small amounts will naturally decompose. For large amounts, skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling: Certain plastics, particularly PVC and rubber, dissolve or soften in contact with S-Metolachlor.

KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Avoid breathing vapours, dust or spray mist. Wear full protective clothing and equipment (see Section 8). After work, rinse gloves and remove protective equipment, and wash hands thoroughly with soap and water after handling, and before eating, tobacco use, drinking, applying cosmetics or using the toilet. Wash contaminated clothing before re-use and separate from household laundry. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.

Conditions for Safe Storage, Including Any Incompatibilities: Store in original container in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C. Refer to the product label for specific storage recommendations, including minimum storage temperature and freeze/thaw stability. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

CONSULT THE PRODUCT LABEL FOR COMMERCIAL AND/OR ON-FARM APPLICATIONS.

Control Parameters:

Component	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen	WHMIS†
S-Metolachlor	Not established	Not established	5 mg/m ³ TWA***	No	Not established
Atrazine	Not established	5 mg/m ³ TWA; 2 mg/m ³ TWA (inhalable)	5 mg/m ³ TWA**; 5 mg/m ³ TWA (AB/BC/ON/QC)	IARC Group 3	Not established
Ethylene glycol	Not established	100 mg/m ³ STEL (ceiling) (aerosol)	100 mg/m ³ STEL (ceiling/aerosol) (AB/BC/ON); 50 ppm STEL (ceiling/vapour) (BC/QC)	No	Yes
Benoxacor	Not established	Not established	1 mg/m ³ TWA***	No	Not established

- * Recommended by Manufacturer
- ** Recommended by NIOSH
- *** Syngenta Occupational Exposure Limit (OEL)
- **** Recommended by AIHA (American Industrial Hygiene Association)
- † Material listed in Ingredient Disclosure List under the Hazardous Products Act

Appropriate Engineering Controls: If necessary, ensure work areas have ventilation, containment, and procedures sufficient to maintain airborne levels below the TLV (threshold limit value). Warehouses, production areas, parking lots and waste holding facilities must have adequate containment to prevent environmental contamination. Provide separate shower and eating facilities.

Individual Protection Measures:

General: Avoid breathing dust, vapours or aerosols. Avoid contact with eye, skin and clothing. Wash thoroughly after handling and before eating, drinking, applying cosmetics or handling tobacco.

Ingestion: Do not eat, drink, handle tobacco, or apply cosmetics in areas where there is a potential for exposure to this material. Always wash thoroughly after handling.

Eyes: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

Skin: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.

Inhalation: A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid.

Odour: Latex paint-like odour.

Odour Threshold: Not available.

pH: 6 – 8 (1% aqueous solution @ 25 °C).

Melting Point: Not applicable.

Freezing Point: - 15 °C.

Initial Boiling Point and Boiling Range: 102.2 °C.

Flash Point: > 93.3 °C.

Evaporation Rate: Not available.

Flammability (solid/gas): Not applicable.

Lower Explosive Limit: Not applicable.

Upper Explosive Limit: Not applicable.

Vapour Pressure: S-Metolachlor: 2.80 x 10⁻⁵ mmHg @ 20 °C.

Atrazine: 2.90 x 10⁻⁷ mmHg @ 20 °C.

Vapour Density: Not available.

Relative Density: 1.12 g/cm³ @ 20 °C.

Solubility(ies): S-Metolachlor: 480 mg/L @ 20 °C, pH 7 (water).

Atrazine: 33 mg/L @ 20 °C, pH 7 (water).

Partition Coefficient (n-octanol water): S-Metolachlor: 3.1

Atrazine: 2.5

Auto-Ignition Temperature: Not available.

Decomposition Temperature: Not available.

Viscosity: 1,200 mPa·s @ 20 °C.

Other Information: Not applicable.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical Stability: Stable under normal use and storage conditions.

Possibility of Hazardous Reactions: No hazardous reactions with normal handling and storage according to the label directions.

Conditions to Avoid: No decomposition if used as directed.

Incompatible Materials: Certain plastics, particularly PVC and rubber dissolve or soften in contact with S-Metolachlor. Avoid strong oxidizing agents such as hydrogen peroxide, bromine and chromic acid. S-Metolachlor is hydrolyzed by strong alkalis and strong mineral acids.

Hazardous Decomposition Products: Can decompose at high temperatures forming toxic gases. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion. Thermal decomposition products may include carbon monoxide, carbon dioxide, hydrogen cyanide, acetonitrile, hydrogen chloride, oxides of sulfur, hydrogen sulphide, oxides of nitrogen, ammonia.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Dermal, inhalation, oral.

Symptoms of Acute Exposure: Harmful if inhaled. May cause eye irritation. May cause an allergic skin reaction.

Potential Health Effects: Causes damage to organs through prolonged or repeated exposure.

Acute Toxicity/Irritation Studies (Finished Product):

Ingestion:	<u>Low Acute Toxicity</u> Oral (LD50 Rat)	3,621 mg/kg body weight
Dermal:	<u>Low Acute Toxicity</u> Dermal (LD50 Rat)	> 5,000 mg/kg body weight
Inhalation:	<u>Slightly Acutely Toxic</u> Inhalation (LC50 Rat)	1.05 – 2.53 mg/L air – 4 hours
Eye Contact:	<u>Mildly Irritating (Rabbit)</u>	
Skin Contact:	<u>Slightly Irritating (Rabbit)</u>	
Skin Sensitization:	<u>Sensitizer (Guinea Pig)</u>	

Specific Target Organ Toxicity (STOT) Single Exposure:

S-Metolachlor:	Not classified as a specific target organ toxicant, single exposure.
Atrazine:	Not classified as a specific target organ toxicant, single exposure.

Specific Target Organ Toxicity (STOT) Repeated Exposure:

S-Metolachlor:	No adverse effect has been observed in chronic toxicity tests.
Atrazine:	Cardiotoxicity observed in a long term, high dose dog study.

Carcinogenicity:

S-Metolachlor:	Did not show carcinogenic effects in animal experiments.
Atrazine:	Sex and strain specific tumours observed in rats that have questionable significance to humans.

Reproductive Toxicity:

S-Metolachlor:	Did not show reproductive toxicity effects in animal experiments.
Atrazine:	Did not show reproductive toxicity effects in animal experiments.

Mutagenicity:

S-Metolachlor:	Did not show mutagenic effects in animal experiments.
Atrazine:	Did not show mutagenic effects in animal experiments.

Aspiration Hazard:

S-Metolachlor:	Not classified as an aspiration hazard.
Atrazine:	Not classified as an aspiration hazard.

Toxicity of Other Components:

The acute toxicity test results reported in Section 11, above, for the finished product take into account any acute hazards related to the “other components” in the formulation.

Ethylene glycol: Ethylene glycol has been shown to produce dose-related teratogenic effects in rats and mice. There is, however, no information suggesting that ethylene glycol has caused birth defects in humans. Exposure to high concentrations of mists or aerosols may result in effects on the hematopoietic system and central nervous system with headache, dizziness and drowsiness. Severe kidney damage results from swallowing large amounts of ethylene glycol.

Benoxacor: Results in stomach, liver and kidney toxicity at high doses. Caused tumours in non-glandular portions of the stomach of rodents (histomorphologic region not found in humans). Exposure may cause slight eye irritation. Repeated skin contact may cause a sensitization (allergic) reaction in sensitive individuals.

SECTION 12: ECOLOGICAL INFORMATION

Eco-Acute Toxicity:

S-Metolachlor:

Invertebrates (Water Flea) 48-hour LC ₅₀ /EC ₅₀	26 ppm
Fish (Rainbow Trout) 96-hour LC ₅₀ /EC ₅₀	11.9 ppm
Birds (Bobwhite Quail) LD ₅₀	> 2,510 ppm

Atrazine:

Invertebrates (Water Flea) 48-hour LC ₅₀ /EC ₅₀	6.9 ppm
Fish (Rainbow Trout) 96-hour LC ₅₀ /EC ₅₀	4.5 ppm
Birds (12-day – Bobwhite Quail) LD ₅₀	940 ppm

Persistence & Degradability:

S-Metolachlor: Low to moderate persistence in soil. In water; moderately persistent in total system.
 Atrazine: Moderately persistent in soil. Moderately persistent in water.

Bioaccumulation Potential:

S-Metolachlor: BCF < 500; does not bioaccumulate.
 Atrazine: BCF < 500; does not bioaccumulate.

Mobility in Soil:

S-Metolachlor: Moderately mobile in soil.
 Atrazine: Moderately to highly mobile in soil.

Other Adverse Effects: Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods:

- Waste from residues: Refer to the product label for specific disposal/recycling information.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging: Refer to the product label for specific disposal/recycling information.
Empty remaining contents
Triple rinse containers
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not reuse empty containers.

SECTION 14: TRANSPORT INFORMATION

TDG Classification – Road/Rail:

Not regulated as a dangerous good.

Water Transport – International (IMDG):

- UN Number: UN 3082
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (S-Metolachlor, Atrazine), Marine Pollutant.
Transport Hazard Class: Class 9
Packing Group: PG III
Environmental Hazards: Marine pollutant.

Air Transport (IATA-DGR):

- UN Number: UN 3082
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (S-Metolachlor, Atrazine).
Transport Hazard Class: Class 9
Packing Group: PG III
Environmental Hazards: Environmentally hazardous.

Special Precautions for User:

Not applicable.

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable.

SECTION 15: REGULATORY INFORMATION

There are Canada-specific environmental requirements for handling, use and disposal of this pest control product that are indicated on the product label.

Hazardous Products Act Information:

This product has been classified in accordance with the amended Hazardous Products Act and the Hazard Criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

Hazardous Products Act Information: WHMIS 2015 Classification

This product is exempt under WHMIS 2015.

Pest Control Products Act (PCPA) Registration No.: 25730

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:




Read the label and booklet before using.

Keep out of the reach of children.

Caution: Poison.

Caution: Eye Irritant.

Potential Skin Sensitizer.

<p>PCPA Hazard on Label: Poison</p> <p>PCPA Precautionary Symbol:</p>  <p>PCPA Signal Word(s): Caution PCPA Hazard Statement: Not applicable.</p>	<p>GHS Hazard Classification: Acute Toxicity (Inhalation) – Category 4</p> <p>GHS Hazard Symbol:</p>  <p>GHS Signal Word: Warning GHS Hazard Statement: H332 – Harmful if inhaled.</p>
<p>PCPA Hazard on Label: Eye Irritant</p> <p>PCPA Precautionary Symbol:</p> <p>PCPA Signal Word(s): Caution PCPA Hazard Statement: Not applicable.</p>	<p>GHS Hazard Classification: Eye Irritation – Category 2B</p> <p>GHS Hazard Symbol:</p> <p>GHS Signal Word: Warning GHS Hazard Statement: H320 – Causes eye irritation.</p>
<p>PCPA Hazard on Label: Potential Skin Sensitizer</p> <p>PCPA Precautionary Symbol:</p> <p>PCPA Signal Word(s): Not applicable. PCPA Hazard Statement: Not applicable.</p>	<p>GHS Hazard Classification: Skin Sensitization – Category 1</p> <p>GHS Hazard Symbol:</p>  <p>GHS Signal Word: Warning GHS Hazard Statement: H317 – May cause an allergic skin reaction.</p>

Allergens Contained in the Pest Control Product:

Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

NPRI Components:

Ethylene glycol.

SECTION 16: OTHER INFORMATION

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Syngenta will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant SDS. Hazardous properties of all ingredients have been considered in the preparation of this SDS. Read the entire SDS for the complete hazard evaluation of this product.

Full Text of Abbreviations:

AB – Province of Alberta

BC – Province of British Columbia

BCF – Bioconcentration factor

EC₅₀ – Effective concentration, 50%

GHS – Globally Harmonized System of Classification and Labeling of Chemicals

LC₅₀ – Lethal concentration, 50%

LD₅₀ – Lethal dose, 50%

IARC – International Agency for Research on Cancer

IATA-DGR – International Air Transport Association Dangerous Goods Regulations

IMDG – International Maritime Code for Dangerous Goods

NTP – National Toxicology Program

ON – Province of Ontario

OSHA – Occupational Safety & Health Administration

PEL – Permissible Exposure Limit

TDG – Transportation of Dangerous Goods

TLV – Threshold Limit Value

QC – Province of Quebec

SDS – Safety Data Sheet

WHMIS – Workplace Hazardous Materials Information System

Changes since last revision: Converted to SDS format.

Revision Date (Y-M-D): 2018-05-22

Supersedes Date (Y-M-D): 2017-03-03

Prepared by: Syngenta Canada Inc.

1-87-SYNGENTA (1-877-964-3682)

Syngenta Canada Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Syngenta Canada Inc., Syngenta Canada Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

PRIMEXTRA®, MAGNUM® and the Syngenta wordmark are trademarks of a Syngenta Group Company.

END OF SAFETY DATA SHEET.