

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 1/10  
(30277930/SDS\_CPA\_CA/EN)

### 1. Identification

#### Product identifier used on the label

**PRISTINE**

#### Recommended use of the chemical and restriction on use

Recommended use\*: fungicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Canada Inc.  
100 Milverton Drive  
Mississauga, ON L5R 4H1, CANADA

Telephone: +1 289 360-1300

#### Emergency telephone number

CANUTEC (reverse charges): (613) 996-6666  
BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

Molecular formula: C18 H12 Cl2 N2 O ; C19 H18 Cl N3 O4  
Chemical family: crop protection product, fungicide, water dispersible granules  
PCP # 27985  
Synonyms: pyraclostrobin + boscalid

---

### 2. Hazards Identification

#### According to Controlled Products Regulations (CPR) (SOR/88-66)

##### Emergency overview

WARNING:  
Contains the allergen sulfite(s).  
KEEP OUT OF REACH OF CHILDREN.  
HARMFUL IF SWALLOWED.  
Avoid contact with the skin, eyes and clothing.

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 2/10  
(30277930/SDS\_CPA\_CA/EN)

### 3. Composition / Information on Ingredients

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
175013-18-0	12.8 %	pyraclostrobin
188425-85-6	25.2 %	Boscalid
1332-58-7	< 5.0%	Kaolin
577-11-7	0.1 - 1.0%	sodium-di-ethyl-hexyl-sulfosuccinate
7783-20-2	10.0 - 15.0%	Ammonium sulphate

#### According to Controlled Products Regulations (CPR) (SOR/88-66)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
175013-18-0	12.8 %	Pyraclostrobin
188425-85-6	25.2 %	Boscalid

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

##### If inhaled:

Remove the affected individual into fresh air and keep the person calm.

##### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

##### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

##### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 3/10  
(30277930/SDS\_CPA\_CA/EN)

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, organochloric compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

Avoid raising dust. Sweep/shovel up. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

### 7. Handling and Storage

#### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

#### Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 4/10  
(30277930/SDS\_CPA\_CA/EN)

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

Kaolin	OSHA PEL	PEL 5 mg/m3 Respirable fraction ; PEL 15 mg/m3 Total dust ; TWA value 10 mg/m3 Total dust ; TWA value 5 mg/m3 Respirable fraction ;
	ACGIH TLV	TWA value 2 mg/m3 Respirable fraction ; The value is for particulate matter containing no asbestos and <1% crystalline silica.
Silica gel, precipitated, crystalline free	OSHA PEL	TWA value 6 mg/m3 ; TWA value 0.8 mg/m3 ; The exposure limit is calculated from the equation, $80/(\%SiO_2)$ , using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits. TWA value 20 millions of particles per cubic foot of air ;

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### Respiratory protection:

Wear a NIOSH approved (or equivalent) particulate respirator if ventilation is inadequate to control dust.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 5/10  
(30277930/SDS\_CPA\_CA/EN)

### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form:	granules, extrudates	
Odour:	moderate odour, smoky	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	brown	
pH value:	approx. 6 - 8 ( 1 %(m), 20 °C) (as suspension)	
melting range:	approx. 50 °C	
Boiling point:	not applicable	
Flash point:	not applicable	
Flammability:	not highly flammable	(Directive 84/449/EEC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Vapour pressure:	negligible	
Density:	approx. 1.51 g/cm <sup>3</sup> ( 20 °C)	(OECD Guideline 109)
Bulk density:	approx. 600 kg/m <sup>3</sup> approx. 689 kg/m <sup>3</sup> Apparent density after tamping	
Vapour density:	not applicable	
Self-ignition temperature:	328 °C	(Directive 92/69/EEC, A.16)
Thermal decomposition:	172 °C carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.	
Viscosity, dynamic:	not applicable, the product is a solid	
Solubility in water:	dispersible	
Evaporation rate:	not applicable	

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 6/10  
(30277930/SDS\_CPA\_CA/EN)

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 92/69/EEC, A.17)

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

#### Incompatible materials

strong acids, strong bases, strong oxidizing agents

#### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

172 °C

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

##### Oral

Type of value: LD50

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 7/10  
(30277930/SDS\_CPA\_CA/EN)

Species: rat  
Value: approx. 1,490 mg/kg

### Inhalation

Type of value: LC50  
Species: rat (male/female)  
Value: > 5.4 mg/l  
Exposure time: 4 h

### Dermal

Type of value: LD50  
Species: rat  
Value: > 2,000 mg/kg

### Assessment other acute effects

Assessment of STOT single:  
The available information is not sufficient for the evaluation of specific target organ toxicity.

### Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. May cause slight irritation to the eyes. Not irritating to the skin.

### Eye

Species: rabbit  
Result: Slightly irritating.  
Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test  
Species: guinea pig  
Result: Non-sensitizing.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: No known chronic effects.

### *Information on: Boscalid*

*Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 8/10  
(30277930/SDS\_CPA\_CA/EN)

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

### Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

#### Toxicity to fish

LC50 (96 h) 0.042 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203)

#### Aquatic invertebrates

EC50 (48 h) 0.08 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

#### Aquatic plants

EC50 (72 h) 4.99 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

EC10 (72 h) 1.29 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

#### Chronic toxicity to fish

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

*No observed effect concentration (97 d) 0.116 mg/l, *Oncorhynchus mykiss**

*Information on: pyraclostrobin*

*No observed effect concentration (98 d) approx. 0.00235 mg/l, *Oncorhynchus mykiss* (OECD Guideline 210, Flow through.)*

#### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

### **Bioaccumulative potential**

#### Bioaccumulation potential

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*



# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 9/10  
(30277930/SDS\_CPA\_CA/EN)

*Bioconcentration factor: 57 - 70 (28 d), Oncorhynchus mykiss  
Does not accumulate in organisms.*

*Information on: pyraclostrobin*

*Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)  
Accumulation in organisms is not to be expected.*

### Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: pyraclostrobin*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

See product label for disposal and recycling instructions.

### **Container disposal:**

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

---

## 14. Transport Information

### **Land transport**

TDG

Not classified as a dangerous good under transport regulations

### **Sea transport**

IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3077

# Safety Data Sheet

## PRISTINE

Revision date : 2016/10/19  
Version: 4.0

Page: 10/10  
(30277930/SDS\_CPA\_CA/EN)

Hazard label: 9, EHSM  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains BOSCALID, PYRACLOSTROBIN)

### Air transport IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains BOSCALID, PYRACLOSTROBIN)

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection DSL, CA released / exempt

Chemical DSL, CA blocked / not listed

### According to Controlled Products Regulations (CPR) (SOR/88-66)

WHMIS does not apply to this product.

**THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.**

---

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations  
SDS Prepared on: 2016/10/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET