

PRIWEN™ 500 EC FUNGICIDE

Version 2.0 / CDN Revision Date: 12/21/2018 102000007367 Print Date: 01/02/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PRIWEN™ 500 EC FUNGICIDE

Product code (UVP) 06280714

SDS Number 102000007367

PCP Registration No. 31959

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Eye irritation, Skin sensitisation: Category 1

Skin irritation, Specific target organ toxicity - repeated exposure, Reproductive toxicity: Category 2

Acute toxicity(Oral, Inhalation): Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations







Signal word: Danger

Hazard statements

Causes serious eye damage. May cause an allergic skin reaction.

Causes skin irritation.



PRIWEN™ 500 EC FUNGICIDE

Version 2.0 / CDN Revision Date: 12/21/2018 102000007367 Print Date: 01/02/2019

May cause damage to organs (Eyes) through prolonged or repeated exposure.

Suspected of damaging fertility or the unborn child.

Harmful if swallowed.

Harmful if inhaled.

Precautionary statements

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Contaminated work clothing should not be allowed out of the workplace.

Wash thoroughly after handling.

Do not breathe mist or vapours.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/ physician.

IF ON SKIN: Wash with plenty of water/ soap.

If skin irritation or rash occurs: Get medical advice/ attention.

Specific treatment (see supplemental first aid instructions on this label).

Take off contaminated clothing and wash before reuse.

Get medical advice/ attention if you feel unwell.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Spiroxamine	118134-30-8	49.8
Benzyl alcohol	100-51-6	25.2
Dodecylbenzenesulphonic acid, compound with 2-aminoethanol (1:1)	26836-07-7	12.5
Ethoxylated polyarylphenol	99734-09-5	12.5

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.



PRIWEN™ 500 EC FUNGICIDE

 Version 2.0 / CDN
 Revision Date: 12/21/2018

 102000007367
 Print Date: 01/02/2019

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

Indication of any immediate medical attention and special treatment needed

Treatment There is no specific antidote. Appropriate supportive and symptomatic

treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters of fire, wear

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point 108 °C

Auto-ignition temperature265 °C / 509 °FLower explosion limitNo data availableUpper explosion limitNo data available



PRIWEN™ 500 EC FUNGICIDE

Version 2.0 / CDN Revision Date: 12/21/2018 102000007367 Print Date: 01/02/2019

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations. Keep in suitable, closed containers for disposal.

Additional advice Use personal protective equipment. Do not allow product to contact

non-target plants. If the product is accidentally spilled, do not allow to

enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.



PRIWEN™ 500 EC FUNGICIDE

Version 2.0 / CDN Revision Date: 12/21/2018 102000007367 Print Date: 01/02/2019

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spiroxamine	118134-30-8	0.6 mg/m3		OES BCS*
		(SK-SEN)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves **Eye protection** Chemical resistant goggles must be worn.

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance yellow to brown

Physical State Liquid clear to slightly turbid

Odor aromatic

Odour Threshold No data available

pH 9.4 (ca.) (1 %) (23 °C) (deionized water)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

Density ca. 1.00 g/cm³ (20 °C)

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility emulsifiable

Minimum Ignition Energy Not applicable



PRIWEN™ 500 EC FUNGICIDE

Version 2.0 / CDN Revision Date: 12/21/2018 102000007367 Print Date: 01/02/2019

Decomposition

temperature

No data available

Partition coefficient: n-

octanol/water

No data available

Viscosity 82 mPa.s (20 °C) Velocity gradient 150 /s

Flash point 108 °C

Auto-ignition temperature265 °C / 509 °FLower explosion limitNo data availableUpper explosion limitNo data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition No data available

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong oxidizing agents, Strong acids

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Inhalation, Ingestion

Immediate Effects

EyeCauses eye irritation.SkinMay cause skin irritation.IngestionHarmful or fatal if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 500 - < 1,000 mg/kg

Test conducted with a similar formulation.



PRIWEN™ 500 EC FUNGICIDE

Version 2.0 / CDN Revision Date: 12/21/2018 102000007367 Print Date: 01/02/2019

Acute inhalation toxicity LC50 (Rat) 2.323 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol. Test conducted with a similar formulation.

Acute dermal toxicity LD50 (male/female combined Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation Irritating to skin. (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Severe eye irritation. (Rabbit)

Test conducted with a similar formulation.

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test

Skin: Sensitising (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - repeated exposure

Spiroxamine caused specific target organ toxicity in experimental animal studies in dogs in the following organ(s): Eyes.

Assessment mutagenicity

Spiroxamine was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Spiroxamine was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Spiroxamine caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Spiroxamine is related to parental toxicity.

Assessment developmental toxicity

Spiroxamine caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Spiroxamine are related to maternal toxicity.

Further information

Acute toxicity studies have been bridged from a similar formulation(s). The non-acute information pertains to the active ingredient(s).



PRIWEN™ 500 EC FUNGICIDE

 Version 2.0 / CDN
 Revision Date: 12/21/2018

 102000007367
 Print Date: 01/02/2019

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 11.5 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 10.3 mg/l Exposure time: 48 h

invertebrates

Test conducted with a similar formulation.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) 0.029 mg/l

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

Biodegradability Spiroxamine:

Not rapidly biodegradable

Koc Spiroxamine: Koc: 2415

Bioaccumulation Spiroxamine: Bioconcentration factor (BCF) 87

Does not bioaccumulate.

Mobility in soil Spiroxamine: Slightly mobile in soils

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not allow to get into surface water, drains and ground water.

Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor runoff or drift.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Follow advice on product label and/or leaflet.

Contaminated packaging Triple rinse containers.

Do not re-use empty containers. Puncture container to avoid re-use.

Follow advice on product label and/or leaflet.



PRIWEN™ 500 EC FUNGICIDE

Version 2.0 / CDN Revision Date: 12/21/2018 102000007367 Print Date: 01/02/2019

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROXAMINE, BENZYLALCOHOL)

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROXAMINE, BENZYLALCOHOL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROXAMINE, BENZYLALCOHOL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 31959



PRIWEN™ 500 EC FUNGICIDE

Version 2.0 / CDN Revision Date: 12/21/2018 102000007367 Print Date: 01/02/2019

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 12/21/2018

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.