

### PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name PROLINE® 480 SC FOLIAR FUNGICIDE

Product code (UVP) 05984180

**SDS Number** 102000014342

PCP Registration No. 28359

Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

**Restrictions on use**See product label for restrictions.

Information on supplier

**Supplier** Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name CAS-No. Concentration % by weight

 Prothioconazole
 178928-70-6
 41.0

 Glycerine
 56-81-5
 6.0



# PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** None known.

Special hazards arising from the substance or

Dangerous gases are evolved in the event of a fire.

mixture

Advice for firefighters

Special protective Firefighters should wear NIOSH approved self-contained breathing

**equipment for firefighters** apparatus and full protective clothing.



# PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

Further information Avoid contact with spilled product or contaminated surfaces. Evacuate

personnel to safe areas. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 96 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

**Precautions** Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations. Contaminated soil may have to be removed and

disposed.

Additional advice Use personal protective equipment. If material is accidentally spilled,

do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

#### Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

### Conditions for safe storage, including any incompatibilities



### PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Glycerine	56-81-5	10 mg/m3 (TWA)	07 2009	CAD AB OEL
(Mist.)		, ,		
Glycerine	56-81-5	10 mg/m3 (TWA)	09 2011	CAD BC OEL
(Mist.)				
Glycerine	56-81-5	3 mg/m3 (TWA)	09 2011	CAD BC OEL
(Respirable mist.)				
Glycerine	56-81-5	10 mg/m3 (TWA)	11 2010	CAD ON OEL
(Mist.)				
Glycerine	56-81-5	10 mg/m3 (8 HR ACL)	05 2009	CAD SK OEL
(Mist.)	50.04.5	20 / 0	05.0000	0.4.5.014
Glycerine	56-81-5	20 mg/m3 (15 MIN ACL)	05 2009	CAD SK OEL
(Mist.)				
Glycerine	56-81-5	10 mg/m3 (TWA)	11 2011	OEL (QUE)
(Mist.)				

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### **Exposure controls**

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protectionChemical resistant nitrile rubber glovesEye protectionChemical resistant goggles must be worn.

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.



### PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance white to light beige

Physical State suspension

Odor slight characteristic
Odour Threshold No data available

**pH** ca. 6.8 - 7.2 at 100 % (20 °C)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

**Density** ca. 1.18 g/cm³ at 20 °C

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility dispersible

Minimum Ignition Energy Not applicable

Decomposition Not applicable temperature

\_ .. ...

Partition coefficient: n- Not applicable

octanol/water

**Viscosity** 

800 - 1,200 cps at 25 °C

Flash point > 96 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition Not applicable

**Chemical stability** Stable under normal conditions.



# PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid freezing

Incompatible materials No data available

**Hazardous decomposition** 

products

Hydrogen chloride (HCI)

Hydrogen cyanide (hydrocyanic acid)

Carbon monoxide Nitrogen oxides (NOx)

Sulphur oxides

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Ingestion, Inhalation, Skin contact

**Immediate Effects** 

**Eye** May cause mild irritation to eyes.

**Skin** Harmful if absorbed through skin. May cause mild irritation to the

skin.

IngestionHarmful if swallowed.InhalationHarmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 2,000 - < 5,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 1.6 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration. No deaths

...to downed toulette

**Acute dermal toxicity** LD50 (male/female combined Rat) > 5,000 mg/kg

**Skin irritation** slight irritation (Rabbit)

**Eye irritation** Minimally irritating. (Rabbit) **Sensitisation** Non-sensitizing. (Guinea pig)

#### Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.



# PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

**ACGIH** 

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

#### Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

#### Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) 1.3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

**Biodegradability** Prothioconazole:

Not rapidly biodegradable

**Koc** Prothioconazole: Koc: 1765; log Koc: < 3

**Bioaccumulation** Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Mobility in soil Prothioconazole: Slightly mobile in soils

**Environmental precautions** Do not apply directly to water, to areas where surface water is present



### PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not allow to get into surface water, drains and ground water.

Apply this product as specified on the label.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

**Contaminated packaging** Do not re-use empty containers.

Triple rinse containers.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

#### **SECTION 14: TRANSPORT INFORMATION**

**TDG** 

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE)

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE SOLUTION)



### PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

#### **SECTION 15: REGULATORY INFORMATION**

PCP Registration No. 28359

**US Federal Regulations** 

TSCA list None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

**US States Regulatory Reporting** 

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients** 

Glycerine 56-81-5 MN, RI

**Canadian Regulations** 

**Canadian Domestic Substance List** 

Glycerine 56-81-5

**Environmental** 



# PROLINE® 480 SC FOLIAR FUNGICIDE

Version 2.1 / CDN Revision Date: 03/01/2017 102000014342 Print Date: 09/04/2018

### **CERCLA**

None.

**Clean Water Section 307 Priority Pollutants** 

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

#### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

#### NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

#### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 5: Fire Fighting Measures. Section 9: Physical and Chemical Properties.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

**Revision Date: 03/01/2017** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.