

## PROPULSE® FUNGICIDE

Version 3.0 / CDN Revision Date: 08/21/2019
102000021214 Print Date: 08/23/2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name PROPULSE® FUNGICIDE

**Product code (UVP)** 79658613

**SDS Number** 102000021214

PCP Registration No. 30511

Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

**Restrictions on use**See product label for restrictions.

Information on supplier

**Supplier** Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

### **SECTION 2: HAZARDS IDENTIFICATION**

Classified in accordance with Part 2 of the Hazardous Products Regulations Acute toxicity(Inhalation): Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations



**Signal word**: Warning **Hazard statements** Harmful if inhaled.

#### **Precautionary statements**

Avoid breathing mist/ spray.

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.



## PROPULSE® FUNGICIDE

 Version 3.0 / CDN
 Revision Date: 08/21/2019

 102000021214
 Print Date: 08/23/2019

Call a POISON CENTER/doctor/physician if you feel unwell. Protect from sunlight.

### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified. No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name CAS-No. Concentration % by weight

Fluopyram 658066-35-4 17.4 Prothioconazole 178928-70-6 17.4

#### **SECTION 4: FIRST AID MEASURES**

### Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give

anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** There is no specific antidote. Appropriate supportive and symptomatic

treatment as indicated by the patient's condition is recommended.



# PROPULSE® FUNGICIDE

Version 3.0 / CDN Revision Date: 08/21/2019
102000021214 Print Date: 08/23/2019

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

**Unsuitable** High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Contain the spread of the

fire-fighting media.

Flash point > 93.3 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



## PROPULSE® FUNGICIDE

Version 3.0 / CDN Revision Date: 08/21/2019
102000021214 Print Date: 08/23/2019

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

**Advice on safe handling**Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Fluopyram	658066-35-4	0.34 mg/m3 (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If



Revision Date: 08/21/2019

Print Date: 08/23/2019

## PROPULSE® FUNGICIDE

Version 3.0 / CDN 102000021214

no such instructions for washables, use detergent and warm/tepid water.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** white to light beige

Physical State Liquid

Odor mild sweet

Odour Threshold No data available

**pH** 4 - 6 (10 %) (23 °C) (deionized water)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

**Density** ca.  $1.15 \text{ g/cm}^3 (20 \text{ °C})$ 

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data availableWater solubilityNo data availableMinimum Ignition EnergyNot applicableDecompositionNot applicable

temperature

Partition coefficient: n-

octanol/water

No data available

Viscosity 300 - 500 mPa.s ( 20 °C) Velocity gradient 20 /s

Flash point > 93.3 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition Not applicable

**Chemical stability** Stable under recommended storage conditions.



## PROPULSE® FUNGICIDE

Version 3.0 / CDN Revision Date: 08/21/2019 102000021214 Print Date: 08/23/2019

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature and direct sunlight.

No data available Incompatible materials

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Inhalation, Ingestion, Eye contact

**Immediate Effects** 

Inhalation Harmful if inhaled.

Information on toxicological effects

**Acute oral toxicity** LD50 (female Rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 2.22 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

No deaths

LD50 (male/female combined Rat) > 5,050 mg/kg Acute dermal toxicity

Skin corrosion/irritation No skin irritation (Rabbit) Serious eye damage/eye No eye irritation (Rabbit)

irritation

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

### Assessment STOT Specific target organ toxicity - repeated exposure

Fluopyram did not cause specific target organ toxicity in experimental animal studies. Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not



# PROPULSE® FUNGICIDE

Version 3.0 / CDN Revision Date: 08/21/2019
102000021214 Print Date: 08/23/2019

relevant at low doses. The mechanism that triggers these tumours is not relevant to humans. Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH** 

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

### Assessment toxicity to reproduction

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity. Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

#### Assessment developmental toxicity

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

Toxicity to aquatic

**invertebrates** Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

**Toxicity to aquatic plants** IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

ErC50 (Skeletonema costatum) 0.03278 mg/l

EC50 (Daphnia magna (Water flea)) 1.3 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.



# PROPULSE® FUNGICIDE

 Version 3.0 / CDN
 Revision Date: 08/21/2019

 102000021214
 Print Date: 08/23/2019

EC10 (Skeletonema costatum) 0.01427 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

**Biodegradability** Fluopyram:

Not rapidly biodegradable

Prothioconazole:

Not rapidly biodegradable

**Koc** Fluopyram: Koc: 279

Prothioconazole: Koc: 1765; log Koc: < 3

**Bioaccumulation** Fluopyram: Bioconcentration factor (BCF) 18

Does not bioaccumulate.

Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

**Mobility in soil** Fluopyram: Moderately mobile in soils

Prothioconazole: Slightly mobile in soils

Additional ecological

information

No other effects to be mentioned.

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Do not contaminate water, food, or feed by disposal.

**Contaminated packaging** Do not re-use empty containers.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

### **SECTION 14: TRANSPORT INFORMATION**

**TDG** 

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant



## PROPULSE® FUNGICIDE

Version 3.0 / CDN Revision Date: 08/21/2019
102000021214 Print Date: 08/23/2019

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE)

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PROTHIOCONAZOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

### **SECTION 15: REGULATORY INFORMATION**

PCP Registration No. 30511

### **SECTION 16: OTHER INFORMATION**

### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number



## PROPULSE® FUNGICIDE

Version 3.0 / CDN Revision Date: 08/21/2019
102000021214 Print Date: 08/23/2019

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 7: Handling and Storage. Section 10. Stability and reactivity. Reviewed and updated for general editorial purposes.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

**Revision Date: 08/21/2019** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.