

# STRESS SHIELD® 600

Version 3.0 / CDN 102000012782

# Revision Date: 08/12/2020 Print Date: 08/13/2020

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name STRESS SHIELD® 600

Product code (UVP) 06535143

**SDS Number** 102000012782

PCP Registration No. 30668

Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide, Seed treatment

**Restrictions on use**See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

## **SECTION 2: HAZARDS IDENTIFICATION**

Classified in accordance with Part 2 of the Hazardous Products Regulations Acute toxicity(Oral, Inhalation): Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Warning

**Hazard statements** 

Harmful if swallowed or if inhaled.

**Precautionary statements** 

Wash thoroughly after handling.



# STRESS SHIELD® 600

Version 3.0 / CDN Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

Do not eat, drink or smoke when using this product.

Avoid breathing mist/ spray.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Dispose of contents/container in accordance with local regulation.

## **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name CAS-No. Concentration % by weight

Imidacloprid 138261-41-3 48.7

## **SECTION 4: FIRST AID MEASURES**

## Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

## Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

## Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.



# STRESS SHIELD® 600

Version 3.0 / CDN 102000012782

## Revision Date: 08/12/2020 Print Date: 08/13/2020

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Foam, Carbon dioxide (CO2), Dry chemical, Water spray

**Unsuitable** High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point > 93.4 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

**Precautions** Use personal protective equipment. Keep unauthorized people away.

Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



# STRESS SHIELD® 600

 Version 3.0 / CDN
 Revision Date: 08/12/2020

 102000012782
 Print Date: 08/13/2020

## **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3		OES BCS*
		(TWA)		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

# **Exposure controls**

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.



# STRESS SHIELD® 600

Version 3.0 / CDN 102000012782

Revision Date: 08/12/2020 Print Date: 08/13/2020

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Form suspension

**Colour** white to light beige

**Odour** characteristic

Odour Threshold No data available

**pH** 6.0 - 7.5 (100 %) (23 °C)

Melting point/range No data available

**Boiling Point**  $> 100 \,^{\circ}\text{C}$ **Flash point**  $> 93.4 \,^{\circ}\text{C}$ 

Flammability

Auto-ignition temperature

Minimum ignition energy

Self-accelarating

No data available

Not applicable

No data available

Sen-accelarating

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

**Density** ca. 1.23 g/cm<sup>3</sup> (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Imidacloprid: log Pow: 0.57

Viscosity, dynamic 550 - 900 mPa.s (25 °C)

230 - 370 mPa.s (20 °C) Velocity gradient 20 /s 100 - 160 mPa.s (20 °C) Velocity gradient 100 /s

Viscosity, kinematic

Oxidizing properties

No data available

No data available

No data available

Not applicable



# STRESS SHIELD® 600

 Version 3.0 / CDN
 Revision Date: 08/12/2020

 102000012782
 Print Date: 08/13/2020

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

**Thermal decomposition** Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

freezing

**Incompatible materials** No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Ingestion, Inhalation, Skin Absorption, Eye contact

Immediate Effects

**Eye** May cause mild irritation to eyes. **Skin** May cause mild irritation to the skin.

**Ingestion** Harmful or fatal if swallowed.

**Inhalation** Harmful if inhaled.Inhalation may cause irritation of nasal passages.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 300 - < 2,000 mg/kg

Acute inhalation toxicity LC50 (male Rat) 2.5 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (male/female combined Rat) > 2,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

Slight irritant effect - does not require labelling. (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

# Assessment STOT Specific target organ toxicity - single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

## Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.



Revision Date: 08/12/2020

Print Date: 08/13/2020

# STRESS SHIELD® 600

Version 3.0 / CDN 102000012782

# Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

## Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH** 

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

## Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

## Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

## **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

## **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

**Toxicity to aquatic plants** EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.



# STRESS SHIELD® 600

 Version 3.0 / CDN
 Revision Date: 08/12/2020

 102000012782
 Print Date: 08/13/2020

Biodegradability Imidacloprid:

Not rapidly biodegradable

**Koc** Imidacloprid: Koc: 225

Bioaccumulation Imidacloprid:

Does not bioaccumulate.

Mobility in soil Imidacloprid: Moderately mobile in soils

Results of PBT and vPvB assessment

**PBT and vPvB assessment** Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Dispose in accordance with all local, state/provincial and federal

regulations.

**Contaminated packaging** Do not re-use empty containers.

Triple rinse containers.

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

#### **SECTION 14: TRANSPORT INFORMATION**

**TDG** 

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID)



# STRESS SHIELD® 600

Version 3.0 / CDN Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

49CFR Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

## **SECTION 15: REGULATORY INFORMATION**

PCP Registration No. 30668

## **PMRA Information:**

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:



10/10

# STRESS SHIELD® 600

Version 3.0 / CDN Revision Date: 08/12/2020 102000012782 Print Date: 08/13/2020

Signal word: Warning!

**Hazard statements:** Harmful or fatal if swallowed.

Harmful if inhaled.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

#### **SECTION 16: OTHER INFORMATION**

## Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

# NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

## HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes.

**Revision Date:** 08/12/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.