

SDS REVISIONS: New DATE OF ISSUE: 01/11/2019

TASK FORCE 3D SUPERSEDES:

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name TASK FORCE 3D

Other means of identification

Product Code FRT-00238

Document 1000887640; 1000887642; 1000887644

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Foliar Nutrient.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

LOVELAND PRODUCTS, INC.

P.O. Box 1286

Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number Emergency Telephone 1-888-LPI-CUST (574-2878)

Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters.

The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1 - (H334)
Skin sensitization	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 1B - (H350)
Reproductive toxicity	Category 1B - (H360)

Label elements



Signal word DANGER

Hazard statements H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H360 - May damage fertility or the unborn child



SDS REVISIONS: New

TASK FORCE 3D SUPERSEDES:

DATE OF ISSUE: 01/11/2019

Precautionary Statements -

P201 - Obtain special instructions before use

Prevention

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P284 - In case of inadequate ventilation wear respiratory protection

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

Precautionary Statements -

Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician

P363 - Wash contaminated clothing before reuse

Precautionary Statements -

Storage

P405 - Store locked up

Precautionary Statements -

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No	Weight-%	GHS Classification	Trade Secret
Iron HEDTA	17084-02-5	1 - 5		*
EDTA Acid	60-00-4	1 - 5	Eye Irrit. 2 (H319)	*
Cobalt sulfate	10124-43-3	1 - 5	Acute Tox. 4 (H302) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350i) Repr. 1B (H360F) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	*
Sodium Molybdate	10102-40-6	1 - 5		*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

OSHA Hazard Communication 29 CFR 1910.1200



SDS REVISIONS: New

TASK FORCE 3D

SUPERSEDES:

4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical attention if symptoms occur.

Eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

DATE OF ISSUE: 01/11/2019

eye. Call a poison control center or doctor for treatment advice.

Skin contactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

Inhalation Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor

for treatment advice.

Ingestion Call a poison control center or doctor for treatment advice. Have person sip a glass of water

if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Self-protection of the first aiderUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed. Have the product container or label with

you when calling a poison control center or doctor or going for treatment. You may also call

1-866-944-8565 for emergency medical treatment information.

Note to physicians No tiene antídoto específico. Sumininstre tratamiento sintomático y de soporte.

Antidotes No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire, Use CO₂, dry chemical, or foam

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



TASK FORCE 3D SUPERSEDES:

SDS REVISIONS: New DATE OF ISSUE: 01/11/2019

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Keep people away from and upwind of

spill/leak. Evacuate personnel to safe areas.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover

powder spill with plastic sheet or tarp to minimize spreading. Sweep up and shovel into suitable containers for disposal. Soak up with inert absorbent material. Dam up. Take up mechanically, placing in appropriate containers for disposal. After cleaning, flush away

traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a cool, well-ventilated place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Incompatible materialsIncompatible with strong acids and bases. Incompatible with oxidizing agents.



TASK FORCE 3D SUPERSEDES:

SDS REVISIONS: New DATE OF ISSUE: 01/11/2019

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Appropriate engineering controls

Engineering Controls Minimize exposure by partial enclosure of the operation or equipment and provide extract

ventilation at openings.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection Dependent on job function. If vapors or dusts exceed acceptable levels, wear a

MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air

respirator if exposure concentrations are unknown.

General Hygiene Considerations When using do not eat, drink or smoke. Keep away from food, drink and animal feeding

stuffs. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.



TASK FORCE 3D

SUPERSEDES:

SDS REVISIONS: New DATE OF ISSUE: 01/11/2019
9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceAqueous solutionColorAqua blueOdorSlight ammoniaOdor thresholdNo data available

<u>Property</u> <u>Values (Remarks - Method)</u>

pH 5.9 - 6.2 (NEAT)
Melting point / freezing point No data available
Boiling point No data available
Flash point No data available
Evaporation rate No data available
Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Specific Gravity
Water solubility

No data available
No data available
No data available
1.177 g/ml
Soluble

Solubility in other solvents No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available No data available Dynamic viscosity No data available **Explosive properties** No data available **Oxidizing properties**

Other Information

VOC Content (%) No data available Density 9.82lbs/gal

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



SDS REVISIONS: New

TASK FORCE 3D
DATE OF ISSUE: 01/11/2019 SUPERSEDES:

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.



TASK FORCE 3D

SUPERSEDES:

SDS REVISIONS: New DATE OF ISSUE: 01/11/2019

11. TOXICOLOGICAL INFORMATION

Acute toxicity of the formulated product:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
EDTA Acid	= 1700 mg/kg (Rat)		
Cobalt sulfate	= 424 mg/kg (Rat)		

Chemical Name	Skin corrosion/irritation	Eye damage/irritation	Respiratory sensitization	Skin sensitization
EDTA Acid 60-00-4		Category 2		
Cobalt sulfate			Category 1	Category 1
10124-43-3				

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Cobalt sulfate	A3	Group 2B	Reasonably Anticipated	X
10124-43-3		-		
Sodium Molybdate	A3	-	-	-
10102-40-6				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Repeated contact may cause

allergic reactions in very susceptible persons.

Target Organ Effects blood, Eye damage/irritation, Gastrointestinal tract (GI), kidney, liver, Respiratory system,

Skin.

Aspiration hazard No information available.

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.



SDS REVISIONS: New

TASK FORCE 3D

DATE OF ISSUE: 01/11/2019

SUPERSEDES:

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
EDTA Acid	EC50 1.01 mg/L 72 h	LC50 34 - 62 mg/L 96 h Lepomis	EC50 113 mg/L 48 h Daphnia
60-00-4	Desmodesmus subspicatus	macrochirus LC50 44.2 - 76.5 mg/L	magna
		96 h Pimephales promelas	_
Cobalt sulfate	EC50 0.4 - 72 mg/L 72 h	-	-
10124-43-3	Pseudokirchneriella subcapitata		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or

equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/.

Do not contaminate water, food or feed by storage or disposal.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT

UN/ID no Not regulated Proper shipping name Not regulated

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED

FERTILIZERS), NOI, LIQUID (NMFC 68140, SUB 6; CLASS 70)



TASK FORCE 3D

SUPERSEDES:

SDS REVISIONS: New DATE OF ISSUE: 01/11/2019

15. REGULATORY INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 0 **Physical and Chemical**

Properties -

HMIS **Health hazards** 3 Flammability 0 Physical hazards 0 Personal protection X

> 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Severe

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	┚
Cobalt sulfate - 10124-43-3	0.1]
SARA 311/312 Hazard Categories		_
Acute health hazard	Yes	
Chronic Health Hazard	Yes	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
EDTA Acid 60-00-4	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
EDTA Acid	5000 lb	-	RQ 5000 lb final RQ
60-00-4			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Cobalt sulfate - 10124-43-3	Carcinogen

U.S. EPA Label Information



SDS REVISIONS: New

TASK FORCE 3D

DATE OF ISSUE: 01/11/2019

SUPERSEDES:

16. OTHER INFORMATION

Prepared By Product Stewardship and Regulatory Affairs

Reviewed By Safety, Health and Environment

 Issue Date
 01/11/2019

 Revision Date
 02/04/2019

Revision Note

New

TASK FORCE 3D is a trademark of Loveland Products, Inc.

Disclaimer

This safety data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

End of Safety Data Sheet