

Ultra-Che® Copper 7.5% EDTA (CAN)

SECTION 1: IDENTIFICATION

Product Name: Ultra-Che® Copper 7.5% EDTA

Product ID/Unity #: 1415440, 1415441 Common Name: Liquid copper fertilizer

Chemical Description: Diammonium salt of Copper EDTA

Recommended Uses: Fertilizer product – See product label for full directions for use.

Restrictions for Use: See product label for any potential restrictions on use

Manufactured for: Initial Supplier:

WINFIELD SOLUTIONS, LLC W

St. Paul, MN 55164-0589, USA

P. O. Box 64589

WINFIELD UNITED CANADA, ULC

101-302 Wellman Lane

Saskatoon, Saskatchewan S7T-0J1, CAN

1-306-249-5112

MEDICAL EMERGENCY TELEPHONE NUMBER:

1-877-424-7452 (24hrs)

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Dark blue liquid with slight ammonia odor. Inhalation of large concentration of vapor or mist may cause respiratory tract irritation. Causes eye and skin irritation.

POTENTIAL HEALTH EFFECTS:

Eyes: Causes moderate but temporary eye irritation.

Skin: Causes moderate skin irritation, including redness and itching.

Inhalation: Inhalation of large concentration of vapor or mist may cause respiratory tract irritation and discomfort.

Ingestion: May be harmful if swallowed.

Preexisting Conditions: Preexisting respiratory conditions may be aggravated by exposures to vapor or mist.

Chronic Health Effects: None known

Carcinogenicity NTP: Not listed IARC: Not listed OSHA: Not listed

WHMIS 2015 CLASSIFICATION: Eye Irritation Category 2B; Skin Irritation Category 2; Specific Target Organ Toxicant – Single Exposure Category 3

SIGNAL WORD: WARNING

HAZARD STATEMENTS:

Causes eye irritation.
Causes skin irritation.

May cause respiratory irritation.

Percent of product with unknown toxicity: 0%

PRECAUTIONARY STATEMENTS:

Prevention: Wash hands thoroughly after handling. Wear protective gloves. Avoid breathing mist, spray or fumes. Use only

outdoors in a well-ventilated area.

Response: If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical attention. If inhaled: Remove person to fresh air and keep comfortable

for breathing. Call a poison control center or doctor for treatment advice if you feel unwell.

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing

and wash before reuse.

Storage: Store in a well-ventilated and secured place. Keep container tightly closed.

Disposal: Dispose of contents/container in accordance with Federal, provincial and local regulations.

SECTION 3: COMPOSITION/INFORMA	TION ON IN	GREDIENTS
Ingredient	% (wt)	CAS Reg. #
Diammonium salt of Copper Ethylenediaminetetraacetic acid	52.0%	67989-88-2
Free ammonia	<2.0%	7664-41-7
See Section 8 for exposure	e limits.	

Ultra-Che® Copper 7.5% EDTA (CAN)

SECTION 4: FIRST AID MEASURES

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention or

call a poison control center for treatment advice.

Ingestion: Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless

instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact

Eyes: Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.

Skin: Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and

water. Seek medical attention if irritation persists.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, dry chemical, carbon dioxide (CO2), water spray

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Thermal decomposition may include toxic ammonia gas, and/or toxic and hazardous oxides of copper and nitrogen.

Unusual Fire and Explosion Hazards: Closed containers may explode from vapor expansion in high heat.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Do not allow spilled product to enter sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in a secured area away from children, feed and food products. Store in original container only and in a cool, well-ventilated dry place above the minimum storage temperature.

Minimum Storage Temperature: 0°C (32°F)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION							
Exposure Guidelines							
Component:	OSHA PEL	ACGIH TLV	NIOSH REL				
Ammonia	35 mg/m3 or 50 ppm	24 mg/m3 or 35 ppm 15 min. STEL	27 mg/m3 or 35 ppm 15 min. STEL				
(CAS# 7664-41-7)	8 hour TWA	17 mg/m3 or 25 ppm 8 hour TWA	18 mg/m3 or 25 ppm 8 hour TWA				
Copper dusts & mists (as Cu)	1 mg/m3	1 mg/m3	1 mg/m3				

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed.

If airborne concentrations exceed permissible levels or if a pre-existing respiratory condition exists, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for organic vapors, ammonia and general particulates.

Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Protective Gloves: Wear chemically protective gloves.

Eye Protection: Wear chemical goggles or safety glasses and full face shield. Contact lenses are not protective eye devices. An emergency eyewash or water supply should be readily accessible to the work area.

Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact.

Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Ultra-Che® Copper 7.5% EDTA (CAN)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Specific Gravity (H₂O=1): 1.258 (typical) Vapor Pressure (mm Hg): Not determined Freezing Point: Not determined Not determined Boiling Point/Range: Vapor Density (Air=1): Not determined Solubility in Water (wt %): 100% pH: 7.5 - 8.5

Viscosity: Not determined Flash Point: 7.5 – 8.5

Viscosity: Not combustible

Appearance and odor: Dark blue liquid with slight

ammonia odor

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Contact with strong oxidizers may result in a fire and explosion hazard.

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will not occur

Conditions to Avoid: Avoid excessive heat.

Incompatible Materials: Strong bases, acids and oxidizers.

Hazardous Decomposition Products: Thermal decomposition may include ammonia and toxic and hazardous oxides of zinc and

nitrogen

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Eye Effects: Contact may cause moderate but temporary irritation. Additional effects may include tearing and/or

blurred vision.

Skin Effects: Estimated LD50 = 3,788 mg/kg. Contact may cause moderate irritation. Prolonged or repeated

exposure may lead to reddening of skin, rash, dermatitis, or other skin reactions.

Acute Inhalation Effects: Estimated LC50 > 5.0 mg/L
Acute Oral Effects: Estimated LD50 = 2,839 mg/kg

Specific Target Organ Single, short-term exposure to ammonia vapors can cause respiratory tract irritation.

Toxicity:

CHRONIC TOXICITY

Chronic Effects: None known
Carcinogenicity: None known
Mutagenicity: None known
Teratogenicity: None known
Reproductive Toxicity: None known

POTENTIAL HEALTH EFFECTS:

Eyes: Causes moderate but temporary eye irritation.

Skin: Causes moderate skin irritation, including redness and itching.

Inhalation: Inhalation of large concentration of vapor or mist may cause respiratory tract irritation and discomfort.

Ingestion: May be harmful if swallowed.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Not determined

ECOTOXICITY DATA:

Fish Acute and Prolonged Toxicity:

Aquatic Invertebrate Acute Toxicity:

Aquatic Plant Toxicity:

Bird Acute and Prolonged Toxicity:

Honeybee Toxicity:

Not determined

Not determined

Not determined

Not determined

ENVIRONMENTAL EFFECTS:

Soil Absorption/Mobility:

Persistence and degradability:

Bioaccumulative Potential:

Other adverse effects:

Not determined

Not determined

Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, provincial and local laws and regulations.

Container: Triple rinse and recycle the container or dispose of in accordance with Federal, provincial and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION				
DOT (US Ground):	This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment in quantities less than 1,896 litres (501 gallons). For quantities greater than or equal to 1,896 litres (501 gallons): UN3082, Environmentally hazardous substance, liquid, n.o.s. (Ammonia), 9, PG III, RQ			
IMDG (Sea):	Not determined			
IATA (Air):	Not determined			
TDG (Canada):	Not regulated			

SECTION 15: REGULATORY INFORMATION

International Inventories

TSCA Inventory: All components are either listed or exempt from listing on the TSCA inventory.

Canadian Domestic Substance List: All components are either on the non-domestic substance list or the domestic substances list.

US Federal Regulations

SARA Title III Information:

Section 302 - Extremely hazardous substances: Ammonia (CAS# 7664-41-7)

Section 311/312 – Hazard Categories: Immediate (Acute)

Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

Copper compounds 52%; Ammonia (CAS# 7664-41-7) <2.0%

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

Ammonia (7664-41-7) has an RQ of 45.4 kg (100 lbs) reached with 1,896 litres (501 gallons) of product.

	SECTION 16: OTHER				
		T.,			
NFPA HAZARI	RATING	Health	2		
		Flammability	0		
		Reactivity	0		
			4= Severe 3= High 2= Moderate 1= Slight 0= Least		

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: September 21, 2017 Supersedes document dated: March 28, 2017

Sections Revised: 1