according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

SECTION 1. IDENTIFICATION

Product name : VOXIDIA Design code : A22363C

Product Registration number : 100-1637

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300

Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Seed treatment

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
metalaxyl-M	70630-17-0	13.95	
propane-1,2-diol	57-55-6	>= 5 - < 10	
sedaxane	874967-67-6	2.32	
fludioxonil	131341-86-1	2.32	
ethanamine, N,N-diethyl-	121-44-8	0 - < 0.1	

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

10/02/2024 Date of first issue: 02.10.2024 1.0 S00085764739

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms

delayed

and effects, both acute and

Notes to physician

Nonspecific

No symptoms known or expected.

There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Hazardous combustion prod- :

ucts

Carbon oxides

Nitrogen oxides (NOx) Fluorine compounds Chlorine compounds Sulfur oxides

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment : Wear full protective clothing and self-contained breathing

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

for fire-fighters apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Refer to protective measures listed in sections 7 and 8.

tive equipment and emer-

gency procedures

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
metalaxyl-M	70630-17-0	TWA	5 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
sedaxane	874967-67-6	TWA	5 mg/m3	Syngenta
fludioxonil	131341-86-1	TWA	5 mg/m3	Syngenta
		TWA (Inhal-	1 mg/m3	ACGIH
		able particu-		
		late matter)		
ethanamine, N,N-diethyl-	121-44-8	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		TWA	25 ppm	OSHA Z-1
			100 mg/m3	
		STEL	15 ppm	OSHA P0

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

TWA 10 ppm OSHA P0 40 mg/m3

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

No special protective equipment required.

Eye protection : No special protective equipment required

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

Color : red

Odor : faint aromatic

Odor Threshold : No data available

pH : 5.5 - 6.5

Concentration: 100 %w/v

6 - 10

Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.05 - 1.09 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : 905 °F / 485 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

10/02/2024 Date of first issue: 02.10.2024 1.0 S00085764739

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable. Chemical stability Stable under normal conditions.

tions

Possibility of hazardous reac- : No dangerous reaction known under conditions of normal use.

Conditions to avoid No decomposition if used as directed.

Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Assessment: The component/mixture is minimally toxic after

single ingestion.

: LC50 (Rat, male and female): > 5.08 mg/l Acute inhalation toxicity

> Exposure time: 4 h Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Components:

metalaxyl-M:

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg

: LC50 (Rat, male and female): > 2.29 mg/l Acute inhalation toxicity

> Exposure time: 4 h Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration

Acute dermal toxicity LD50 (Rat, male and female): > 2,000 mg/kg

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

Assessment: The substance or mixture has no acute dermal

toxicity

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

sedaxane:

Acute oral toxicity : LD50 (Rat, female): 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.244 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

fludioxonil:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l

Exposure time: 4 h
Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

ethanamine, N,N-diethyl-:

Acute oral toxicity : Assessment: The component/mixture is toxic after single in-

gestion.

Acute inhalation toxicity : LC50 (Rat): 7.22 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): 580 mg/kg

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

Components:

metalaxyl-M:

Species : Rabbit

Result : No skin irritation

propane-1,2-diol:

Result : No skin irritation

sedaxane:

Species : Rabbit

Result : No skin irritation

fludioxonil:

Species : Rabbit

Result : No skin irritation

ethanamine, N,N-diethyl-:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Components:

metalaxyl-M:

Species : Rabbit

Result : Risk of serious damage to eyes.

propane-1,2-diol:

Result : No eye irritation

sedaxane:

Species : Rabbit

Result : No eye irritation

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

fludioxonil:

Species : Rabbit

Result : No eye irritation

ethanamine, N,N-diethyl-:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitization.

Components:

metalaxyl-M:

Species : Guinea pig

Result : Does not cause skin sensitization.

propane-1,2-diol:

Result : Does not cause skin sensitization.

sedaxane:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Not a skin sensitizer.

fludioxonil:

Species : Guinea pig

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

metalaxyl-M:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

propane-1,2-diol:

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

sedaxane:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

fludioxonil:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

ethanamine, N,N-diethyl-:

Germ cell mutagenicity -

Assessment

: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified due to lack of data.

Components:

metalaxyl-M:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

propane-1,2-diol:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

sedaxane:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a carcinogen, At extremely high doses, numerically higher incidences of uterine, thyroid and liver tumors (male and/or female rats) and liver tumors (male mice) were within the range of normal background variation and thus considered unrelated to treatment. Some Regulatory Authorities have taken a more conservative position that these high-dose findings are treatment-related in rats and mice. The dose levels where these findings occur are not relevant to human exposure levels.

fludioxonil:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified due to lack of data.

Components:

metalaxyl-M:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

propane-1,2-diol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation Animal testing did not show any effects on fetal development.

sedaxane:

Reproductive toxicity - As- : No toxicity to reproduction

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

sessment

fludioxonil:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

ethanamine, N,N-diethyl-:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

STOT-single exposure

Not classified due to lack of data.

Components:

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

ethanamine, N,N-diethyl-:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT-repeated exposure

Not classified due to lack of data.

Components:

metalaxyl-M:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

sedaxane:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

fludioxonil:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

propane-1,2-diol:

No aspiration toxicity classification

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

Date of first issue: 02.10.2024 1.0 10/02/2024 S00085764739

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

metalaxyl-M:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Raphidocelis subcapitata (freshwater green alga)):

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

19.7 mg/l

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 21 d

: EC50 (activated sludge): > 100 mg/l Toxicity to microorganisms

Exposure time: 3 h

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

> Exposure time: 96 h Test Type: static test

aquatic invertebrates

Toxicity to daphnia and other : (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

19,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l

Exposure time: 7 d

Test Type: semi-static test

sedaxane:

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

10/02/2024 Date of first issue: 02.10.2024 1.0 S00085764739

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 0.62 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.98 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6.10 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1

mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 6.5 mg/l

Exposure time: 7 d

EC10 (Lemna gibba (gibbous duckweed)): 2.398 mg/l

End point: Growth rate Exposure time: 7 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.165 mg/l

Exposure time: 33 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.711 mg/l

Exposure time: 21 d

fludioxonil:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.4 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.27 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.259 mg/l

Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):

0.077 mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

Exposure time: 96 h

NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l

Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.018 mg/l

Exposure time: 116 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 21 d

NOEC (Americamysis): 0.018 mg/l

Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

ethanamine, N,N-diethyl-:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 36 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 9.8

mg/

Exposure time: 72 h

Persistence and degradability

Components:

metalaxyl-M:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 22.4 - 47.5 d

Remarks: Product is not persistent.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

sedaxane:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: > 1 yr

Remarks: Persistent in water.

fludioxonil:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 450 - 700 d

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

Remarks: Persistent in water.

ethanamine, N,N-diethyl-:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

metalaxyl-M:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-

octanol/water

: log Pow: 1.71 (77 °F / 25 °C)

sedaxane:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 3.3 (77 °F / 25 °C)

fludioxonil:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.12 (77 °F / 25 °C)

Mobility in soil

Components:

metalaxyl-M:

Distribution among environ-

mental compartments

Remarks: Metalaxyl has a range from low to very high mobility

in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

sedaxane:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 83 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

fludioxonil:

Distribution among environ-

mental compartments

Remarks: immobile

Stability in soil : Dissipation time: 14 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

Other adverse effects

Components:

metalaxyl-M:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative

(vPvB).

sedaxane:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).
 Substance is not very persistent and very bioaccumulative

(vPvB).

fludioxonil:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative

(vPvB).

ethanamine, N,N-diethyl-:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

This product will not be classified as a RCRA characteristic

hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL, SEDAXANE)

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

10/02/2024 S00085764739 Date of first issue: 02.10.2024 1.0

9 Class Ш Packing group 9 Labels Environmentally hazardous yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(FLUDIOXONIL, SEDAXANE)

Class 9 Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

ger aircraft)

Packing instruction (passen-964

Environmentally hazardous yes

This product can be subject to exemptions when packaged in Remarks

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(FLUDIOXONIL, SEDAXANE)

Class 9 Packing group Ш Labels 9 EmS Code F-A, S-F Marine pollutant yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards


SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

Syngenta : Syngenta Occupational Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
OSHA P0 / TWA : 8-hour time weighted average
OSHA P0 / STEL : Short-term exposure limit
OSHA Z-1 / TWA : 8-hour time weighted average
Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/02/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

according to the OSHA Hazard Communication Standard



VOXIDIA

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/02/2024 S00085764739 Date of first issue: 02.10.2024

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8