



# ALL-IN

Non AMS Water Conditioner + Nonionic Surfactant + Approved Drift Reduction Agent (DRA) + Volatility Reduction Agent (VRA)

## Features and Benefits

- Manages hard water antagonism of glyphosate using a dual-action non-AMS water conditioner that does not contribute to volatility of dicamba
- Surfactant for enhanced spreading, penetration, and uptake to help improve weed control
- Approved as a DRA\* for many tank mixtures
- Humectant keeps herbicide active longer for enhanced uptake
- Easy to handle drift reduction additive (DRA)
- Approved as a VRA\* to further reduce potential dicamba volatility
- Get in the field faster with a convenient, low foaming formulation
- Minimum approved rate: Engenia® is 1.85% v/v.
- Minimum approved rate: XtendiMax® with VaporGrip® Technology is 1.75% v/v.

Proprietary blend of surfactant, polysaccharide, and water conditioning salts.

Engenia	Xtendimax	Enlist One
Approved	Approved	NOT APPROVED

\*Always check the manufacturers' websites for recent tank mix approvals. Always read and follow label directions



**Central Valley Ag**  
**2803 N Nebraska**  
**York, NE 68467-0429**



**NON AMS WATER CONDITIONER + NONIONIC SURFACTANT + DRIFT REDUCTION AGENT (DRA) + VOLATILITY REDUCTION AGENT (VRA) for COARSE NOZZLES**

# ALL-IN™

**KEEP OUT OF REACH OF CHILDREN**

## WARNING

**READ ENTIRE LABEL BEFORE USING**



Causes serious eye irritation.

### PRECAUTIONARY STATEMENTS

Avoid breathing mist or spray. Use only outdoors or in a well-ventilated area.

### FIRST AID

**CALL A POISON CONTROL CENTER OR DOCTOR IF YOU FEEL UNWELL**

Have the product container and SDS with you if calling a poison control center or going for treatment.

**IF IN EYES:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes, immediate medical attention is required.

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor for treatment advice if you feel unwell.

**IF SWALLOWED:** Rinse mouth out with water. Do not give anything to drink. Keep at rest. Do not induce vomiting without medical advice. Consult a physician if necessary.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing and shoes immediately. Wash skin immediately with soap and water. Use mild soap if available. If skin irritation occurs, seek medical advice/attention.

**In case of medical emergency, call toll free 1-877-424-7452.**

Central Valley Ag  
2803 N. Nebraska, P.O. Box 429  
York, NE 68467-0429  
1-888-343-0323

2/0609/2

Engenia® is a registered trademark of BASF. XtendiMax®, VaporGrip® are registered trademarks of Bayer.

### GENERAL INFORMATION

**ELITE ALL-IN™** is specifically designed to maximize pesticide performance when applying pesticides through nozzles that are classified to produce extremely-coarse and ultra-coarse droplet spectrums. **ALL-IN™** manages hard water antagonism of glyphosate using a dual-action non-ams water conditioner that does not contribute to volatility of dicamba. The included surfactant provides enhanced spreading, penetration, and uptake to help improve weed control. Easy-to-handle guar-based drift reduction additive (DRA) is approved for many tank mixtures. Approved as a volatility reducing agents (VRA)\* to further reduce potential dicamba volatility.

### DIRECTIONS FOR USE

Prior to use, read and follow all directions on this label and on the label of the pesticide being used. The pesticide manufacturer's label for specific usages, rates and restrictions have precedence over DIRECTIONS FOR USE referred to on this label. Tank mix combinations must show that **ALL-IN™** is approved as an adjuvant and/or a DRA and/or VRA before being used as such. This information is available on the respective herbicide tank mix website.

HERBICIDE	MINIMUM RATE AS DRA and VRA
XtendiMax® Herbicide with VaporGrip® Technology	14 pints per 100 gals (1.75% v/v)
Engenia®	14.8 pints per 100 gals (1.85% v/v)

### MIXING INSTRUCTIONS

#### SHAKE WELL OR RECIRCULATE BEFORE USE

Fill spray tank half full with water and start agitating. While the water is agitating, add **ALL-IN™** to the spray tank first. Follow specific tank mix filling and mixing information provided on the herbicide label. Refer to other pesticide labels for additional recommendations or precautions.

Before mixing pesticides with **ALL-IN™**, conduct a jar test to determine compatibility. **DO NOT** use **ALL-IN™** through a direct injection system.

### STORAGE AND DISPOSAL

**Storage:** Store in a cool, well-ventilated place away from incompatible materials; strong oxidizing agents and concentrated aqueous solutions of strong bases. Keep in original container and tightly closed. Store locked up. Do not reuse container. Do not store with food, feed, or other materials to be used or consumed by humans or animals. Do not contaminate water supplies. **DO NOT FREEZE.** Warm to >50°F before use and remix is not necessary. Recommended handle temperature is >50°F for best pumping performance.

**Disposal:** Dispose of contents in accordance with Federal, state and local regulations. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the web page at [www.agrecycling.org](http://www.agrecycling.org). Triple rinse (or equivalent) during mixing and loading.

**FOR CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300**

### PRINCIPAL FUNCTIONING AGENTS

Proprietary blend of volatility reducing salts, drift reduction polymers, water conditioning salts, and non-ionic surfactants	34.68%
Constituents ineffective as spray Adjuvants	65.32%
<b>TOTAL</b>	<b>100.0%</b>

All ingredients are exempt from the requirements of a tolerance in 40 CFR 180.

### NOTICE OF WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. **SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS.** This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

All other trademarks are the property of their respective owners.



(01)00884464844840


ITEM # 1724883

NET CONTENTS

# 265 GALLONS

<b>NFPA HAZARD RATING</b>				<b>U.S. TRANSPORT SUMMARY</b>
0	Least			Not Regulated for ground transportation by US DOT
1	Slight	2	Health	
2	Moderate	1	Flammability	
3	High	0	Reactivity	
4	Severe			

<b>SECTION 1: IDENTIFICATION</b>	
<b>Product Name:</b>	ELITE ALL-IN™
<b>Product ID/Item #:</b>	
<b>Common Name:</b>	Non-AMS Water Conditioner, Nonionic Surfactant, Drift Reduction Agent, Volatility Reduction Agent
<b>Chemical Description:</b>	Non-AMS Water Conditioner, Nonionic Surfactant, Drift Reduction Agent, Volatility Reduction Agent
<b>Recommended Uses:</b>	Adjuvant – See product label for full directions for use.
<b>Restrictions for Use:</b>	See product label for any potential use restrictions
<b>Central Valley Ag</b> 2803 N. Nebraska P.O. Box 429 York, NE 68467-0429	
<b>FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300 (24 hours)</b>	

<b>SECTION 2: HAZARDS IDENTIFICATION</b>			
<b>POTENTIAL HEALTH EFFECTS:</b>			
Eyes: Eye Irritation, Category 2A: Causes serious eye irritation			
<b>Carcinogenicity</b>	NTP: Not listed	IARC: Not listed	OSHA: Not listed
<b>SIGNAL WORD:</b> WARNING			
<b>HAZARD STATEMENTS:</b>			
KEEP OUT OF REACH OF CHILDREN			
Causes serious eye irritation.			
			
<b>PRECAUTIONARY STATEMENTS:</b>			
<b>Prevention:</b>	<b>Precautionary Statements:</b>		
	<b>General:</b> Read label before use. Wash hands, face, and other affected areas thoroughly after handling. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing fumes, mist, vapors, or spray.		
<b>Response:</b>	<b>IF IN EYES:</b> Rinse cautiously with water for several minutes, also under eyelids. Immediate medical attention is required,		
<b>Storage:</b>	See Section 7 for storage information.		
<b>Disposal</b>	See Section 13 for disposal information.		

# ELITE ALL-IN™

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	% (wt)	CAS Reg. #
Polyethylene Glycol	>=15 - <20	25322-68-3
*Proprietary Blend	>=1 - <10	*****

\*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(j).

See Section 8 for exposure limits.

## SECTION 4: FIRST AID MEASURES

	If medical advice is needed, have product container or label at hand. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials of than this product may have occurred.
<b>INHALATION:</b>	Call a POISON CENTER / doctor / seek medical attention if you feel unwell. Remove person to fresh air and keep comfortable for breathing.
<b>INGESTION:</b>	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give anything to drink. Keep at rest. Consult a physician if you feel unwell.
<b>EYES:</b>	Rinse cautiously with water for several minutes, also under eyelids. Immediate medical attention is required,
<b>SKIN:</b>	Use mild soap and was with plenty of soap and water. Take off contaminated clothing and shoes immediately and wash it before reuse. If skin irritation occurs, seek medical attention.

## SECTION 5: FIRE FIGHTING MEASURES

**SUITABLE EXTINGUISHING MEDIA:** **Small fires:** Water spray, Multipurpose powders, Carbon Dioxide (CO<sub>2</sub>), Alcohol resistant aqueous film foaming foam (AR-AFFF). **Large fires:** Water Spray, Multipurpose powders, Alcohol resistant aqueous film foaming foam (AR-AFFF). Do not use a solid water stream as it may scatter and spread fire.

**SPECIAL FIRE FIGHTING PROCEDURES:** Fight fire from a safe distance and protected location. Fight fire upwind to avoid hazardous vapors and decomposing products. Heat may build pressure and rupture closed containers, spreading fire and increasing the risk of injury. Aqueous liquid – does not present any particular risk in the event of a fire. Water may be ineffective in firefighting. Cool down the containers/equipment exposed to heat with a water spray. Ensure that there is NO direct contact between the water and product. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Notify proper authorities if liquid material enters the sewer or public waters.

**HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS** (following evaporation of water). High concentrations of toxic or harmful products may remain in the residual liquid once the fire has been extinguished.

**HAZARDOUS COMBUSTION PRODUCTS:** On combustions or on thermal decomposition (pyrolysis) releases: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke), nitrogen oxides (NO<sub>x</sub>), Halogenated compounds, hydrogen chloride.

**FIRE FIGHTING EQUIPMENT:** As with any fire, wear self-contained breathing apparatus pressure demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

**FURTHER INFORMATION:** Evacuate personnel to safe areas. Interventions only by capable personnel who are trained and aware of the hazards of the product. Never approach containers which have been exposed to fire, without cooling them sufficiently. Collect contaminated fire extinguishing water separately. This must be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Environmental Precautions:** Stop spill at source. Construct temporary dikes of dirt, sand, or appropriate readily available material to prevent spreading of material. Close cap or valves and/or block or plug hole in leaking container and transfer to another container. Keep from entering storm sewers and ditches which lead to waterways, and if necessary, call the local fire or police department for immediate assistance.

**Methods for Containment and Clean up:** Spilled material is slippery. Neutralize spill with soda ash or lime. Absorb spilled liquid with polypads or other absorbent materials. Clean up with non-combustible absorbent (such as sand or soil). Shovel up and place all spill residue in suitable containers. Use detergent if needed. Dispose of at an appropriate waste disposal facility according to current applicable laws and regulations and product characteristics at time of disposal.

**Personal Protective Equipment:** For incidental releases use impermeable gloves, goggles, face shield, and appropriate body protection. In the event of a large release, use impermeable gloves, chemically resistant suit and boots, and hard hat. Self-Contained Breathing Apparatus or respirator may be required where engineering controls are not adequate or conditions for

## ELITE ALL-IN™

potential exposure exist. When respirators are required, select NIOSH/MSHA approved based on actual or potential airborne concentrations in accordance with the latest OSHA and/or ANSI recommendations.

**Spill and Leak Response:** Uncontrolled releases should be responded to by trained professionals using pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel.

### SECTION 7: HANDLING AND STORAGE

**Handling:** Follow all SDS / label precautions when using this product. Do not reuse the container.

**Storage:** Store in a cool, dry, well ventilated area. DO NOT FREEZE

**Minimum Storage Temperature:** Store above 45° F

**Other Precautions:** Consult Federal, State and local laws and regulations pertaining to storage.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

<b>Component:</b>	<b>OSHA PEL</b>
Polyethylene Glycol	<b>AIHA WEEL (United States)</b>
	<b>TWA:</b> 10 mg/m <sup>3</sup>
	<b>FORM:</b> Aerosol

**Respiratory Protection:** Avoid high concentrations of vapor and/or mist. Use local exhaust if available or use NIOSH/MSHA approved organic vapor respirator, as necessary.

**Engineering Controls:** **Local Exhaust:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred. Facilities storing or utilizing this material should be equipped with an eyewash station, safety shower, and adequate ventilation.

**Skin Protection:** Clean, body covering clothing and impervious gloves such as neoprene should be used. Avoid prolonged and unnecessary skin contact with product.

**Eye Protection:** Wear OSHA standard chemical splash goggles or face mask; avoid eye contact at all times.

**Other Protective Clothing or Equipment:**

**Work/Hygienic Practices:** Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Liquid	<b>Density (lbs/gallon):</b>	1.1 – 1.30 g/cm <sup>3</sup> (68°F (20°C))
<b>Form:</b>	Viscous liquid	<b>Melting Point/Freezing Point:</b>	Not determined
<b>Color:</b>	Beige to slightly yellow	<b>Boiling Point/Range:</b>	193.3°F (89.6°C)
<b>Vapor Pressure (mm Hg):</b>	Not determined	<b>Decomposition temperature</b>	350.35°F (176.86 °C)
<b>Vapor Density (Air=1):</b>	Not determined	<b>pH:</b>	6.5 – 8.5 (100%)
<b>Solubility in Water (wt %):</b>	Soluble	<b>Flash Point</b>	>212°F (100°C) closed cup
<b>Viscosity:</b>	Not determined	<b>Flammability Class</b>	Will burn
<b>Appearance and odor:</b>	Hazy liquid		

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Combustion will produce carbon oxides, nitrogen oxides and other products of incomplete combustion.

**Chemical Stability:** Stable at ambient temperatures and atmospheric pressure.

**Possibility of Hazardous Reactions:** Combustion will produce carbon oxides, nitrogen oxides and other products of incomplete combustion. Hazardous polymerization will not occur.

**Conditions to Avoid:** Oxidizing materials

**Incompatible Materials:** Not determined

**Hazardous Decomposition Products:** Not determined

### SECTION 11: TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY

**Eye Effects:** Contact with product will cause eye irritation. Avoid eye contact with product at all times.

**Skin Effects:** Contact with product will cause irritation and may be harmful if absorbed through the skin. Avoid prolonged and unnecessary skin contact with the product.

## ELITE ALL-IN™

<b>Acute Inhalation Effects:</b>	Inhaling concentrated vapors may be harmful and may cause nasal and respiratory tract irritation. Overexposure by inhalation may cause headache, nausea, weakness, and lightheadedness.
<b>Acute Oral Effects:</b>	May cause burning pain in mouth, throat, and abdomen and coughing and constriction of the throat, followed by nausea, vomiting, and diarrhea. Do not taste or swallow product.
<b>Specific Target Organ Toxicity:</b>	No data available
<b>CHRONIC TOXICITY</b>	
<b>Chronic Effects:</b>	No data available
<b>Carcinogenicity:</b>	No data available
<b>Mutagenicity:</b>	No data available
<b>Teratogenicity:</b>	No data available
<b>Reproductive Toxicity:</b>	No data available
<b>POTENTIAL HEALTH EFFECTS:</b>	
<b>Eyes:</b>	Cat 2a – Causes serious eye damage
<b>Dermal:</b>	Cat 5 – May be harmful in contact with skin
<b>Inhalation:</b>	Cat 5 – may be harmful if inhaled
<b>Ingestion:</b>	Cat 5 – may be harmful if swallowed
<b>Skin Irritation:</b>	Cat 2 – causes skin irritation

### SECTION 12: ECOLOGICAL INFORMATION

<b>ENVIRONMENTAL SUMMARY:</b>	
<b>ECOTOXICITY DATA:</b>	
<b>Fish Acute and Prolonged Toxicity:</b>	No data available
<b>Aquatic Invertebrate Acute Toxicity:</b>	No data available
<b>Aquatic Plant Toxicity:</b>	No data available
<b>Bird Acute and Prolonged Toxicity:</b>	No data available
<b>Honeybee Toxicity:</b>	No data available
<b>ENVIRONMENTAL EFFECTS:</b>	
<b>Soil Absorption/Mobility:</b>	No data available
<b>Persistence and degradability:</b>	No data available
<b>Bioaccumulative Potential:</b>	No data available
<b>Other adverse effects:</b>	No data available

### SECTION 13: DISPOSAL CONSIDERATIONS

<b>Waste:</b>	Dispose of product in accordance with applicable Federal, state and local laws and regulations. Do not contaminate water, food, or feed by disposal.
<b>Container:</b>	Disposal of container in compliance with local, State, and Federal regulations. Empty containers must be handled properly due to product residue.
<b>RCRA Characteristics:</b>	It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

### SECTION 14: TRANSPORT INFORMATION

<b>DOT: (Ground)</b>	Not regulated for US Transport
<b>IMDG: (Sea)</b>	Not determined
<b>IATA: (Air)</b>	Not determined
<b>TDG: (Canada)</b>	Not determined

# ELITE ALL-IN™

## **Section 15—Regulatory Information**

**TSCA Inventory:** All components are listed on the TSCA inventory.

**SARA Title III Information:**

**Section 302/304 - Extremely hazardous substances:** Ethylene Oxide, CAS: 75-21-8, RQ 10LB

**Section 311/312 - Hazard Categories:** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Section 313** – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:  
To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**CERCLA** - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

Acetic acid (CAS #64-19-7), RQ 5,000 lbs  
Ethylene Oxide (CAS #75-21-8), RQ 10 lbs  
Sodium hydroxide (CAS# 1310-73-2), RQ 1000 lbs  
1,4-Dioxane (CAS #123-91-1), RQ 100 lbs  
Acetaldehyde (CAS #75-07-0), RQ 1000 lbs

**California Proposition 65:** This product contains no chemicals known to the State of California to cause cancer or reproductive toxicity.

**U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):**

Chemical Name	CAS #	State(s)
---------------	-------	----------

**Canadian Domestic Substances List:**

Chemical Name	CAS #
Listed on inventory	

**TRACE ELEMENTS:** Trace ingredients (if any) are present in < 1% concentration (< 0.1% for potential carcinogens, reproductive toxins, respiratory tract mutagens, and sensitizers). None of the trace ingredients contribute a significant additional hazard at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), US State equivalents, and Canadian Hazardous Material Identification System Standard (CPR 4).

**WHMIS Classification:** Not determined

## **Section 16—Other**

**Disclaimer:** The information presented herein is based on available data from reliable sources and is correct to the best of Central Valley Ag's knowledge. Central Valley Ag makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

**Revision Date:** June 9, 2022

**Supersedes document dated:** N/A

**Sections Revised:** N/A



**NON AMS WATER CONDITIONER + NONIONIC SURFACTANT + DRIFT REDUCTION AGENT (DRA) + VOLATILITY REDUCTION AGENT (VRA) for COARSE NOZZLES**

# ALL-IN™

**KEEP OUT OF REACH OF CHILDREN**

## WARNING

**READ ENTIRE LABEL BEFORE USING**



Causes serious eye irritation.

### PRECAUTIONARY STATEMENTS

Avoid breathing mist or spray. Use only outdoors or in a well-ventilated area.

### FIRST AID

**CALL A POISON CONTROL CENTER OR DOCTOR IF YOU FEEL UNWELL**

Have the product container and SDS with you if calling a poison control center or going for treatment.

**IF IN EYES:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes, immediate medical attention is required.

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor for treatment advice if you feel unwell.

**IF SWALLOWED:** Rinse mouth out with water. Do not give anything to drink. Keep at rest. Do not induce vomiting without medical advice. Consult a physician if necessary.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing and shoes immediately. Wash skin immediately with soap and water. Use mild soap if available. If skin irritation occurs, seek medical advice/attention.

**In case of medical emergency, call toll free 1-877-424-7452.**

Central Valley Ag  
2803 N. Nebraska, P.O. Box 429  
York, NE 68467-0429  
1-888-343-0323

2/0609/2

Engenia® is a registered trademark of BASF. XtendiMax®, VaporGrip® are registered trademarks of Bayer.

### GENERAL INFORMATION

**ELITE ALL-IN™** is specifically designed to maximize pesticide performance when applying pesticides through nozzles that are classified to produce extremely-coarse and ultra-coarse droplet spectrums. **ALL-IN™** manages hard water antagonism of glyphosate using a dual-action non-ams water conditioner that does not contribute to volatility of dicamba. The included surfactant provides enhanced spreading, penetration, and uptake to help improve weed control. Easy-to-handle guar-based drift reduction additive (DRA) is approved for many tank mixtures. Approved as a volatility reducing agents (VRA)\* to further reduce potential dicamba volatility.

### DIRECTIONS FOR USE

Prior to use, read and follow all directions on this label and on the label of the pesticide being used. The pesticide manufacturer's label for specific usages, rates and restrictions have precedence over DIRECTIONS FOR USE referred to on this label. Tank mix combinations must show that **ALL-IN™** is approved as an adjuvant and/or a DRA and/or VRA before being used as such. This information is available on the respective herbicide tank mix website.

HERBICIDE	MINIMUM RATE AS DRA and VRA
XtendiMax® Herbicide with VaporGrip® Technology	14 pints per 100 gals (1.75% v/v)
Engenia®	14.8 pints per 100 gals (1.85% v/v)

### MIXING INSTRUCTIONS

#### SHAKE WELL OR RECIRCULATE BEFORE USE

Fill spray tank half full with water and start agitating. While the water is agitating, add **ALL-IN™** to the spray tank first. Follow specific tank mix filling and mixing information provided on the herbicide label. Refer to other pesticide labels for additional recommendations or precautions.

Before mixing pesticides with **ALL-IN™**, conduct a jar test to determine compatibility. **DO NOT** use **ALL-IN™** through a direct injection system.

### STORAGE AND DISPOSAL

**Storage:** Store in a cool, well-ventilated place away from incompatible materials; strong oxidizing agents and concentrated aqueous solutions of strong bases. Keep in original container and tightly closed. Store locked up. Do not reuse container. Do not store with food, feed, or other materials to be used or consumed by humans or animals. Do not contaminate water supplies. **DO NOT FREEZE.** Warm to >50°F before use and remix is not necessary. Recommended handle temperature is >50°F for best pumping performance.

**Disposal:** Dispose of contents in accordance with Federal, state and local regulations. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the web page at [www.agrecycling.org](http://www.agrecycling.org). Triple rinse (or equivalent) during mixing and loading.

**FOR CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300**

### PRINCIPAL FUNCTIONING AGENTS

Proprietary blend of volatility reducing salts, drift reduction polymers, water conditioning salts, and non-ionic surfactants	34.68%
Constituents ineffective as spray Adjuvants	65.32%
<b>TOTAL</b>	<b>100.0%</b>

All ingredients are exempt from the requirements of a tolerance in 40 CFR 180.

### NOTICE OF WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. **SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS.** This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

All other trademarks are the property of their respective owners.



(01)00884464844840

ITEM # 1724883

NET CONTENTS

# 265 GALLONS