FS Captis

Deposition Aid and Activator

PRINCIPAL FUNCTIONING AGENTS

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS

Causes skin and eye irritation. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear personal protective equipment. Specific treatment is given in the First Aid section on this label or on the SDS.

PERSONAL PROTECTIVE EQUIPMENT (PPE)













Applicators or other handlers of this product should wear: protective eyewear, chemical-resistant gloves, long-sleeved shirt, long pants, socks and shoes. Consult the SDS for further information.

FIRST AID

If Swallowed: Rinse mouth. Have person sip a glass of water if

able to swallow. Do not induce vomiting, unless told to by a poison control center or doctor. Do

not give anything to an unconscious person. Rinse cautiously with water for several minutes.

If In Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice or attention.

If On Skin: Wash affected area with plenty of soap and

water. Use tepid water if available. If skin irritation occurs: Get medical advice or attention. Treat symptomatically. Take off contaminated clothing

and wash it before reuse.

If Inhaled: Move person to fresh air. If person is having

difficulty breathing, give oxygen. If not breathing,

give artificial respiration.

GENERAL INFORMATION

FS Captis is a unique soil adsorption and activation aid designed to reduce leaching and critical concentration loss of certain residual herbicides from the germination zone.

FS Captis has been shown to improve the biological activity of residual herbicides under a wide range of soil types and moisture conditions resulting in faster activation and longer-lasting residual performance.

DIRECTIONS FOR USE

The addition of adjuvants to some pesticides and/or fertilizers and their tank mixes may cause phytotoxicity to the foliage and/or fruit of desirable crops. Before using **FS Captis**, the applicator or crops advisor must have experience with the pesticide combination, including **FS Captis**, or must have conducted a phytotoxicity test. Do not use this product in a manner inconsistent with labeling. **FS Captis** increases the activity of many pesticides; therefore, care must be taken when treating sensitive crops during periods of drought stress, high temperatures or high humidity.

FOR USE WITH PESTICIDES REGISTERED FOR AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, RIGHTS-OF-WAY AND OTHER APPROPRIATE USES.

USE RATES

| COARSE | MEDIUM | FINE |
|------------------------------------|---|--|
| Sand, Loamy Sand and Sandy Loam | Loam, Silt Loam, Sandy Clay Loam and Silt | Sandy Clay, Silty Clay Loam, Silty Clay, Clay Loam and Clay |
| 12 - 16 oz | 6 - 10 oz | 4 - 8 oz |

MIXING

In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When premixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

- Compatibility agent and/or antifoam, if needed.
- AMS, dry formulations (WP, DF, WDG, SP), and dry drift retardants.
- 3. Dry soluble and suspension fertilizers / micronutrients.
- 4. Liquid drift retardants and flowable formulations (F & FL).
- Liquid concentrates, suspension and microencapsulated (LC, SC, ME).
- Emulsifiable concentrates (E, EL or EC).
- 7. Solutions and soluble liquids (S or SL).
- Liquid micronutrients and fertilizers.
- Water conditioners and other adjuvants (FS Captis) (COC, HSOC, MSO, NIS).
- Finish filling to desired spray volume level and continue agitation.

STORAGE AND DISPOSAL

Do not use, spill or store near heat or open flame. Keep container closed tightly when not in use. Prevent water from being introduced to the contents of this container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

DISCLAIMER OF WARRANTIES—THIS PRODUCT IS SOLD AS IS. EXCEPT WHERE PROHIBITED BY LAW, GROWMARK DISCLAIMS ALL STATUTORY OR IMPLIED WARRANTIES, INCLUDING MERCHANTABILITY, NON-INFRINGEMENT, FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES AGAINST HIDDEN AND LATENT DEFECTS. WHERE SUCH WARRANTIES CAN NOT BE DISCLAIMED, THEN ALL SUCH WARRANTIES SHALL BE LIMITED TO THE REMEDIES OF REPLACEMENT OR REFUND.

LIMITATION OF LIABILITY—Except to the extent prohibited by applicable law, GROWMARK shall not be liable for indirect, special, incidental or consequential damages arising from the sale or use of this product, including any lost revenues or profits, consequential and/or incidental damages, business interruption or damage to business reputation, regardless of the theory upon which any claim may be based. GROWMARK's entire liability to the purchaser shall not exceed the purchase price actually paid by the purchaser.

SPECIMEN LABEL

MANUFACTURED FOR GROWMARK, INC.
1701 Towanda Avenue
Bloomington, IL 61701
www.growmark.com
BY Precision Laboratories, LLC

Waukegan, IL 60085