

Kills the Weeds
you see
and the
Roots you Don't!



Drexel®

Imitator® Weed Killer

Ready-To-Use (Weed and Grass Killer)

ACTIVE INGREDIENTS:

Ammoniated soap of fatty acids 3.68%
Maleic hydrazide 0.50%

OTHER INGREDIENTS: 95.82%
TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Attached Booklet (Labeling) for
Complete Directions for Use)

SHAKE WELL BEFORE USING

EPA Reg. No. 19713-714

EPA Est. No. 19713-TN-3

Net Content: _____

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product may be hazardous to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface water. Applying this product in calm weather when rain is not predicted for 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Surface Water Advisory: Under some conditions, Maleic hydrazide may have a significant potential for runoff into surface water (primarily via dissolution in runoff water) for several days post-application. Conditions favoring runoff include poorly draining soils or wet soils with readily visible slopes, frequently flooded areas, areas where an intense or sustained rainfall is forecast to occur within 48 hours, areas overlying extremely shallow groundwater and areas overlying tile drainage systems that flow to surface water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Keep children and pets out of the treated area until sprays have dried.

APPLICATION DIRECTIONS

Shake well before using.

Spray weeds until foliage is wet. Thorough coverage is important. For spot treatment of individual weeds, apply the solution to the center of the plant. Apply to newly emerged weeds growing from seed and regrowth from biennial and perennial weeds. Avoid spraying desirable plants. Contents of this container will cover 90 square feet.

TRIGGER SPRAYER

Adjust nozzle to the desired spray setting [(foam) (spray) (on)].

Position sprayer tip to approximately 1 to 2 feet from the weed. Spray weeds (until foliage is wet).

Where to Use	Use on (weeds), (grass), (moss), (algae), (brush), (vines) [and] in areas where tough weeds are invading your yard/property including around and on buildings and other structures, around sidewalks, fences, driveways, patios, foundations, gravel, flower gardens, landscaped areas, trees, shrubs, wooded and vacant areas, fields, trails, garden plot preparation, and other areas of your yard/property.
Kills	Controls or suppresses listed weeds, grasses, moss and algae, including Annual bluegrass, Barnyardgrass, Black medick, Broadleaf filaree, Broom*, Burclover, Cat's-ear, Common chickweed, Common groundsel, Common lamb's-quarters, Corn spurry, Creeping buttercup, Curled dock, Dandelion, English daisy, False dandelion, Fiddleneck, Fleabane*, Foxtail, Fescue, Geranium species, Horsetail*, Kudzu*, Large crabgrass, Lady's-thumb, Locoweed, Low cudweed, Lupine, Mouse-eared chickweed, Mustard species, Oxalis, Plantain species, Poison ivy*, Poison oak*, Poison sumac*, Red clover, Redroot pigweed, Round leaved mallow, Rush, Sheep sorrel, Shepherd's-purse, Spiny annual sowthistle, Stinkweed, Wild blackberry*, Wild carrot, Wild hyacinth and White clover. *Not registered for use in California Contact with Poison oak, Poison ivy or Poison sumac anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

Manufactured By:

Drexel Chemical Company

P.O. Box 13327, Memphis, TN 38113-0327

SINCE 1972

IMITATOR and the DREXEL logo are registered trademarks of Drexel Chemical Company.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material tightly closed in original container only away from open flame. Do not store at temperatures below 39°F.

CONTAINER HANDLING: If **empty**, place in trash or offer for recycling if available. If **partially filled**, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY – CONDITIONS OF SALE

OUR DIRECTIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically directed, and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with the directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with the directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

IMITATOR and the DREXEL logo are registered trademarks of Drexel Chemical Company.