



Dow AgroSciences

Intake™ Adjuvant

A Spray Tank Adjuvant to improve the spreading and wetting of herbicide products on broadleaf and cereal crops and for use in forage grass, Range and Pasture and non-crop Industrial Vegetation Management uses.

AGRICULTURAL, COMMERCIAL

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE:	Paraffinic Oil	586 g/L
	Alkoxylated alcohol non-ionic surfactants	242 g/L
emulsifiable concentrate		

REGISTRATION NO. 31243 PEST CONTROL PRODUCTS ACT

CAUTION – SKIN AND EYE IRRITANT

NET CONTENTS: 1 L – bulk

Dow AgroSciences Canada Inc.
2400 215 - 2nd Street SW
Calgary, Alberta
T2P 1M4
1-800-667-3852

®™Trademark of The Dow Chemical Company (“Dow”) or an affiliated company of Dow

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Do not breathe spray mist. Keep product away from fire, open flame, lighted electric bulbs and other sources of heat. Do not allow water to be introduced to contents of this container. May irritate skin and eyes. Do not get on skin or in eyes. Wear chemically resistant gloves when handling.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote. Employ supportive care. Treatment should be based on judgement of the physician in response to reactions of the patient.

AGRICULTURAL CHEMICAL

Do not ship or store with fertilizers, other pesticides, food, feeds, seeds, drugs or clothing.

ENVIRONMENTAL HAZARDS

This product contains aromatic petroleum distillates which are toxic to aquatic organisms. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes. Do not apply directly to water or wetlands. Do not apply when weather conditions favour drift or run-off from areas treated.

STORAGE

Store away from food and feed and all sources of heat. Keep container closed. Do not allow water to be introduced to the contents of this container.

DISPOSAL

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for cleanup of spills.

Recyclable Containers:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

Refillable Containers

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse this container for any other purpose.

DIRECTIONS FOR USE

INTAKE ADJUVANT FOR USE WITH ACHIEVE LIQUID HERBICIDE, LIQUID ACHIEVE SC HERBICIDE, CHALLENGER HERBICIDE AND MARENGO HERBICIDE

Intake Adjuvant is a spray tank adjuvant for use with Achieve™ Liquid, Liquid Achieve, Challenger™ and Marengo herbicides for post-emergent control of grasses in small grain cereal crops.

Application Rates

Apply Intake Adjuvant at a rate range of 0.5 to 1.0% V/V (5 L Intake Adjuvant /1000 L spray mixture to 10 L Intake Adjuvant /1000 L spray mixture). The higher rate is for use under adverse conditions, such as dense weed population, late weed growth stage, or poor environmental conditions, or with certain multiple product tank mixes. Refer to the herbicide product labels for additional details on rate of use and for mixing instructions.

INTAKE ADJUVANT FOR USE WITH CEREAL PRODUCTS

Intake Adjuvant is a spray tank adjuvant for use with broadleaf and graminicide products that require use of a NIS, MSO, or an Oil/NIS blend adjuvants for post-emergent control of grassy and broadleaf weeds in cereal crops. Intake Adjuvant is compatible with a wide range of herbicides including Simplicity™, Tandem™ A, Vantage Plus Max II, Maverick™ III, Refine SG, Ally, Express, and Barricade SG.

Application Rates

Intake Adjuvant can be used with herbicides that require an adjuvant. Apply at a rate range of 0.25 to 1.0% V/V (2.5 L Intake Adjuvant /1000 L spray mixture to 10 L Intake Adjuvant /1000 L spray mixture). The higher rate is for use under adverse conditions, such as dense weed population, late weed growth stage, or poor environmental conditions, or with certain multiple product tank mixes. Refer to the herbicide product labels for additional details on rate of use and for mixing instructions.

INTAKE ADJUVANT FOR USE WITH RANGE AND PASTURE, AND NON-CROP INDUSTRIAL VEGETATION MANAGEMENT PRODUCTS

Intake Adjuvant is a spray tank adjuvant for use with broadleaf, perennial, woody shrub, tree and bare-ground products that require use of a NIS, MSO, or an Oil/NIS blend adjuvants. Products include ClearView™, Reclaim™ II, Reclaim™, Sightline™ A, Tordon™ 101, Escort, Vantage Plus Max II, Vantage XRT and all other glyphosate formulations including potassium and isopropylamine salts.

Application Rates

Intake Adjuvant can be used with herbicides that require an adjuvant. Apply at a rate range of 0.25 to 1.0% V/V (2.5 L Intake Adjuvant /1000 L spray mixture to 10 L Intake Adjuvant /1000 L spray mixture). The higher rate is for use under adverse conditions, such as dense weed population, late weed growth stage, or poor environmental conditions, or with certain multiple product tank mixes. Refer to the herbicide product labels for additional details on rate of use and for mixing instructions.

Tank Mixtures

In some cases, tank mixing a pest control product with another pest control product or a fertilizer can result in biological effects that could include, but are not limited to: reduced pest efficacy or increased host crop injury. The user should contact Dow AgroSciences Canada Inc. at 1-800-667-3852 or www.dowagro.ca for information before mixing any pesticide or fertilizer that is not specifically recommended on this label. The user assumes the risk of losses that result from the use of tank mixes that do not appear on this label or that are not specifically recommended by Dow AgroSciences Canada Inc.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

TMTrademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow
All other products listed are registered trademarks of their respective companies.

110416

Label Code: CN-31243-002-E
Replaces: CN-31243-001-E

Specimen label notes:
Add Reclaim II