

English

InterLock®

By WINFIELD UNITED

DEPOSITION AID & DRIFT CONTROL AGENT

PRINCIPLE FUNCTIONING AGENTS:

Modified vegetable oil and emulsifiers.....100%

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

Avoid contact with skin, eyes or clothing. Avoid breathing vapors or spray mist.

FIRST AID

IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

IF SWALLOWED: Call a poison control center or doctor for treatment advice if you feel unwell. Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor for treatment advice if you feel unwell.

NET CONTENTS:

Manufactured by: Winfield Solutions, LLC; P.O. Box 64589; St. Paul, MN 55164-0589 ~ USA

Imported by: Winfield United Canada, ULC; 101-302 Wellman Lane; Saskatoon, Saskatchewan S7T 0J1~ CAN
Telephone: 1-306-249-5112

1/0104/8

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

STORAGE: Store in original container only and keep sealed. Store in closed storage areas.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of through on-site spray application or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling rinsed containers is the best option of container disposal. Rinsed containers may also be disposed of in a sanitary landfill.

GENERAL INFORMATION

InterLock® is a spray adjuvant designed to improve deposition of the spray application onto the intended target. InterLock® improves coverage and reduces drift and evaporation of pesticides being applied by ground or air.

InterLock® is unique and does not negatively affect spray pattern like other drift control adjuvants even when using air assisted type nozzles. InterLock® should be used in conjunction with proper spray equipment selection set-up and use including boom height, nozzle type, size and pressure. Along with good judgment and the proper selection and use of spray equipment, InterLock® can help professional applicators ensure the maximum performance of pesticides.

DIRECTIONS FOR USE

For use with Herbicides (including desiccants), Insecticides and Fungicides:

Prior to use, read all directions on this label.

Drift Reduction and Deposition Aid:

InterLock use Rate	Spray Solution (Water)
80-120 mL per acre (1 jug per 80-120 acres)	5-20 gallons of water per acre (23-91 L of water per acre)

Before mixing pesticides with InterLock®, conduct a jar test to determine compatibility.

DO NOT ADD THIS PRODUCT AT A RATE THAT EXCEEDS 1% OF THE FINISHED SPRAY VOLUME.

Mixing

Add InterLock® after pesticides or other adjuvants are added but prior to complete filling of the spray tank.

For Direct Injection: InterLock® can be applied through injection systems where InterLock® is added to one of the system's chemical injection tanks. An in-line mixing chamber is recommended.

- Step 1 -Add InterLock® to the chemical injection tank.
- Step 2 – Pump the correct amount of InterLock® into the line.
- Step 3 – Pump the proper amount of water, pesticide, and other adjuvants into the line for mixing with InterLock® and chemicals before going into the spray boom.

Do not mix InterLock® with other adjuvants in an induction system or container when all the products are undiluted. Once mixed in water, the product is compatible in any mixing order.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and, subject there to; the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

InterLock® is a registered trademark of Winfield Solutions, LLC.