



GUARANTEED ANALYSIS

Total Nitrogen (N)	12.00%
5.20% Ammoniacal Nitrogen	
6.80% Nitrate Nitrogen	
Available Phosphate (P ₂ O ₅)	26.00%
Soluble Potash (K ₂ O)	26.00%

Derived from Monoammonium Phosphate, Potassium Nitrate and Potassium Sulfate.

F2544

GENERAL INFORMATION

MORA-LEAF PRIME 12-26-26 is formulated primarily for foliar applications to prevent or correct NPK deficiencies in a wide range of agronomic plants. Its use is suggested as a supplement to a regular, balanced fertilizer program to enhance yields and improve quality. Application of this product is a means of obtaining a quick response to needed elements. Foliar applications may be particularly beneficial during periods of peak nutrient demand, for crops grown on soils having poor nutrient availability or to crops suffering from a weakened root system. Avoid foliar nutrient applications to crops during periods of moisture, salinity or heat stress. Applications of foliar nutrients to sensitive crops such as leafy vegetables or soft-skinned fruit during periods of excessive temperatures may cause cosmetic injury.

MORA-LEAF PRIME 12-26-26 should be used as part of a comprehensive Total Nutrition System® for optimizing soil/nutrient conditions for plant growth, development, yield and quality.

DIRECTIONS FOR USE

MORA-LEAF PRIME 12-26-26 may be applied as a foliar spray by air or by ground. Maintain agitation to provide uniform distribution within the spray tank. Thorough and even spray coverage is essential for maximum nutrient uptake and crop safety. Optimum rate of application will vary based on a variety of factors including degree of need or deficiency, growth stage, yield potential, environmental conditions, existing soil fertility levels, etc. Consult your area Wilbur-Ellis representative for specific uses and rates.

Add this product to spray tank that is at least 50% full with water and maintain agitation. It should dissolve rapidly and distribute uniformly. When water temperatures are cold, allow extra time for this product to completely dissolve. Do not exceed 2 pounds per gallon of water. Unless otherwise specified on tank mixed pesticide labels, add pesticide last. When combining with products packaged in water soluble pouches, allow pouches to dissolve completely before adding nutrients.

ALFALFA AND CLOVER: Use 5-10 pounds per acre per application. Make the first application when new growth or regrowth reaches 6-8 inches in height. For seed crops continue applications through the flowering and seed maturation process on a 10 to 14-day schedule as needed.

FRUIT AND NUT CROPS (Including but not limited to Almonds, Apples, Apricots, Cherries, Citrus, Filberts, Nectarines, Peaches, Pears, Pecans, Pistachios, Plums, Prunes, and Walnuts): Apply as needed from bud swell through post-harvest. Do not apply under slow drying conditions to sensitive fleshy fruit varieties. Do not combine with materials that may russet fruit. Do not apply to Anjou pears when temperatures exceed 80°F or after turn down stage. Avoid applications where fruit color or maturity may be delayed by nitrogen. Allow a minimum of 10 days between applications.

Dilute: 3-4 pounds per 100 gallons, maximum of 16 pounds per acre. **Concentrate:** Use a minimum of 10 pounds per acre in a minimum of 20 gallons of water per acre. **Citrus Mid-Season:** Use 5-15 pounds per acre in each application in a minimum of 1 gallon of water per pound of product.

GRAPES: Use 5-10 pounds per acre by ground or 5-8 pounds per acre by air in not less than 10 gallons of water. Apply during early vegetative vine growth, prior to bloom and during the fruit maturation phase. Allow a minimum of 10 days between applications.

LEGUMES: Use 5-10 pounds per acre per application. Apply prior to or during early bloom and continue on a 10 to 14-day schedule through seed maturation.

ROW CROPS: Use 5-10 pounds per acre per application as needed.

SMALL GRAINS (Barley, Oats, Rye, Triticale, and Wheat): Use 5-10 pounds per acre per application as needed. Apply during tillering and again during early boot. **CAUTION:** Use only with ester form when combining with 2,4-D.

VEGETABLES: Use 5-10 pounds per acre per application as needed. Allow a minimum of 10 days between applications.

VINES AND BERRIES: Use 5-10 pounds per acre per application. Applications may be made to vegetative growth under cool spring conditions, prior to and during flowering, and as fruit matures on a 10 to 14-day schedule.

COMPATIBILITY: MORA-LEAF PRIME 12-26-26 is compatible with many co-applied nutrients and plant protection products. Always jar test new combinations for compatibility prior to field mixing. This product is formulated to achieve an acidic spray solution. Final spray solution pH will vary depending on rate, water volume and water quality. Do not combine with copper plant protection products if spray solution has a pH of 7.0 or less. Avoid tank mixing with liquid lime sulfur. Do not apply with amine form of 2,4-D or Banvel®.

PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN

Based on currently available data, this product is not classified as a GHS hazardous substance. However, observe good industrial hygiene practices. Wash hands after handling. Refer to Safety Data Sheet if first aid instructions are needed.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Store in original container only and keep tightly sealed when not in use. Store away from incompatible materials. Dispose of contents/container in accordance with federal, state and local regulations.

Information regarding the contents and levels of metals in this product is available on the Internet at <https://www.aapfco.org/metals.html>

⚠ WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of the product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors. **Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS," AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** Buyer and User accept all risks arising from any use of this product, including without limitation uses contrary to label instructions, under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer. To the extent permitted by law, neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS logo, MORA-LEAF, MORA-LEAF logo and Total Nutrition System are registered trademarks of Wilbur-Ellis Company LLC.

Guaranteed by:
WILBUR-ELLIS COMPANY LLC
7 E. Washington Ave.
Yakima, WA 98903



WILBUR-ELLIS.

NET WEIGHT: 50 POUNDS (22.68 kg)

2024-0122