## NACHURS CropMax®



MANUFACTURED BY:
NACHURS ALPINE SOLUTIONS®
421 Leader Street • Marion, 0H 43302
(800) 622-4877

visit us online:

www.nachurs.com

LOT #:

#### **Bulk Shipment**

See Bill of Lading for Volume & Net Weight

☐ **Jug:** 2.5 U.S. Gallons (9.46 L) Net Weight: 25.55 LBS (11.59 kg)

□ **Box**: 2 x 2.5 U.S. Gallons (2 x 9.46 L) Net Weight: 51.1 LBS (23.18 kg)

☐ Tote: Volume:

Net Weight:

NAS - F690

2-0-2
CHELATED MICRONUTRIENT PRE-MIX FOR
PREVENTION AND CORRECTION OF MICRONUTRIENT DEFICIENCY IN ALL CROPS

### **GUARANTEED ANALYSIS**

TOTAL NITROGEN (N)	2%
2% Ammoniacal Nitrogen	
SOLUBLE POTASH (K <sub>2</sub> 0)	2%
BORON (B)	0.1%
COPPER (Cu)	0.15%
0.15% Chelated Copper (Cu)	
IRON (Fe)	0.3%
0.3% Chelated Iron (Fe)	
MANGANESE (Mn)	1.5%
1.5% Chelated Manganese (Mn)	
MOLYBDENUM (Mo)	0.0005%
ZINC (Zn)	4.0%
A N% Chelated 7inc (7n)	

Derived from: ammonium hydroxide, potassium hydroxide, boric acid, copper EDTA, iron EDTA, manganese EDTA, sodium molybdate, zinc EDTA

**DENSITY/ WEIGHT PER GALLON:** 10.22 LBS (4.64 kg) at 68°F ALL COMPLETELY WATER SOLUBLE

THIS PRODUCT IS INTENDED FOR USE IN MIXING OR BLENDING WITH OTHER FERTILIZER MATERIALS, TO PRODUCE FERTILIZERS WHOSE TOTAL PRIMARY NUTRIENT GUARANTEES EQUAL OR EXCEED 24%

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

WARNING: BORON IS TO BE USED WHERE SOIL TEST AND/OR TISSUE ANALYSIS INDICATE A DEFICIENCY, AND SHOULD NOT BE USED AT RATES IN EXCESS OF THE RATE RECOMMENDED BY A QUALIFIED INDIVIDUAL/ENTITY SUCH AS A CERTIFIED CROP ADVISOR, AGRONOMIST OR UNIVERSITY EXCESSIVE APPLICATION OF BORON MAY CAUSE CROP DAMAGE. THIS FERTILIZER IS TO BE USED ONLY ON SOIL WHICH RESPONDS TO MOLYBOENUM. CROPS HIGH IN MOLYBDENUM ARE TOXIC TO GRAZING ANIMALS (RUMINANTS).

USE IN ACCORDANCE WITH RECOMMENDATIONS OF A QUALIFIED INDIVIDUAL OR INSTITUTION, SUCH AS, BUT NOT LIMITED TO, A CERTIFIED CROP ADVISOR, AGRONOMIST, UNIVERSITY PUBLICATION OR APPLY ACCORDING TO RECOMMENDATIONS IN YOUR APPROVED NUTRIENT MANAGEMENT PLAN. NACHURS STARTER OR FOLIAR APPLICATIONS ARE INTENDED TO SUPPLEMENT EXISTING SOIL FERTILITY PROGRAMS AND WILL NOT BY ITSELF PROVIDE ALL THE NUTRIENTS NORMALLY REQUIRED BY AGRICULTURAL CROPS.

**WARNING:** EXPOSURE MAY AGGRAVATE PRE-EXISTING EYE, SKIN, OR RESPIRATORY CONDITIONS.

"NACHURS ALPINE SOLUTIONS", "NACHURS", and 
"NACHURS CropMax" are trademarks of 
NACHURS ALPINE SOLUTIONS 191

© 2019. NACHURS ALPINE SOLUTIONS. All rights reserved. FL- F000529

# NACHURS CropMax® CHELATED MICRONUTRIENT PRE-MIX FOR PREVENTION AND CORRECTION OF MICRONUTRIENT DEFICIENCY

## APPLICATION INSTRUCTIONS:

Suggested application rate: 1-2 pts/acre.

**NACHURS CropMax** is formulated to provide necessary micronutrients for optimum growth with the advantage of excellent compatibility with NACHURS in-furrow starters.

Compatibility: **NACHURS CropMax** may be applied in combination with other liquid fertilizers, fertilizer suspensions, and nitrogen solutions. Always jar test combinations before field mixing.

### **GENERAL MIXING INSTRUCTIONS:**

- 1) Put 1/3 of fertilizer in tank
- 2) Add other chemicals, if any
- 3) Fill tank with balance of fertilizer
- 4) Add correct amount of chelate
- 5) Agitate adequately to mix

**CAUTION:** Check compatibility with standard jar test.

**NACHURS CropMax** must be applied with NACHURS liquid fertilizers, other liquid fertilizers, fertilizer suspensions, and nitrogen solutions.

These are general product recommendations. Please consult with your NACHURS Sales Manager or agronomist for specific fertility recommendations.



421 Leader Street • Marion, OH 43302 • (800) 622-4877 visit us online: W W W . n a c h u r S . c o m