

# QWEMIKELP

7-2-1

## GUARANTEED ANALYSIS:

Total Nitrogen (N)	7.00%
6.5% Urea Nitrogen	
0.3% Ammoniacal Nitrogen	
0.2% Nitrate Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	2.00%
Soluble Potash (K <sub>2</sub> O)	1.00%
Magnesium (Mg)	0.50%
Boron (B)	0.150%
Iron (Fe)	0.113%
Manganese (Mn)	0.056%
Molybdenum (Mo)	0.024%

**Derived from:** Aqua Ammonia, Urea, Potassium Nitrate, Kelp extract (*Ecklonia maxima*), Potassium Hydroxide, Magnesium Oxide, Boric Acid, Ferrous Sulphate, Manganese Oxide, Sodium Molybdate

## ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

50% Kelp extract (*Ecklonia maxima*), (microbe food)

**WARNING:** Product contains boron and the use of the fertilizing material on any crops other than those recommended may result in serious injury to the crop(s).

**WARNING:** The application of fertilizing material containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum (Mo) which are toxic to ruminant animals.

## KEEP OUT OF REACH OF CHILDREN



## WARNING

Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. Wear protective gloves. Wear eye or face protection. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after handling.

## FIRST AID:

**If in eye:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**DIRECTIONS FOR USE: USE ONLY AS DIRECTED INCLUDED BUT NOT LIMITED TO THE CROPS LISTED BELOW**

Shake well before use.

**Foliar application:**

Always dilute in a maximum of 60-gallons water per acre and apply at a rate of 1 to 2 quarts per acre.

**Aerial application:**

Dilute in 3 to 4 gallons water per acre and apply at a rate of 1 to 2 quarts per acre.

**In furrow application:**

0.9 to 1 quart per acre applied in 5-10 gallons per acre.

**APPLICATION TABLE:**

<b>CROP</b>	<b>APPLICATION METHOD</b>
<b>Citrus</b>	Apply at bud swell and repeat at 21-day intervals.
<b>Corn</b>	Apply at the 5 to 7-leaf stage.
<b>Cotton</b>	Apply at the 10-leaf stage and repeat with 14-day intervals.
<b>Hemp</b>	Apply at the 5 to 7-leaf stage.
<b>Legume crops</b>	Apply at the 4 <sup>th</sup> trifoliolate and repeat with 14-day intervals.
<b>Potatoes</b>	Apply at the 6-leaf stage and repeat 14 days later.
<b>Sugarcane</b>	Apply once the cane has reached a height of 23 inches.
<b>Fruiting Vegetables:</b> Cucumbers, Egg plant, Melons, Peppers, Squash and Tomatoes	Apply at the 6-leaf stage and repeat with 14-day intervals.
<b>Leaf Vegetables:</b> Asparagus, Broccoli, Brussels sprout, Cabbages, Cauliflower, Celery, Chives, Lettuce, Parsley and Spinach	Apply at the 6-leaf stage and repeat with 14-day intervals.
<b>Root Vegetables:</b> Beets, Carrots, Turnip, Parsnip and Radish	Apply at the 6-leaf stage and repeat with 14-day intervals.
<b>Wheat</b>	Apply at the 5 to 7-leaf stage.
<b>Sunflower</b>	Apply at the 5 to 7-leaf stage and repeat 14 days later.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

**Net Content:** 2.5 gallons (9.46 L)

**Density:** 9.17 lbs/US gallon @ 68° F

**Net Weight:** 22.92 lbs (10.40 kg)

F003086

**GUARANTEED BY:**

**Nulandis (A division of AECI® Ltd)**

AECI Chem Park, Block No 2 – 2<sup>nd</sup> Floor

200 Bergrivier Drive, Chloorkop

Kempton Park 1619

South Africa

T: +27 11 823 8000

[www.aeciworld.com](http://www.aeciworld.com)