12/14/21, 2:10 PM Trial Protocol

8-4-12

TECHNOLOGY SUPPORTING PLANT POLLINATION



Enhances pollen development, fertilization, and the production of fruit, pods and seeds.

DIRECTIONS FOR USE: READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. SHAKE WELL BEFORE USING.

General Crop Use: apply at fungicide timing as a foliar spray using 2.5 L per hectare (1 L per acre) with a minimum of 50 L water per hectare (20 L / acre) for ground applications and 30 L of water per hectare (12 L / acre) for aerial applications. Allow a minimum of 3 weeks between applications.

Canola, Soybeans, Peas, Lentils, and other Pulse Crops: apply once at the 5% - 30% bloom stage.

Corn: apply once at the tassels stage.

Flax: apply 1-2 times, once beginning at the 5% blooming stage. Repeat once more as needed.

Hops: apply once at the 5-30% bloom stage.

Berry: apply twice, once beginning at the 5% bloom stage and again beginning at the 50% bloom stage.

Fruit and nut trees: apply once at the 10% bloom stage using a minimum of 300L of water per hectare (120 L / acre). Repeat once more at the 50% bloom stage as needed. **Tomato:** apply once at the 5% – 20% bloom stage.

Use this product on the basis of soil and tissue analysis in accordance with recommendations of a qualified person or institution or apply according to recommendations in your approved nutrient program.

12/14/21, 2:10 PM Trial Protocol

COMPATIBILITY: This product is compatible with most fertilizers, and pesticides. If compatibility is uncertain, conduct a jar test prior to use.

Add tank-mix partners in the following order: Water, Agrochemical, Active FLOWER™. Keep agitator running while mixing and spraying.

PHYTOTOXICITY: For crops not listed on this label, always test a small plot prior to commercial application and observe for 7-10 days for symptoms of phytotoxicity.

GUARANTEED MINIMUM ANALYSIS:

Total Nitrogen (N): 8%

Available Phosphate (P₂O₅): 4%

Soluble Potash (K₂O): 12%

• Boron (B)(actual): 2.0%

• Copper (Cu)(actual): 0.05%

• Iron (Fe) chelated (actual): 0.09%

• Manganese (Mn)(actual): 0.1%

Zinc (Zn)(actual): 0.05%

• EDTA (chelating agent): 1.42%



DANGER HAZARD STATEMENTS: CONTAINS BORON: MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

CAUTION: THIS FERTILIZER CONTAINS BORON, COPPER, IRON, MANGANESE AND ZINC AND SHOULD BE USED ONLY AS RECOMMENDED. IT MAY PROVE HARMFUL WHEN MISUSED.

PRECAUTIONARY STATEMENTS: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, clothing, eye protection and face protection. If mists are present and ventilation is absent or poor, use an air purifying respirator. Do not eat, drink or smoke when using this product. Wash up thoroughly before eating, drinking, smoking and leaving work.

FIRST AID: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Seek medical attention if you feel unwell. IF ON SKIN: Immediately take off all contaminated clothing. Rinse skin with water (or shower). Wash contaminated clothing before reuse. Seek medical attention if irritation persists. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Seek medical attention if you feel unwell. IF IN EYES: Immediately flush eyes with a gentle stream of water for 15 minutes while holding the upper and lower eyelids open. Remove contact lenses, if present and easy to do. Seek medical attention if irritation persists.

STORAGE: KEEP OUT OF REACH OF CHILDREN. Store locked up in a cool, dry, well ventilated area away from food or feed storage. DO NOT FREEZE.

DISPOSAL: Dispose of this product and its container in accordance with Federal, Provincial, and Local regulations.

FOR CHEMICAL EMERGENCY CALL: 1-639-398-0485.

12/14/21, 2:10 PM Trial Protocol

WARRANTY AND CONDITIONS OF SALE: Manufacturer warrants that this material conforms to the chemical description hereon and is reasonably fit for use as directed. No other warranty is made, either expressed or implied.



Active AgriScience Inc. DISCLAIMER: Please read this limitation carefully as it impacts your legal rights. It is understood and agreed that Active AgriScience Inc. ("Active") does not guarantee that use of this Product will yield any specific results. Active's legal liability, and that of its employees or agents, arising from use of this product shall be limited to the cost paid for the product regardless of whether any loss arose from Active's own negligence or breach of contract or any other cause. Under no circumstances shall Active be liable, beyond the cost paid for the product, for direct, consequential, incidental, or special damages, including, but not limited to, damage or destruction of a crop, reduced yield from any crop, or contamination of any property. Use or sale of this product confirms acceptance of this limitation of legal liability.

Net weight: 13.6 kg (30.0 lbs)

Net contents: 10 L (2.6 gal)